



JUNTA CENTRAL ELECTORAL (JCE)

No. EXPEDIENTE

CP - 21 - 2017


11 de Julio del 2017

OFERTA ECONOMICA

Página 1 de 2

NOMBRE DEL OFERENTE : OFFITEK, SRL.

Item no.	Descripción del Bien Servicio U Obra	Unidad de medida	Cantidad	Precio unitario	ITBIS	Precio Unitario Final
1	COMPUTADORA DELL OPTIPLEX MICRO SFF- 3040 Con PROCESADOR INTEL i5 A 3.3Ghz (6ta Generación) / MEMORIA RAM DE 8GB DDR3 / DD DE 256GB SSD / TARJETA DE VIDEO INTEGRADA / UNIDAD OPTICA : DVD +/-RW COMBO / PUERTOS USB 2.0, USB 3.2, HDMI Gigabit / ETHERNET / WINDOWS 10 PROFESSIONAL 64bit / MONITOR DELL LCD E2216H WIDESCREEN 1920 X 1080 P / TECLADOS USB DELL Y MOUSE USB WITH SCROLL DELL EN ESPAÑOL / 3 Años de Garantía (Soporte Técnico Includo a nivel Local) / Tiempo de Entrega : 12 a 15 Dias Laborables	UNIDAD	15	RD\$33,272.00	RD\$5,988.96	RD\$39,260.96



VALOR TOTAL DE LA OFERTA : RD\$ 588,914.40

Valor total de la oferta en letras : QUINIENTOS OCHENTA Y OCHO MIL NOVECIENTOS CATORCE CON 40/00


Garantía por los Equipos Ofertados : 3 Años en Piezas y Servicios con Soporte Técnico a Nivel Local

Tiempo de entrega : 12 A 15 Días Laborables a Partir de Haberse Adjudicado La Orden De Compra


Validez de la oferta : 60 Días Laborables, Tanto en Precios Como Disponibilidad

Condiciones de Pago : 45 DIAS LABORABLES

Engelbert Andrés Ortiz en calidad de Presidente, debidamente autorizado para actuar en nombre y representación de Offitek, SRL

Firma 

11 / 07 / 2017





JUNTA CENTRAL ELECTORAL (JCE)

No. EXPEDIENTE
CP - 21 - 2017

11 de Julio del 2017


OFERTA TECNICA

Página 1 de 2

NOMBRE DEL OFERENTE : OFFITEK, SRL.

Item no.	Descripción del Bien Servicio U Obra	Unidad de medida	Cantidad	Tiempo de Entrega	Garantia	Marca
1	COMPUTADORA DELL OPTIPLEX MICRO SFF- 3040 Con PROCESADOR INTEL i5 A 3.3Ghz (6ta Generación) / MEMORIA RAM DE 8GB DDR3 / DD DE 256GB SSD / TARJETA DE VIDEO INTEGRADA / UNIDAD OPTICA : DVD +/-RW COMBO / PUERTOS USB 2.0, USB 3.2, VGA HDMI Gigabit / ETHERNET / WINDOWS 10 PROFESSIONAL 64bit / MONITOR DELL LCD E2216H WIDESCREEEN 1920 X 1080 P / TECLADOS USB DELL Y MOUSE USB WITH SCROLL DELL EN ESPAÑOL / 3 Años de Garantia (Soporte Técnico Includo a nivel Local) / Tiempo de Entrega : 12 a 15 Dias Laborables	UNIDAD	15	12 a 15 Dias Laborables	3 Años	Dell

Engelbert Andrés Ortiz en calidad de Presidente, debidamente autorizado para actuar en nombre y representación de Offitek, SRL



Firma Engelbert Ortiz

11 / 07 / 2017

DISTRIBUCIÓN Y COPIAS
Original 1 - Expediente de Compra
Copia 1 - Agregar Destino



JUNTACENTRAL ELECTORAL (JCE)

No. EXPEDIENTE

CP - 21 - 2017

11 de Julio del 2017


OFERTA TECNICA

Página 1 de 2

NOMBRE DEL OFERENTE : OFFITEK, SRL.


Item no	Descripción del Bien Servicio U Obra	Unidad de medida	Cantidad	Tiempo de Entrega	Garantía	Marca
1	COMPUTADORA DELL OPTIPLEX MICRO SFF- 3040 Con PROCESADOR INTEL i5 A 3.3Ghz (6ta Generación) / MEMORIA RAM DE 8GB DDR3 / DD DE 256GB SSD / TARJETA DE VIDEO INTEGRADA / UNIDAD OPTICA : DVD +/-RW COMBO / PUERTOS USB 2.0, USB 3.2, HDMI /Gigabit / ETHERNET / WINDOWS 10 PROFESSIONAL 64bit / MONITOR DELL LCD E2216H WIDESCREEEN 1920 X 1080 P / TECLADOS USB DELL Y MOUSE USB WITH SCROLL DELL EN ESPAÑOL / 3 Años de Garantía (Soporte Técnico Incluido a nivel Local) / Tiempo de Entrega : 12 a 15 Dias Laborables	UNIDAD	15	12 a 15 Dias Laborables	3 Años	Dell

Engelbert Andrés Ortiz en calidad de Presidente, debidamente autorizado para actuar en nombre y representación de Offitek, SRL



Firma

11 / 07 / 2017




Essential business-class computing


OptiPlex 3040 simplifies business computing with best-in-class security and manageability in new, smaller energy-efficient designs—Mini Tower, Small Form Factor and Micro Form Factor.

Available with up to 6th Gen Intel® Core™ i5 Processors, Intel® Integrated graphics, and Dell Client Command Suite tools for time-saving systems management, OptiPlex 3040 provides excellent value at an entry-level price.


Enhance these features with purpose-built Dell accessories such as award winning monitors, custom-designed cable covers, and a variety of Micro mounts for a complete computing experience; all backed by outstanding 24x7 ProSupport Plus.



For more information visit
www.dell.com

Feature	3040 MT/SFF/Micro Technical Specifications			
Processors ¹	Intel® 6th generation Core™ i5 Quad Core (65W for MT & SFF, 35W for micro), Core™ i3 Dual Core, Pentium® Dual Core and Celeron® Dual Core (65W for MT & SFF, 35W for Micro)			
Chipset	Intel® H110 Chipset			
Operating System	Microsoft® Windows 10 Home 64 - bit, Microsoft® Windows 10 Pro 64 - bit Microsoft® Windows 8.1 Standard 64-bit, Microsoft® Windows 8.1 Pro 64-bit Microsoft® Windows 7® Professional SP1 (32/64 bit) Ubuntu® Neokylin® (China only)			
Graphics Options ²	Integrated Intel® HD Graphics 530 Supports optional discrete graphics (MT/SFF only): AMD Radeon™ R7 350X, AMD Radeon™ R5 340X			
Memory ³	2 Long DIMM slots; Non-ECC dual-channel 1600MHz DDR3L SDRAM, supports up to 16GB (MT/SFF); 2 SO-DIMM slots (MFF)			
Networking	MT/SFF: Integrated Realtek® RTL8111HSD Ethernet LAN 10/100/1000; Optional wireless: 802.11ac+ Bluetooth 4.1 card Micro: Integrated Realtek® RTL8111HSD Ethernet LAN 10/100/1000; Optional wireless M.2 802.11ac + Bluetooth 4.1 card			
I/O Ports	MT/SFF: 8 External USB: 4 x 3.0 (2 front/2 rear) and 4 x 2.0 (2 front/2 rear); 1 RJ-45; 1 Serial (optional); 1 Display Port 1.2; 1 HDMI 1.4; 2 PS/2 (optional); 1 UAJ, 1 Line-out; 1 VGA (optional) MFF: 6 External USB: 4 x 3.0 (2 front/2 rear) and 2 x 2.0 (2 rear); 1 RJ-45; 1 HDMI 1.4; 1 Display Port 1.2; 1 UAJ (front); 1 Line-out (front); 1 Serial (optional); 1 VGA (optional); Serial+PS2 (optional)			
Removable Media Options	Supports optional optical disc drives and media card reader (MT/SFF only)			
Hard Drive ⁴ Options (internal)	Hard Disk Drives: up to 1TB Supports Solid State Drives, Hybrid and Hybrid Opal SED FIPS No Hard Drive – Supports Dell Cloud Desktop diskless			
Chassis 		Minitower (MT)	Small Form Factor (SFF)	Micro (MFF)
	Dimensions (H x W x D) Inches/(cm)	13.8 x 6.1 x 10.8 (inches)	11.4 x 3.6 x 11.5 (inches)	7.2 x 1.4 x 7 (inches)
		35 x 15.4 x 27.4 (cm)	29 x 9.2 x 29.2 (cm)	18.2 x 3.6 x 17.8 (cm)
	Weights (lbs./kg)	17.49 / 7.93	13.45 / 6.1	2.82 / 1.28
	Number of Bays	1 internal 3.5" 2 internal 2.5" 1 external 5.25"	1 internal 3.5" 1 internal 2.5"	1 internal 2.5"
	Expansion Slots	1 full height PCIe x16 3 full height PCIe x1	1 half height PCIe x16 1 half height PCIe x1	1 M.2 (22x30mm) (Wireless only)
Power Supply ⁴ Unit (PSU)	Standard 240W PSU Active PFC ¹¹ 240W up to 85% Efficient PSU (80 PLUS Bronze) ENERGY STAR compliant, Active PFC 240W up to 92% Efficient PSU (80 PLUS Platinum); ENERGY STAR compliant, Active PFC	Standard 180W PSU Active PFC 180W typical 85% Efficient PSU (80 PLUS Bronze) ENERGY STAR compliant, Active PFC 180W typical 92% Efficient PSU (80 PLUS Platinum); ENERGY STAR compliant, Active PFC	65W external adapter, 87% minimum average efficiency	
Recommended Accessories	Monitors - qualified with Dell commercial monitors including Dell E series monitor 17" - 27", Touch monitor in 20" screen size Dell Professional series monitors available from 19"-27", Touch monitor in 23" screen size			
	Micro Mounting Options: Vertical Stand, VESA Mount, Dual VESA Mount, All in One Mount, Console with DVD-RW, All in One Mount for E Series Displays			
	Keyboards: Dell wired Keyboard with Multimedia functionality, Dell Smart Card Keyboard, Dell Wireless KB/Mouse, Logitech Wireless KB/Mouse			
	Mouse: Dell wired Mouse, Dell wireless mouse, Dell Laser Mouse			
	Audio Speakers: Internal Dell Business audio speaker, Dell stereo speaker systems available; Dell sound bar for select Flat-panel displays. Dell Wireless Speaker System available.			
Security Options	Trusted Platform Module ¹⁰ (TPM) 2.0 Dell Data Protection Security Tools, Dell Data Protection Encryption, Chassis lock slot support, Chassis Intrusion Switch, Setup/BIOS Password, I/O Interface Security, optional Smart Card keyboards, Intel® Trusted Execution Technology, Intel® Identity Protection Technology, Intel® Anti-Theft Technology, KACE Security, Dell Secure Works, BIOS support for optional Computrace ⁹			
Systems Management Options	Dell Client Command Suite; In-Band Systems Management			

Feature	3040 MT/SFF/Micro Technical Specifications
Environmental, Ergonomic, & Regulatory Standards	Environmental Standards (eco-labels): ENERGY STAR 6.0, EPEAT Registered ⁶ , CECP, WEEE, Japan Energy Law, South Korea E-standby, South Korea Eco-label (for SFF only), EU, RoHS, China RoHS Other Environmental Options: Carbon Off-set; Asset Resale and Recovery Service. TAA configurations available.
Warranty	Limited Hardware Warranty ⁷ ; Standard 3-year On Site Service after Remote Diagnosis ⁸ (3-3-3); Optional 3 year Dell ProSupport offers premium support from expert technicians and 24x7 availability ⁹ .
Configuration Services	Factory image load, BIOS customization, hardware customization, asset tagging, reporting



Discover professional class desktops at Dell.com/OptiPlex

Offering may vary by region. Some items may be available only in select regions. Pricing may vary by region and configuration. For complete details, refer to the Technical Guidebook published on www.dell.com, System Memory and Graphics Adapter and system memory may require BIOS support. Graphics depending on system memory size and other factors.

⁴ 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or greater system memory. Optional DDR4 memory support will be available in select regions. Launch expected in the July-Aug 2015 time frame.

⁵ Hard Drive: GB means Billion Bytes and TB means Trillion Bytes. Actual capacity varies with pre-installed material and operating environment and will be less.

⁶ EPEAT: Not a Dell offering. EPEAT can be found at www.epeat.com. EPEAT Green term and conditions at www.ecofirstforstartups.com.

⁷ Please refer to www.epeat.net for specific country registration and pricing details.

⁸ Limited Hardware Warranty: For copy of Ltd Hardware Warranty, visit Dell.com/US/About/Warranties. One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.

⁹ Onsite Service after Remote Diagnosis: Remote Diagnosis is determined by on-site phone technician; the use of issue may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, Technician and/or part will be dispatched, usually within 1 business day, following completion of Remote Diagnosis. Availability varies. Other conditions apply.

¹⁰ Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicesdescription.

¹¹ TPM: TPM is not available in all regions.

¹² Dell's form factor utilizes a main power AC input and a secondary power supply. Dell's form factor only utilizes Power Supplies (UPS) based on Sine Wave output for APC, PSUs, not on approximation of Sine Wave, Square Wave, or Modified Square Wave, available for purchase separately. If you have questions, please contact the manufacturer to confirm the output type.