

Marca

El modelo ofertado es manufacturado por
Sharp® Electronics Corporation
(Ver carta del Fabricante)

Modelo

MX-7081

Q
tc
Qued
d. p.
M
as

Condiciones de Pago, Entrega, Garantía

1) Condiciones de Pago

20% con la orden y 80% a 30 días

2) Tiempo de Entrega

21 días hábiles

3) Garantía

1 Año de garantía en piezas y servicios.

Especificaciones



Sharp[®] MX-7081

Configuración MX-7081



MX7801

Multifuncional Color/MFP

Características/Descripción del equipo propuesto

Descripción	Propuesta DUSA (Sharp® MX-7081)
Impresión láser a color	Cumple
Tipo de tóner seco	Cumple. Tecnología de tóner micro-fino para asegurar una óptima salida de color. Sistema de copiado transferencia seca electrostática
Tipo de tecnología de impresión: electrofotografía	Cumple. Tecnología de tóner micro-fino para asegurar una óptima salida de color. Sistema de copiado transferencia seca electrostática
Resolución de impresión: 1,200 x 3,600 dpi o superior	Cumple. Este equipo Sharp® usa una tecnología de "suavizado" desde el driver de impresión, permitiéndole llegar a 9600 x 600 dpi (9,600 emulados)
Resolución copiado y escaneado: 600 dpi	Cumple. 600 x 600 dpi (Mono/Color); Salida: hasta 1,200 x 1,200 dpi (Mono), hasta 600 x 600 dpi (Color)
Velocidad de impresión: 60-75 ppm	Cumple, 70 ppm color y 75 ppm BN
Velocidad de escaneo simplex: 110-130 IPM	Cumple, 120 simplex
Velocidad de escaneo Dúplex: 220-260 dúplex	Cumple, 240 dúplex
Memoria RAM mínima: 2GB o superior	Cumple, 6 GB
Disco duro mínimo: 500 GB o superior	Cumple, 1TB
Tarjeta Ethernet: 10/100/1000	Cumple, 10/100/1000 Base-T
Compaginador electrónico	Cumple
3 bandejas internas y 1 de bypass capacidad dúplex	Cumple, 3,100 páginas
Cantidad de páginas por bandeja: 500 o superior	Cumple
Tamaño material estándar: mínimo: 3.94" x 5.5", máximo 13" x 19.2"	Cumple, mínimo 3.625" x 5.5". Máximo 13" x 19.2"
Tamaño mínimo impresión Banner: 13" x 47"	Cumple, 12" x 51.18"
Capacidad para material con gramaje: superior a 320 g/m ²	300 g/m ²
Volumen mensual impresión: mayor a 130,000	Cumple, el equipo propuesto fue hecho para ambiente de alto volumen, departamentos de reprografía central y centros de copiado.
Volumen de trabajo: mayor a 300,000	Cumple
Equipo multifuncional para trabajos de imprenta	Cumple, el equipo propuesto fue hecho para ambiente de alto volumen, departamentos de reprografía central y centros de copiado.
Garantía en piezas y servicios: mínimo 1 año	Cumple
Detallar rendimiento de los suministros	Cumple, ver página siguiente

Nota: no existe ningún equipo multifuncional sin finalizador para Booklets/Gran Capacidad que maneje más 300 g/m² de gramaje de papel.

C. Printable area

A3 Wide *	301 x 449mm	13x19	319x480mm
SRA3	316 x 442mm	12" x 18" *	301 x 449mm
A3	293 x 412mm	11" x 17"	275 x 424mm
B4	253 x 356mm	8.5" x 14"	212 x 348mm
SRA4	312 x 221mm	8.5" x 13.5"	212 x 335mm
A4	206 x 289mm	8.5" x 13.4"	212 x 332mm
B5	178 x 249mm	8.5" x 13"	212 x 322mm
A5	144 x 202mm	Executive	180 x 259mm
Postcard	96 x 140mm	8.5" x 11"	212 x 271mm
8K	266 x 382mm	5.5" x 8.5"	136 x 208mm
16K	191 x 262mm		
Custom	Min: 86mm x 133mm / Max: 319mm x 1292mm		

* When printing 13x19/A3W/12" x 18" size, the full print and trim mark print of A3/11" x 17" size can be made by the PCL/PS drivers.

* Must conform to long scale paper up to 1,300mm.

Size of paper which can be fed

Paper feed section			Tray 1 (Tandem left)	Tray 2 (Tandem right)	Tray 3	Tray 4	Multibypass tray
Minimum weight			60g/m ²	60g/m ²	60g/m ²	60g/m ²	55g/m ²
Maximum weight			105g/m ²	105g/m ²	300g/m ²	300g/m ²	300g/m ²
Paper type	Thin paper (55 - 59 g/m ²)		No	No	No	No	Yes
	Plain paper 1 (60 - 69 g/m ²)		Yes	Yes	Yes	Yes	Yes
	Plain paper 2 (90 - 105 g/m ²)		Yes	Yes	Yes	Yes	Yes
	Recycled paper		Yes	Yes	Yes	Yes	Yes
	Color paper		Yes	Yes	Yes	Yes	Yes
	Letter head		Yes	Yes	Yes	Yes	Yes
	Pre-printed		Yes	Yes	Yes	Yes	Yes
	Pre-Punched		Yes	Yes	Yes	Yes	Yes
	Heavy paper 1 106 - 175g/m ²		No	No	Yes	Yes	Yes
	Heavy paper 2 177 - 220g/m ²		No	No	Yes	Yes	Yes
	Heavy paper 3 221 - 255g/m ²		No	No	Yes	Yes	Yes
	Heavy paper 4 257 - 300g/m ²		No	No	Yes	Yes	Yes
	Embossed paper		No	No	No	Yes	Yes
	Envelope		No	No	No	Yes	Yes
	Tab paper ²		No	No	No	Yes	Yes
	OHP Transparency		No	No	No	Yes	Yes
	Label		No	No	No	Yes	Yes
	Glossy paper		No	No	No	No	Yes
	User settings 1 - 9		Yes	Yes	Yes	Yes	Yes
Paper size	13 x 19	330 x 483	No	No	No	No	Yes
	12" x 18" (A3W)	305 x 457	No	No	Yes	Yes	Yes
	Ledger (11" x 17")	279 x 432	No	No	Yes	Yes	Yes
	Legal (8.5" x 14")	216 x 356	No	No	Yes	Yes	Yes
	Asian legal (8.5" x 13.5")	216 x 343	No	No	Yes	Yes	Yes
	Mexican legal (8.5" x 13.4")	216 x 340	No	No	Yes	Yes	Yes
	Footscap (8.5" x 13")	216 x 330	No	No	Yes	Yes	Yes
	Letter (8.5" x 11")	279 x 216	Yes	Yes	Yes	Yes	Yes
	Letter R (8.5" x 11"R)	216 x 279	No	No	Yes	Yes	Yes
	Invoice R (8.5" x 8.5"R)	140 x 216	No	No	No	Yes	Yes
	Executive R (7.25" x 10.5"R)	184 x 266	No	No	Yes	Yes	Yes
	9 x 12 (A4W)	305 x 229	No	No	Yes	Yes	Yes
	A3	297 x 420	No	No	Yes	Yes	Yes
	B4	257 x 364	No	No	Yes	Yes	Yes
	A4	297 x 210	Yes	Yes	Yes	Yes	Yes
	A4-R	210 x 297	No	No	Yes	Yes	Yes
	B6	257 x 182	Yes **	No	Yes	Yes	Yes
	B6-R	182 x 257	No	No	Yes	Yes	Yes
	A6-R	148 x 210	No	No	No	Yes	Yes
	DRA3	320 x 450	No	No	No	No	Yes
	DRA4	320 x 225	No	No	No	No	Yes
	8K	270 x 390	No	No	Yes	Yes	Yes
	16K	270 x 195	No	No	Yes	Yes	Yes
	16K-R	195 x 270	No	No	Yes	Yes	Yes
	Monarch	98 x 191	No	No	No	Yes	Yes
	COM 9	98.4 x 225.4	No	No	No	No	Yes
	COM10	105 x 241	No	No	No	No	Yes
	DL	110 x 220	No	No	No	No	Yes
	C4	229 x 324	No	No	No	No	Yes
	C5	229 x 162	No	No	No	No	Yes
	C6	114 x 162	No	No	No	No	Yes
	Special - Custom size		No	No	No	Yes	Yes
	Custom range	Min X (sub scan)	No	No	No	145mm/5.81inch	140mm/5.5inch
		Max X (sub scan)	No	No	No	457mm/18inch	488mm/19.2inch
		Min Y (main scan)	No	No	No	100mm/4inch	90mm/3.625inch
		Max Y (main scan)	No	No	No	305mm/12inch	330mm/13inch
	Special - Uncertain paper size		No	No	No	No	Yes
	Long size paper		No	No	No	No	Yes

Consumibles para la Impresora Ofertada

Descripción	Referencia Suministros MX-7081 Sharp®	Rendimiento
Color Black	MX-80NTBA	70,000 @ 5%
Color Cyan	MX-80NTCA	50,000 @ 5%
Color magenta	MX-80NTMA	50,000 @ 5%
Color yellow	MX-80NTYA	50,000 @ 5%

SHARP

SHARP®

HIGH-SPEED COLOR DOCUMENT SYSTEMS



MX-7081

MX-8081

The high-performance MX-7081/8081 encompass brilliant, consistent color quality with advanced workflow efficiency.

SUPERIOR CAPABILITY, INTUITIVE WORKFLOW, DYNAMIC OPERATION

powerful


The Sharp MX-7081 and MX-8081 color document systems are designed using the latest technology available to deliver the performance, features and reliability needed in today's busy workplace. Built for high-volume environments, central reprographics departments and copy rooms, these new document systems are complemented with robust paper handling and productive output capabilities, once found only in commercial print facilities. These new models also offer leading-edge security features to help businesses protect their data and personal information.

Sharp's next generation Color Consistency System helps ensure brilliant color output, page-after-page and job-after-job, for repeatable, high-quality results. Businesses can rest assured that producing professional-looking color documents in house can be easier and more economical than ever before.

Key Features

- **Ease of Use** – Award-winning touchscreen display with intuitive menu navigation combined with alternative touchless operation capabilities for basic copying, scanning and print release.
- **Productive Features** – Full multifunction capability out-of-box, including copying, network printing and color network scanning. Adobe Embedded Print Engine technology natively processes PDF files from a wide variety of sources, delivers peak performance and provides superior rendering accuracy.
- **Advanced Color Workflow** – The latest MX-PE15 Fiery® Print Server is available for corporate offices, CRDs and in-plant printing facilities that require precision color control and job management.

The MX-7071 and MX-8081 high speed color document systems are also easy to use and offer enhanced productivity, all to provide customers with a seamless, intuitive experience and the confidence in knowing their jobs will come out right the first time, every time.



 POWERED BY
Adobe Embedded Print Engine

MORE FEATURES, POWERFUL PRODUCTIVITY, GREATER RESULTS



**HIGH RESOLUTION
COLOR TOUCHSCREEN**

**PRODUCTIVITY PLUS
QUALITY AND EFFICIENCY**

**AVAILABLE FIERY®
PRINT SERVER**

A powerful, smart MFP that transforms office productivity and helps meet the demands of high-volume office customers.

- **300-sheet Duplex Single Pass Feeder (DSPF)** scans documents at up to 240 images per minute.
- **Scan Preview** feature offers on-the-fly page editing with easy fingertip navigation.
- **Triple air-feed paper handling option** offers high reliability and is virtually maintenance-free.
- The available **Sharp MFP Voice** feature enables users to control the device with simple verbal commands. Experience hands-free, voice-first interaction with **Amazon Alexa**.



- Offers **8,500-sheet maximum paper capacity** and media support up to 110 lb. cover stock (300 gsm).
- High-performance print controller with included **PCL®6** and **Adobe® PostScript®3™**.
- True **1,200 x 1,200 dpi** printing provides beautiful images and enhanced clarity for fine details such as small text and graphics.
- The **Sharp Color Consistency System** with next generation image process control delivers high quality color output and maintains optimum color balance and toner density page after page.
- Easily access popular cloud applications, including **Microsoft® OneDrive® for Business**, **SharePoint® Online**, **Box** and **Google Drive™**, with the **Sharp Cloud Connect** feature.
- Standard **Job Management** features make it easy to print on-demand as well as view jobs, retain jobs, combine jobs, select print settings and more.
- Supports the **Sharp OSA development platform**, enabling businesses to easily integrate with network applications and cloud services.
- **Compact PDF feature** dramatically reduces the file size of scanned color documents, resulting in decreased network traffic and more efficient use of disk and cloud storage.
- Convenient **End-of-Lease** feature can erase all files on the hard disk drive, all user data, job status data and address book data at trade-in time.



FLEXIBLE DESIGN ENABLES INTELLIGENT FUNCTIONALITY

Copier


"Alexa, ask Sharp Copier to scan to me."



MX-8081 shown with available Sharp MFP Voice feature with Amazon Alexa.



High capacity 300-sheet DSPF with 150-business card feeder for increased efficiency and scanning capabilities.



Triple air-feed LCT paper trays maximize reliability and minimize downtime. Pneumatic sensors maintain consistent air flow.



With the MX-PE15 Fiery Print Server, achieve higher productivity and consistent color quality.

From intuitive navigation to unsurpassed productivity, these MFPs are equipped to deliver optimum results.

Simple and Intuitive Operation

The new MX-7081/8081 high-speed color document systems feature the latest 10.1" (diagonally measured) high-resolution touchscreen with signature **retractable keyboard** for unmatched ease-of-use. Using the latest touchless technology, you can operate these models by simple voice commands with Amazon Alexa on the MFP, and print release, copy and scan jobs with Synappx™ Go on your personal device.




Sharp Synappx Family Innovation Award

A "Well-connected" Device

Connecting a multifunction printer (MFP) to your wireless network and accessing it from mobile devices has never been so easy with the MX-7081/8081 standard wireless networking features. Print from or scan to popular cloud services such as **Microsoft OneDrive for Business**, **SharePoint Online**, and **Google Drive** with the **Sharp Cloud Connect** feature. **Single Sign-on (SSO)** support for accessing these services makes scan-to-folder and scan-to-email operations simpler than ever. Even printing from your desktop is made easier with Sharp's **Serverless Print Release** function. **Easily send a job to one device, and print it on another** when and where it's most convenient for you.

Robust Paper Handling for Busy High-Volume Environments

Sharp understands the importance of productivity, that's why the new MX-7081/8081 high-speed color document systems offer up to **8,500-sheet paper capacity** and support **media weights up to 110 lb. cover (300 gsm)**. The Sharp exclusive paper feed option uses **air-feed technology**, which maximizes reliability and minimizes down time. The triple air-feed system directs air flow with precision accuracy to ensure proper paper handling. Also, to help drive productivity, a standard 300-sheet dual head document feeder can scan up to 240 images per minute.



The MX-PE15 Fiery® Print Server – an advanced solution for efficient print production.

Improve Document Production with Best-in-class Processing and Timesaving Workflow

The Fiery MX-PE15 print server can produce professional, finished documents in less time with easy-to-use job management tools. Operators can use **Fiery Command WorkStation®**, the **powerful, intuitive job management interface**, to set up and print complex jobs in-house, regardless of their experience.

- **Print faster, smarter and seamlessly** – turn in-house printing into a professional operation
- **Achieve unparalleled image and color quality** – ensure consistent reproduction of your brand
- **Add value and impact** – customize your output with variable data printing capabilities

Add the optional Fiery Automation Package to gain a touchless job submission workflow and professional preflight tools.

SCALABLE, POWERFUL AND VERSATILE TO FIT YOUR ENVIRONMENT

The MX-7081/8081 high-speed color document systems provide high performance, high functionality and high efficiency to exceed your business needs.

innovative features

High Quality Printing

1,200 x 1,200 dpi resolution produces razor-sharp documents. Adobe® PostScript® 3™ drivers offer extensive job control.

Post Sheet Inserter

Produce professional looking documents with pre-printed covers and chapter inserts with the available post sheet inserter.

Duplexing Single Pass Feeder (DSPF)

Standard 300-sheet dual head document feeder scans both sides of a document in a single pass.

Business Card Scanning

OCR scans up to 150 business cards with the DSPF and export them to a contact management system.

Easy-to-Use Smart Touchscreen

Tablet-style menu provides quick access to features and functions.

Built-in Retractable Keyboard

Full-size QWERTY keyboard enables easy data entry.

Saddle Stitch Finishers

Make high quality booklets up to 80-pages long.

Toner Hopper

Lets you change toner on-the-fly to help maximize productivity.



Optional MX-PE15 Fiery Server

Based on the latest Fiery FS400 Pro system software platform, the Fiery Server delivers performance-boosting features that shorten turnaround times.

Multi-Folding Unit

Provides a variety of folds, including Z-fold, C-fold, Accordion-fold, Double-fold and Half-fold.

Versatile GBC® SmartPunch Pro™

Professional punching system produces up to seven commonly used punch styles for creating professional bound booklets.

3,100-Sheet Standard Paper Capacity

Includes a 2,000-sheet letter size tandem tray, two 500-sheet letter/legal/ledger size trays that feed media up to 300 gsm and a 100-sheet bypass tray.

Multi-layered Security Features

Leading-edge security features provide enhanced protection of data and personal information and helps protect against network intrusions.

Superior Media Handling

Sharp's 5,000-sheet large capacity paper tray option utilizes triple air-feed technology, which directs air flow with precision accuracy for proper paper handling and enhanced media support up to 300 gsm.



Micro-Fine Toner Technology
Developer Auto Refresh Process
Real-Time Process Control

Sharp Color Consistency System

Combines Micro-fine toner with Developer Refresh and advanced Image Process Control. These processes help ensure color output is always at peak performance.

Convenient Job Management

1TB hard disk drive provides on-board document storage. An intuitive thumbnail view makes it easy to select, edit, reprint, repaginate and more.

Easy Access Popular Cloud Applications


With the Cloud Connect feature, users gain access to Microsoft OneDrive, Google Drive, Dropbox and more. The Sharp Application Portal makes it easy for administrators to add or update apps right from the MFP.



SMARTER COLLABORATION TO ENHANCE AND STREAMLINE WORKFLOWS



Access popular cloud applications, distribute files and print documents more easily.



Scan and convert documents to popular file types seamlessly with the Sharp built-in OCR function.




Standard Serverless Print Release enables users to securely print a job and release it from up to six supported models on the same network.

Optimize productivity with powerful document workflow solutions that help you work more efficiently.

Distribute, Access and Print Your Documents with Ease

Sharp makes it easy to go beyond traditional network scanning with standard **Email Connect** and **Cloud Connect** features. With **Email Connect**, scan to email is seamlessly integrated with Microsoft Exchange/Office 365® and Gmail™ user accounts, making it easy to identify the sender of scanned files. With Cloud Connect, users can easily scan to and print from **Microsoft OneDrive for Business, SharePoint Online, Google Drive, Box and Dropbox**. And with the Sharp Application Portal, administrators can **easily add new apps** and update existing apps right from the MFP touchscreen panel.



Scan and Print Files Easily from Mobile Devices

The MX-7081/8081 high-speed color document systems also make it easy to scan and print files from tablets and smartphones using **Sharpdesk Mobile**, a free downloadable app available for most mobile devices.* These new models also support popular mobile technologies such as **Apple® AirPrint®**. With standard **wireless networking**, users can also print directly to the MFP from mobile devices without interfering with the corporate network!

Simplify Managing Different File Types with Intelligent Image Processing

With standard OCR capabilities, users can easily scan and convert documents to popular file formats including Microsoft Word, PowerPoint and Excel, as well as Searchable PDF, Encrypted PDF and others. You can even directly print these same file types from thumb drives, cloud applications and mobile devices. This function is enabled via Qualcomm DirectOffice technology. These new models also support **Adobe Embedded Print Engine** technology, which direct prints PDF files from a variety of sources with greater performance and rendering accuracy.

Flexible Printing Solutions Help Maximize Productivity

Standard PCL 6 and Adobe PostScript 3 printing systems help you speed through all of your output needs. The Sharp **Serverless Print Release** feature enables users to securely print a job and release it from up to six supported models on your network.*

Simplify Complex Business Workflows with Sharp OSA® Technology

Sharp OSA technology can help your business leverage the power of your network applications, back-end systems and cloud services. Easily automate complex processes and help eliminate redundant tasks. Talk to your authorized Sharp dealer to see how they can help you implement a streamlined workflow solution.



*Go to www.sharppusa.com for a list of supported equipment and operating systems.

COMPREHENSIVE SECURITY HELPS PROTECT YOUR BUSINESS

Manage your device, help safeguard your data.

To help protect employees' privacy and intellectual property, the new MX-7081/8081 are armed with leading-edge, **multi-layered security features**, including **Firmware Attack Prevention and Self Recovery**, which can help identify a malicious intrusion and restore the machine firmware to its original state. The new **Whitelisting** feature detects access attempts to the machine file system and denies access if the source data is not on the whitelist. **Authority Groups** help manage and restrict copying, printing and scanning features to safeguard data and control costs. Administrators can also apply **Active Directory® Group Policy** to the device, which offers centralized configuration and control. **Confidential Printing** helps ensure sensitive documents are kept safe by requiring users to enter a PIN code to print them. These models also support Active Directory user authentication and secure **Single Sign-on**. **Integrated ID card authentication** is also available.* When you are ready to trade the machine in, a convenient **End-of-Lease** feature can erase all data and personal information, as well as print a confirmation report.



These scalable security offerings aim to help protect your confidential and personal information, as well as help your business meet regulatory requirements. For additional information visit: www.sharppusa.com/security.

* Some features require optional equipment and/or software.



With **Sharp Remote Device Manager (SRDM)**, administrators can take control of system features and simplify installation and management. SRDM makes it easy to view service logs, click counts, history reports and more. Event-driven service alerts help monitor the device and maximize uptime. The centrally managed **security dashboard** monitors security settings and can automatically reset the security policy if changed locally at the machine. Also, **Centralized Admin Password Management** and **Centralized Power Management** make it easy to deploy changes when needed. The **Remote Front Panel** feature enables administrators to control the machine's LCD panel from a PC to troubleshoot issues and train operators. Sharp also offers both **built-in** and additional **auditing hardware and software to control, access and track usage** of each device on the network.* And with **My Sharp™**, you get a dedicated training website customized to these models to help you understand all of the features.



ENVIRONMENTAL COMMITMENT



An Environmentally Responsible Approach to Product Design

Sharp is committed to environmental sustainability and corporate responsibility including planning, design, manufacturing, distribution and product end-of-life management. The MX-7081/8081 adhere to the Sharp Green Products Guidelines in pursuit of these commitments. These guidelines include designing products that consume less power, using recycled materials, reducing the amount of material used in products and packaging, and labeling the type of materials used. Sharp also aims to design products that are upgradable, easy to repair and easy to take apart for recycling.

The MX-7081/8081 document systems are **ENERGY STAR®** qualified and **RoHS** compliant to restrict the use of hazardous substances. These products also have low **TEC** values. Sharp MFPs are **EPEAT®** registered.



Toner Recycling Program

As part of our commitment to help preserve the environment, Sharp offers zero-waste-to-landfill recycling for Sharp consumables at no cost to our customers. This program includes cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing them with a pre-paid recycling kit for their return to our facility.

Environmental Leadership

As a testament to our commitment to the environment, Sharp is a multi-year winner of the **ENERGY STAR** annual Excellence in Energy Proficiency Product Design. Sharp is also a multi-year winner of the **SmartWay®** Excellence Award which recognizes companies for conserving energy and lowering greenhouse gas emissions in logistics and transportation.

For more information about Sharp's environmental leadership including information about energy efficient products, electronics or toner cartridge recycling, please visit www.sharppusa.com/environment.

MX-7081/8081 SPECIFICATIONS

Main Specifications

MX-7081/8081	Base models include 300-sheet DSPF, 2,000-sheet tandem paper drawer, (2) 500-sheet paper drawers, 100-sheet bypass tray, 1-TB hard disk drive, PCL 6 and Adobe PostScript 3 network printing, network scanning, retractable keyboard, application integration and external accounting modules. Black and color developer is included.			
Type	Color multi-function digital document system			
Display	10.1" (diagonally measured) color dot matrix high-resolution touch panel tilting display, 1,024 x 600 dots (W-SVGA)			
Functions	Copy, print, network print, network scan, document filing and fax ¹			
Copy System	Dry electrostatic transfer/Dual component developer/Magnetic brush development/OPC drums/Belt fusing/white LED exposure			
Originals	Sheets and bound documents			
Max. Original Size	11" x 17"			
Copy Size	Min. 5½" x 8½", Max. 13" x 19.2"			
Copy Speed	MX-7081: 75/70 ppm Mono/Color (8½" x 11")			
	MX-8081: 80/80 ppm Mono/Color			
Multiple Copy	Max. 9,999 copies			
First Copy Time (in seconds) ²	MX-7081		MX-8081	
	Mono	Color	Mono	Color
Platen Glass	4.0	5.6	3.7	5.1
DSPF	6.5	9.2	6.3	8.8
Warm-up Time ²	66 seconds from main power switch on, 55 seconds from [Power] button on			
Magnification	25% to 400% in 1% increments (with document feeder 25%-200%)			
Original Feed	300-sheet/150-business card DSPF			
Scan Speed	Copy: Up to 240 ipm (Mono)/120 ipm (Color) Scan: Up to 240 ipm (Mono/Color)			
Original Sizes	5½ x 8½", 8½" x 11", 8½" x 11" R, 8½" x 14", 11" x 17"			
Paper Capacity	Standard: 3,100 Sheets/Maximum: 8,500 Sheets			
Paper Feed System	Standard: Tandem Tray 1 - 1,200 sheets (letter size), Tandem Tray 2 - 800 sheets (letter size), Trays 3/4 - 500 sheets ea. (letter/legal/ledger/statement/12" x 18"). Multi-bypass Tray (for machine) - 100 sheets (letter/legal/ledger/statement/monarch or COM10 envelopes/12" x 18"). Multi-bypass (for LCT) - 500 sheets (letter/legal/ledger/statement/12" x 18"), LCT (2-Drawer) - 2,500 sheets each drawer (letter/legal/ledger/12" x 18"), Letter LCC - 3,500 sheets (letter), Ledger LCC: 3,000 sheets (letter/legal/ledger).			
Paper Weights and Types	Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 110 lb. cover, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb. cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 80 lb. cover, LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/Ledger LCC - 16 lb. bond to 80 lb. cover. Supported paper types include thin, plain, recycled, color, letterhead, pre-printed, pre-punched, embossed, glossy and OHP film.			
Duplexing	Standard automatic duplex copying and printing			
CPU	Up to 1.4 GHz multi-processor controller			
Interface	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports, front and rear), USB 2.0 (1 device port), wireless 802.11 b/g/n			
Memory	Standard 6 GB			
Hard Disk Drive	1 TB			
Copy Resolution	Scan: 600 x 600 dpi (Mono/Color); Output: Up to 1,200 x 1,200 dpi (Mono), up to 600 x 600 dpi (Color)			
Color Modes	Auto Color Selection (ACS), Full Color, Grayscale, Monochrome			
Exposure Control Modes	Text, Text/Photo, Text/Printed-Photo, Printed-Photo, Photo, Map, Pale-Color. Settings: Auto or 5 step manual			
HalfTone	256 gradations/2 levels (monochrome)			
Copy Features	Scan once print many, electronic sorting, offset-stacking, Auto Color Sensing, Auto Paper Selection (APS), Auto Magnification Selection (AMS), Auto Tray Switching (ATS), black-white reversal, blank page skip, book copy, book divide, card shot, center erase, centering, cover pages, dual page copy, edge erase, image edit, image preview, insert pages, job build, job programs, margin shift, mirror image, mixed size original, multi-page enlargement, original count, pamphlet style, proof copy, repeat layout, reserve copy, rotated copy, stamp, stamp custom image, suppress background, tab copy, tab-paper insertion, tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot.			
Account Control	Up to 1,000 users. Supports user-number authentication via local, LDAP and Active Directory for copy, print, scan and document management.			
Cloud Supported Services	Google Drive, OneDrive for Business, SharePoint, Box, Dropbox, Office 365, Gmail			
Network Protocols	TCP/IP (IPv4, IPv6, IPsec), HTTP/HTTPS, IPP/IPP-SSL, FTP/FTPS, SNMPv3, SMTP/SMTP-SSL, POP3/POP3-SSL, LDAP/LDAP-SSL, 802.1x for Windows and Unix.			

Main Specifications (continued)

Network and Data Security	Includes IP/MAC address filtering, protocol filtering, port control, user authentication (local/LDAP/Active Directory), TLS Encryption, Kerberos support, data encryption, End-of-Lease, data overwrite (up to 10x), DoD 5220.22-M
Firmware Management	Flash ROM with local (USB), network update capability and firmware update 1 to N with SRDM (Sharp Remote Device Management)
Device Setup	Web-based management with user/administrator level login
Service/Functions	Remote front panel, remote access to service logs and click counts
Accessibility Features	Free stop tilting front panel, adjustment of key touch sound and speed, concave key, document feeder free stop, job programs, remote front panel, universal grip for paper trays, and disable screen timeout
Environmental Standards	International Energy Star Program Ver. 3.0, European RoHS, Blue Angel (DE-UZ205)
Power Source	208-240V AC, 60 Hz, 20 A Receptacle
Power Consumption	Maximum: 2,880 W or less
Weight	Approx. 461 lbs.
Dimensions	Approx. 33 1/2" (w) x 33 1/4" (d) x 49" (h)
Network Printing System	
PDL	Standard PCL 6, Adobe PostScript 3
Resolution	1,200 x 1,200 dpi
Print Speed	MX-7081: 75/70 ppm Mono/Color MX-8081: 80/80 ppm Mono/Color
Print Drivers	Windows 8.1, Windows 10, Windows Server ² 2012, Windows Server 2016, Windows Server 2019, Windows PPD, macOS X ³ (including 10.9 to 10.15), all MAC PPD, Linux ³ PPD
Mobile Printing	AirPrint, Sharpdesk Mobile, Synapse Go
Print Features	Auto configuration, serverless print release, bar code font printing, carbon copy print, chapter inserts, color adjustment settings, color mode, confidential print, continuous printing, custom image registration, different cover page/last page/other page, document control, document filing, duplex printing, electronic sorting, folding, form overlay, hidden pattern print, image rotation, image stamp, image type, job bypass print, job retention, layout print, margin shift, multiple pamphlet, network tandem print, N-up printing, offset stacking, page interleave, pamphlet style, poster print, proof print, print and send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print
Direct Printing	File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engine.
Resident Fonts	80 outline fonts (PCL), 139 fonts (PS)
Interface	RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless
Operating Systems and Environments	Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome ³ , Mac OS X 10.9-10.15, Unix ³ , Linux, Citrix ³ , SAP device types ³
Printing Protocols	LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3 and HTTP
Network Scanning System	
Scan Modes	Standard: Color, monochrome, grayscale
Max. Original Size	11" x 17"
Optical Resolution	600 dpi
Output Modes	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
Image Formats	Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLSX, DOCX, TXT, RTF, Color/Grayscale: TIFF, JPEG, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLSX, DOCX, TXT, RTF, Internet Fax: TIFF-FX, TIFF-F, TIFF-S1 ¹
Image Compression	Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option) ¹
Scan Destinations	Email, Desktop, FTP, Folder (SMB), USB, Internet fax (option), Super G3 fax (option)
One-touch Destinations	Up to 2,000 (combined scan destinations)
Group Destinations	Up to 500
Programs	48 (combined)
Max. Jobs	Up to 100
Enhanced Email Integration	Standard Gmail connector, standard Exchange connector

3K 65-Sheet Staple Finisher (MX-FN34: option)

Type	3,000-sheet console staple finisher (65-sheet stapling)
Output Trays	Top tray: 250 sheets (letter size, non-stapled) Lower tray: Moving offset tray (up to 3,000 letter size sheets)
Stapling Capacity	Up to 65 sheets (letter/statement)
Stapling Media	Plain paper, letter/legal/ledger size or mixed
Stapling Positions	1 front, 1 rear, or 2-point stitching
Stapleless Finishing	1 rear (max. 5 sheets)
Manual Stapling	1 point (max. 65 sheets)

3K 65-Sheet Staple/Saddle Stitch Finisher (MX-FN35: option)

Type	3,000-sheet console staple finisher (65-sheet stapling)
Output Trays	Top tray: 250 sheets (letter size, non-stapled) Lower tray: Moving offset tray (up to 3,000 letter size sheets) Saddle tray: Up to 10 sets of 20 sheets
Stapling Capacity	Up to 65 sheets (letter/statement)
Stapling Media	Plain paper, letter/legal/ledger size or mixed
Stapling Positions	1 front, 1 rear, or 2-point stitching
Saddle Stitch	Center stitch/center fold (2 staples) letter/legal/ledger paper sizes
Max. Sets	Up to 10 sets (11-20 sheets per set)/15 sets (6-10 sheets per set)/25 sets (1-5 sheet(s) per set)
Stapleless Finishing	1 rear (max. 5 sheets)
Manual Stapling	1 point (max. 65 sheets)

Optional Equipment

MX-LC12	3,500-sheet Large Capacity Cassette (letter)
MX-LC13N	5,000-sheet Large Capacity 2-Drawer Air-Feed Tray (ledger)
MX-LC33N	3,000-sheet Large Capacity Cassette (ledger) ¹
MX-LT10	Long Paper Feeding Tray
MX-MF11	500-sheet Multi-bypass Tray (for MX-LC13N) ¹
MX-FN21	4K Stacking 100-Sheet Staple Finisher ¹
MX-FN22	4K Stacking 100-Sheet Staple/Saddle Stitch Finisher ¹
MX-FN34	3K Stacking 65-sheet Staple Finisher
MX-FN35	3K Stacking 65-sheet Staple/Saddle Stitch Finisher
MX-GBCX2	GBC Smartpunch Pro
MX-CF11	2-Tray Insert Unit ¹
MX-FD10	Multi-folding Unit ¹
MX-RB12N	Paper Pass Unit (for machine) ¹
MX-RB13	Relay Unit ¹
MX-RB14	Paper Pass Unit (for MX-LC13) ¹
MX-RB27	Curly Correction Unit ¹
MX-TM10	Trimmer Unit ¹
MX-PN13B	3-Hole Punch Unit (for MX-FN21/FN22)
MX-PN16B	3-Hole Punch Unit (for MX-FN34/FN35)
MX-SC11	Staple Cartridge (for MX-FN34/FN35)
MX-SC12	Staple Cartridge (for MX-FN35)
MX-SCX1	Staple Cartridge (for MX-FN22)
MX-SCX2	Staple Cartridge (for MX-FN21/FN22)
MX-TR14	Right Side Exit Tray
MX-TU14	Center Exit Tray
AR-SU1	Stamp Unit (requires AR-SV1 Stamp Cartridge)
AR-SV1	Stamp Cartridge (required for AR-SU1)
MX-PF10	Bar Code Font Kit
MX-FWX1	Internet Fax Expansion Kit
MX-FX15	Fax Expansion Kit
MX-AMX1L	Application Integration Module
MX-FR65U	Data Security Kit
MX-PE15	Fiery Color Print Server
MX-PX15	Fiery Interface Kit
MX-SL10N	Status Indicator
DVENDFSV	Generic Vendor Interface Kit

Supplies

MX-80NTBA	Black Toner Cartridge
MX-80NTCA	Cyan Toner Cartridge
MX-80NTMA	Magenta Toner Cartridge
MX-80NTYA	Yellow Toner Cartridge
MX-62NVBA	Black Developer
MX-62NVSA	Cyan/Magenta/Yellow Developer
MX-62NNSA	Drum
MX-700HB	Toner Collection Container

¹ Some features require optional equipment. See your local dealer.

² May vary depending on product configuration, machine settings and operating and/or environmental conditions.

³ Go to www.sharpsusa.com for a list of supported devices and operating systems.



SHARP ELECTRONICS CORPORATION
100 Paragon Drive, Montvale, NJ 07645
1-800-BE-SHARP • www.sharpsusa.com

Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, My Sharp and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows, Windows Server, Excel, PowerPoint, OneDrive and SharePoint are registered trademarks of Microsoft Corporation. Android, Google Drive and Chromebook are registered trademarks of Google LLC. AirPrint is a registered trademark of Apple Inc. Adobe and PostScript are registered trademarks of Adobe Systems Inc. DirectOffice is a trademark of CSR Imaging US, LP, registered in the United States and other countries, used with permission. All other trademarks are the property of their respective owners.

MFP a color de alta productividad con opción Fiery®

MX-7081

La facilidad de uso se une a la productividad profesional



- Velocidad de 70ppm en color y 75ppm en blanco y negro con una capacidad máxima de papel de 8500 hojas
- Amplia variedad de opciones de finalizador, finalizador-encuadernador, el grapado manual y eco-grapado
- Fácil modo de interfaz en la pantalla táctil LCD a color de 10,1" inclinable
- DSPF de 300 hojas con detección de doble alimentación escanea a 240 ipm* y maneja papel de grosor hasta 220 gsm
- Adapta papel estándar hasta SRA3/A3 de ancho (13"x19"), tamaños personalizados hasta 330x488 mm (13"x19.2")
- Soluciones de seguridad avanzadas, líderes en el sector, para la protección definitiva de sistemas/datos y control de acceso, incluyendo la auto-recuperación del firmware y la lista blanca
- Servidor de Impresión Fiery® opcional para la gestión de entornos de impresión bajo demanda muy concurridos
- La función de liberación de impresión permite imprimir desde cualquier MFP compatible en red**.
- Calidad de imagen superior con el sistema Developer Refresh System
- Sharp OSA (Open Systems Architecture) permite la integración con aplicaciones de red y basadas en la nube (opción)
- El Portal de Aplicaciones*** ofrece aplicaciones para descargar e instalar en MFP
- Fácil acceso a los servicios públicos en la nube mediante el inicio de sesión único (opción)

*Originales por minuto; cuando se alimenta con hojas A4 (8 1/2" x 11"). **Contacta a un cliente de Sharp para detalles sobre el número máximo recomendado de MFPs conectables.***Contacta a un representante de Sharp para detalles.

www.sharp.es

SHARP
Be Original.

Especificaciones

GENERAL

Velocidad del motor color ppm (A4)	70
Velocidad del motor ByN ppm (A4)	75
Velocidad del motor color ppm (A3)	34
Velocidad del motor ByN ppm (A3)	34
Tamaño del papel: Máx.-Mín.	A5R - SRA3
Peso del papel (g/m2)	55-300
Capacidad de papel: Estándar (hojas)	3100
Capacidad de papel: Máxima (hojas)	8500
Tiempo de calentamiento (seg.)	55
Memoria general mínima/máxima (GB)	6
Disco duro	STD
Capacidad del disco duro (GB)	1000
Dúplex	STD
Requisitos de alimentación - voltaje nominal local CA (Hz)	220-240V, 50 / 60Hz
Consumo de energía (kW)	3,84
Unidad base de dimensiones (mm)	845 x 844 x 1249
Configuración completa de dimensiones (mm)	3903 x 844 x 1249
Peso (kg)	209

ALIMENTADOR DE DOCUMENTOS

Capacidad original (hojas)	300
----------------------------	-----

ARCHIVADO DE DOCUMENTOS

Capacidad de archivado de documentos - carpetas principal y personalizada (páginas)	35000
Capacidad de archivado de documentos - carpeta de archivos rápida (páginas)	10000
Almacenamiento de trabajos	Copy, print, scan, fax transmission
Carpetas de almacenamiento	Quick file folder, main folder, custom folder (max. 1000)

Almacenamiento confidencial

FAX

Fax (estándar/opcional)	OPT
Método de compresión	MH / MR / MMR / JBIG
Protocolo de comunicación	Super G3 / G3
Tiempo de transmisión (seg.)	Less than 3
Velocidad del módem (bps)	33,600 - 22,400
Resolución de transmisión	203.2 x 97.8 / 406.4 x 391
Tamaño de documento (mínimo)	A5R
Tamaño de documento (máximo)	A3
Memoria (MB) estándar/máxima	1024
Niveles de escala de grises	256

LAN INALÁMBRICO

LAN inalámbrico (estándar/opcional)	STD
Regulación conforme	IEEE802.11n / g / b
Modo de acceso	Infrastructure mode, Software AP mode
Seguridad	WEP, WPA / WPA2-mixed PSK, WPA / WPA2-mixed EAP, WPA2 PSK, WPA2 EAP

COPIADORA

Tamaño de papel original (máximo)	A3
Tiempo de salida de la primera copia color (seg.)	5,6
Tiempo de salida de la primera copia ByN (seg.)	4,0
Copia continua (número máximo de copias)	9999
Resolución de escaneado ByN (ppp)	600 x 600, 600 x 400
Resolución de escaneado color (ppp)	600 x 600
Gradación (niveles equivalentes) - Color	256
Índice de zoom (%)	25-400
Índices de copia predefinidos	10 (5R / 5E)

ESCÁNER

Escáner en red (estándar/opcional)	STD
Método de escaneado directo y remoto	
Resolución de escaneado directo (ppp)	100, 150, 200, 300, 400, 600
Resolución de escaneado remoto (ppp)	100, 150, 200, 300, 400, 600, 50-9600
Formatos de archivo	TIFF, PDF, PDF / A-1, PDF / A-1b, encrypted PDF, XPS, compact PDF, JPEG, XPS, searchable PDF, Office Open XML, (pptx, xlsx, docx), txt (TXT), rich text (RTF)
Destinos de escaneado escritorio	•
Destino de escaneado FTP, correo electrónico	•
Destino de escaneado carpeta de red	•
Destino de escaneado memoria USB	•

IMPRESORA

Resolución (ppp)	1200 x 1200, 600 x 600, 9,600 (equivalent) x 600
Interfaz estándar/opcional	Std USB 2.0, 10Base-T / 100Base-TX-1000Base-T
SO compatible estándar	Windows 8.1, 10, Windows Server 2012, 2012R2, 2016, 2019, Mac OS 10.9, 10.10, 10.11, 10.12, 10.13, 10.14, 10.15
Protocolos de red	TCP / IP
Protocolos de impresión	LPR, Raw TCP (port 9100), POP3 (e-mail printing), HTTP, FTP for downloading print files, IPP, SMB, WSD
PDL estándar/opcional	Std PCL6, Genuine Adobe PS3
Fuentes disponibles	80 (PCL), 139(PS3)

ACABADO

Capacidad de salida	4250
Máx. capacidad grapado (hojas)	100
Encuadernación	OPT
Desplazamiento offset	STD
Perforado	OPT
Unidad de inserción	OPT
Unidad de plegado	OPT

DURACIÓN TONER

Negro (páginas con el 5% de cobertura)	70000
Cian (páginas con el 5% de cobertura)	50000
Magenta (páginas con el 5% de cobertura)	50000
Amarillo (páginas con el 5% de cobertura)	50000

El diseño y las especificaciones están sujetos a cambios sin previo aviso. Fiery es una marca registrada de Electronics for Imaging, Inc. en los EE.UU. y/o algunos otros países. Microsoft, Windows Server y Windows son marcas registradas o marcas comerciales de Microsoft Corporation en los EE.UU. y/o en otros países. Gmail es una marca comercial de Google LLC. Mac es una marca comercial de Apple Inc., registrada en los EE.UU. y otros países. PCL es una marca registrada de la compañía Hewlett-Packard. Adobe y PostScript 3 son marcas registradas o marcas de Adobe en los EE.UU. y/o otros países. Intel y Pentium son marcas registradas de Intel Corporation o sus subsidiarias en los Estados Unidos y/o otros países. Qualcomm DirectOffice es un producto de Qualcomm Technologies, Inc. y/o sus subsidiarias. Qualcomm es una marca comercial de Qualcomm Incorporated, registrada en los EE.UU. y otros países. DirectOffice es una marca comercial de CSR Imaging US, LP, registrada en los EE.UU. y otros países. Todos los demás nombres de marcas y productos pueden ser marcas comerciales o marcas registradas de sus respectivos propietarios. ©Sharp Corporation Septiembre de 2020. Ref: MX-7081 Hoja de datos preliminar. Se reconocen todas las marcas comerciales. E&OE.

SHARP ELECTRONICS (EUROPE) LIMITED, Sucursal en España
WTC Almeda Park
Plaça de la Pau S/N (Ed.6-PB)
08940 Cornellà de Llobregat (Barcelona)
Internet: www.sharp.es

SHARP
Be Original.



DISTRIBUIDORA UNIVERSAL, S.A.

CAPITAL SUSCRITO RD\$100,000,000.00

CAPITAL PAGADO RD\$100,000,000.00

SOLUCIONES TECNOLÓGICAS DE HARDWARE Y SOFTWARE



07 de Octubre de 2021

Señores
Junta Central Electoral
Ciudad

Atención: Dpto. de Compras y Contrataciones

Licitación: JCE-CCC-CP-2021-0023

Distinguidos Señores:

Plácenos Saludarles cordialmente y por medio de la presente queremos informarles que estamos de acuerdo con la forma de pago de un 20% con la orden y el otro 80%, restante a Crédito de 30 Días Después de recibir la Mercancía conforme.

Sin Otro particular,

Atentamente,

JOSE LUIS OVALLES

VPdte & Administrador General



JLO/ytI

• RNC:101-041902 •

República Dominicana

OFICINA PRINCIPAL

Administración y Ventas
Av. San Martín 292
Santo Domingo, D.N.
Apartado Postal 921
Tel.: 809-567-7202/83
Fax.: 809-566-2886

dusaventas@dusa.com.do

SERV. TECNICO

Servicio Técnico
Horacio Blanco Fombona 14
Santo Domingo, D.N.
Apartado Postal 921
Tel.: 809-566-9999/8853
809-565-9999
Fax.: 809-563-7172

dusaservicios@dusa.com.do

SANTIAGO

Administración y Ventas
Servicio Técnico
Av. Francia 1, La Zurza
Santiago de los Caballeros
Tel.: 809-583-2326/27
Fax.: 809-587-4822

dusasantiago@dusa.com.do

AZUA

Administración y Ventas
Servicio Técnico
Emilio Prud'Homme No.53
Azua
Tel.: 809-521-3300
Fax.: 809-521-3444

dusaaazua@dusa.com.do

SAN PEDRO MACORIS

Administración y Ventas
Servicio Técnico
Av. Independencia 91,
Edif. Radis, Apto.101
San Pedro de Macorís
Tel.: 809-529-0394 / 95 / 96
Fax.: 809-246-5503

dusaspm@dusa.com.do

BAVARO

Administración y Ventas
Servicio Técnico
Residencial Mariel I, Local 104
Arena Gorda Bávaro
Tel.: 809-552-0486 / 87
Fax.: 809-552-0488

dusabavaro@dusa.com.do

SAN FCO. MACORIS

Administración y Ventas
Servicio Técnico
El Carmen No.78
San Francisco de Macorís
Tel.: 809-588-7300
Fax.: 809-588-9888

dusasfm@dusa.com.do



DISTRIBUIDORA UNIVERSAL, S.A.

CAPITAL SUSCRITO RD\$100,000,000.00
CAPITAL PAGADO RD\$100,000,000.00

SOLUCIONES TECNOLÓGICAS DE HARDWARE Y SOFTWARE



07 de Octubre de 2021

Señores
Junta Central Electoral
Ciudad

Atención: **Dpto. de Compras y Contrataciones**

Licitación: **JCE-CCC-CP-2021-0023**

Distinguidos Señores:

Plácenos Saludarles cordialmente y por medio de la presente queremos informarles que estamos de acuerdo con la forma de pago de un 20% con la orden y el otro 80%, restante a Crédito de 30 Días Después de recibir la Mercancía conforme.

Sin Otro particular,

Atentamente,

JOSE LUIS OVALLES

VPdte & Administrador General



JLO/ytl

• RNC:101-041902 •

República Dominicana

OFIC. PRINCIPAL

Administración y Ventas
Av. San Martín 292
Santo Domingo, D.N.
Apartado Postal 821
Tel.: 809-567-7202/03
Fax.: 809-566-2886
dusaventas@dusa.com.do

SERV. TECNICO

Servicio Técnico
Horacio Blanco Fombrona 14
Santo Domingo, D.N.
Apartado Postal 921
Tel.: 809-566-9999/8853
809-565-9999
Fax.: 809-563-7172
dusaservicios@dusa.com.do

SAO

Administración y Ventas
Servicio Técnico
Av. Francia 1, La Zurza
Santiago de los Caballeros
Tel.: 809-583-2326/27
Fax.: 809-587-4822
dusasantiago@dusa.com.do

AZUA

Administración y Ventas
Servicio Técnico
Emilio Prud'Homme No.53
Azua
Tel.: 809-521-3308
Fax.: 809-521-3444
dusazua@dusa.com.do

SAN PEDRO MACORIS

Administración y Ventas
Servicio Técnico
Av. Independencia 91,
Edif. Radia, Apto.101
San Pedro de Macoris
Tel.: 809-529-6394 / 95 / 96
Fax.: 809-246-5583
dusapm@dusa.com.do

BAVARO

Administración y Ventas
Servicio Técnico
Residencial Mariel I, Local 104
Arenas Gordas Bávaro
Tel.: 809-552-0486 / 87
Fax.: 809-552-0488

SAN FCO. MACORIS

Administración y Ventas
Servicio Técnico
El Carmen No.78
San Francisco de Macoris
Tel.: 809-588-7300
Fax.: 809-588-8600
dusasfm@dusa.com.do