



PBS Dominicana  
Av. Winston Churchill #95, piso 22 Blue Mall  
Santo Domingo, R. Dominicana  
Tel + 809 567 8231  
Fax + 809 472 0988  
[www.pbs.group](http://www.pbs.group)

## Item 1: Escaner

La marca ofertada para este caso es Kodak, Modelo: Alaris E1040, es un escáner de alta capacidad, algunas características de este modelo son:

- **Velocidad:** 40 ppm / 80 ipm
- **Tamaño máximo:** 8.5 x 118 inch
- **Tamaño mínimo:** 2.05 x 2.05 inch
- **Resolución:** 50 - 1200 dpi
- **Volumen diario recomendado:** 5,000 páginas por día
- **Tecnología de escaner:** Dual RGB LED Illumination CIS (CMOS); Grayscale output bit depth is 256 levels (8-bit); color output bit depth is 24 bits (8 x 3); color capture bit depth is 24 bits (8 x 3)
- **Capacidad de alimentación:** 80 hojas 80gsm
- **Conectividad:** USB 3.2 Gen 1x1 Compatible
- **Software estandar:**
  - Citrix certified
  - ISIS Drivers
  - LINUX (TWAIN and SANE) Drivers
  - TWAIN Drivers
  - WIA Drivers
- **Tiempo de entrega:** 4-8 semanas  
*Tiempo de entrega sujeto a despacho de fábrica.*



*Handwritten signature and initials*

Socios Regionales:



xerox

ORACLE

Platinum  
Partner



**PBS Dominicana**  
Av. Winston Churchill #95, piso 22 Blue Mall  
Santo Domingo, R. Dominicana  
Tel + 809 567 8231  
Fax + 809 472 0988  
[www.pbs.group](http://www.pbs.group)

## Item 2: Impresoras

La marca ofertada para este caso es Xerox, Modelo: B310, es una impresora blanco y negro con tecnología laser, algunas características de este modelo son:

- **Velocidad de impresión:** 42 ppm
- **Tamaño máximo:** 8.5 x 14 inch (Legal)
- **Tamaño mínimo:** 3.9 x 5.8 inch
- **Capacidad de papel en configuración propuesta:** 900 hojas
- **Impresión primera página:** 5.2 segundos
- **Ciclo mensual de trabajo:** 80,000
- **Volumen recomendado mensual:** 6,000
- **Conectividad:** Hi Speed USB 2.0 (Type B), Ethernet 10/100 BaseTX, Wireless 802.11 b/g/n, Wi-Fi Direct
- **Tiempo de entrega:** 4-8 semanas  
*Tiempo de entrega sujeto a despacho de fábrica.*



\*IMAGE INCLUDES ADDITIONAL 550 SHEET INPUT TRAY (497N07968)



Socios Regionales:



**xerox**

**ORACLE** Platinum Partner



**PBS Dominicana**  
Av. Winston Churchill #95, piso 22 Blue Mall  
Santo Domingo, R. Dominicana  
Tel + 809 567 8231  
Fax + 809 472 0988  
[www.pbs.group](http://www.pbs.group)

### Item 3: Impresoras a color

La marca ofertada para este caso es Xerox, Modelo: C310, es una impresora a color con tecnología láser, algunas características de este modelo son:

- **Velocidad de impresión:** 35 ppm
- **Tamaño máximo:** 8.5 x 14 inch (Legal)
- **Impresión primera página:** 7.2 segundos
- **Resolución:** 1200 x 1200 dpi, 4800 Color Quality
- **Capacidad de papel en configuración propuesta:** 901 hojas
- **Ciclo de trabajo:** 80,000
- **Volumen recomendado mensual:** 6,000
- **Conectividad:** Hi-Speed USB 2.0 (Type A- thumbdrive), Gigabit Ethernet, Hi-Speed USB 2.0 (USB) (Type B), Wireless 802.11 b/g/n
- **Velocidad de procesador:** 1 GHz Dual Core Processor with GPU 1GB RAM
- **Tiempo de entrega:** 4-8 semanas

*Tiempo de entrega sujeto a despacho de fábrica.*



Socios Regionales:



**xerox**

**ORACLE**

Platinum  
Partner



PBS Dominicana  
Av. Winston Churchill #95, piso 22 Blue Mall  
Santo Domingo, R. Dominicana  
Tel + 809 567 8221  
Fax + 809 472 0988  
www.pbs.group

## Oferta Técnica

Item: 4 Laptops

De acuerdo a los artículos y equipos solicitados en la licitación JCE-CCC-LPN-2024-0003 aquí les compartimos las especificaciones técnicas de los equipos ofertados.

### Laptops

La marca ofertada para este caso es **LENOVO** modelo **SLIM PRO 9**, cuenta con las siguientes características:



- 1- Equipo Laptop Touchscreen
- 2- Procesador: Intel® Core™ i9-13905H, 14C (6P + 8E) / 20T, P-core 2.6 / 5.4GHz, E-core 1.9 / 4.1GHz, 24MB
- 3- Grafica: NVIDIA® GeForce RTX™ 4050 6GB GDDR6
- 4- Memoria: 32GB Soldered LPDDR5x-6400
- 5- Disco Duro: 1TB SSD M.2 2280 PCIe® 4.0x4 NVMe®
- 6- Audio: High Definition (HD) Audio, Realtek.
- 7- Cámara: 5.0MP + IR with E-shutter
- 8- Teclado: Backlit, English (US)
- 9- Batería: Integrated 75Wh
- 10- Fuente cargador: 170W Slim Tip (3-pin)
- 11- Pantalla: 16" 3.2K (3200x2000) Mini LED 1,200nits Glossy / Antifingerprint,
- 12- 100% P3, 100% Adobe® RGB, 100% sRGB, 165Hz, Eyesafe®,
- 13- Dolby® Vision®, DisplayHDR™ 1000, Glass, Touch, TCON.
- 14- Sistema operativo: Windows® 11 Pro.
- 15- Puertos: SB-A (USB 5Gbps / USB 3.2 Gen 1)  
1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On  
1x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB  
PD 3.0 and DisplayPort™ 1.4

*W  
JH*

Socios Regionales:



xerox

ORACLE Platinum Partner



**PBS Dominicana**  
Av. Winston Churchill #95 piso 22 Blue Mall  
Santo Domingo, R. Dominicana  
Tel + 809 567 8231  
Fax + 809 472 0988  
[www.pbs.group](http://www.pbs.group)

**1x HDMI®, up to 4K/30Hz**

**1x Headphone / microphone combo jack (3.5mm)**

**1x SD card reader**

**1x Power connector.**

**16- Peso del dispositivo: 4.92lbs**

**17- Garantía: 1 año**

**18- Tiempo de entrega: De 4 a 6 semanas.**



*Handwritten signature*

Socios Regionales:



**xerox**

**ORACLE**

Platinum  
Partner



PBS Dominicana  
Av. Winston Churchill #95, piso 22 Blue Mall  
Santo Domingo, R. Dominicana  
Tel + 809 507 8231  
Fax + 809 472 0988  
[www.pbs.group](http://www.pbs.group)



## Item 5: Toner

460 Tóner estándar de las impresoras Xerox blanco y negro B310

- Rendimiento aproximado de 3000 páginas a una cobertura de 5%
- Entrega de 4 a 8 semanas aproximadamente
- Código: 006R04376



m  
JA

Socios Regionales:



xerox

ORACLE Platinum Partner



Productive Business Solutions

PBS Dominicana  
Torre Blue Mall Piso 22  
Santo Domingo, R. Dominicana  
tel + 8095678231  
fax + 8094720988

**Santo Domingo, D.N.**

**3 de Mayo del 2024**

**Atención señores: Junta Central Electoral**


**Referencia: JCE-CCC-LPN-2024-0003**


## **GARANTIA DE LOS BIENES**

La razón social **PRODUCTIVE BUSINESS SOLUTIONS DOMINICANA SAS** Entidad Regulada de acuerdo con las leyes de la República Dominicana, Registro Nacional de Contribuyentes (RNC): **101025506** con domicilio y asiento Social en Ave. Winston Churchill esquina Ave. Gustavo Mejía Ricart, piso 22, Torre Empresarial Blue Mall Santo Domingo, Ensanche Piantini República Dominicana. Teléfono: **809-567-8231** Ext. 809308, Celular: **829-471-6044**.

A través de la presente indicamos que la garantía de los equipos de impresión ofertados es de 1 año en piezas, servicios y por desperfectos de fábrica. De igual forma, indicamos que la garantía de las laptops es de 3 años en piezas y servicios.

Atentamente,

  
Melani Angeles  
Gerente General

  
Jose Luis Agüero  
Gerente Financiero





Kodak E1030/E1040 Scanners

## Scan. Send. Done.

Powerful, compact scanners that simplify data capture workflows



Transform your paper documents into intelligent and accurate information while enhancing your business processes. The new **Kodak E1030/E1040 Scanners** are fast, accurate, and reliable. They are ideal for small to medium businesses, distributed offices, and reception areas. Easily integrate the E1030/E1040 Scanners with your existing applications, on-site or in the cloud.

### Turn paper into productivity


Manual paper processes are time consuming and prone to human error. With **Kodak E1030/E1040 Scanners**, you can capture important information from paper quickly—then send, save, and access it digitally.

- Simple setup and intuitive controls make it easy to start scanning right out of the box
- Capture information fast with “instant on” technology
- Scan practically anything: various paper sizes and weights, ID cards, forms, passports, and more<sup>1</sup>
- Scan with ease and get data to the right places and people instantly, enabling information access on demand

### Unsurpassed simplicity and peace of mind

Multi-Feed detection helps prevent paper jams and protects your originals.

- Easily process up to 5,000 pages per day—at speeds up to 40 pages per minute<sup>2</sup>
- Out of the box protection with our 3-year, next business day, Advanced Unit Replacement warranty
- Backed by industry-leading service and support, plus an array of flexible, customizable service plans that go beyond your original warranty



#### Compact and intuitive design

E1030/E1040 Scanners are small, quiet, and easy to use



#### Digital images better than the originals

New Dual Illumination and Perfect Page technology deliver optimal image quality and Optical Character Recognition (OCR) accuracy



#### Scan and send information with one touch

Built-in Smart Touch technology simplifies complex and repetitive tasks



#### Scan directly to apps

Seamlessly integrate scanning into your existing systems and apps—E1030/E1040 Scanners include a variety of driver options to support your business applications



#### Read barcode information accurately

Easily sort, separate and identify documents automatically, for more efficient business processes

m  
JA



## Key features

- 1 Simple numeric display enables one-touch scanning of up to 9 different jobs
- 2 Smart Touch makes it easy to scan to file locations, popular cloud services, email, networked printers, and third-party applications
- 3 Scan a variety of document types and sizes, including passports and fragile documents via optional accessories<sup>1</sup>
- 4 Capture more documents at once with the largest feeder capacity in its class
- 5 Multiple driver compatibility: TWAIN, ISIS, WIA, and SANE



## Kodak E1030/E1040 Scanners

| Features                                 |                                                                                                                                                                                                                                                                           |
|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Throughput Speeds <sup>3</sup>           | <b>E1030:</b> Black-and-white/grayscale/color: up to 30 ppm/60 ipm at 200 and 300 dpi<br><b>E1040:</b> Black-and-white/grayscale/color: up to 40 ppm/80 ipm at 200 and 300 dpi                                                                                            |
| Recommended Daily Volume                 | <b>E1030:</b> Up to 4,000 pages per day<br><b>E1040:</b> Up to 5,000 pages per day                                                                                                                                                                                        |
| Feeder Capacity                          | Up to 80 sheets of 80 g/m <sup>2</sup> (20 lb.) paper<br>Handles small documents such as A8, ID cards, embossed hard cards, and insurance cards (portrait and landscape orientations)                                                                                     |
| Electrical Requirements                  | 100-240 V (International); 50-60 Hz                                                                                                                                                                                                                                       |
| Environmental Factors                    | EPEAT Registered ENERGY STAR Qualified Operating Temperature: 10-35° C (50-95° F) Operating Humidity: 15% to 80% RH                                                                                                                                                       |
| Dimensions                               | Weight: 3.3 kg (7.2 lbs.) Depth: 204 mm (8.0 in.), not including input tray and output tray;<br>Width: 312 mm (12.3 in.) Height: 182.5 mm (7.2 in.), not including input tray;<br>Depth with Input Tray: 269 mm (10.6 in.);<br>Height with Input Tray: 231.6 mm (9.1 in.) |
| Bundled Software                         | TWAIN, ISIS, WIA Drivers; Smart Touch, <b>Kodak Capture Pro Software Limited Edition</b> (via web download)                                                                                                                                                               |
| Supported Operating Systems <sup>4</sup> | WINDOWS, LINUX, CITRIX Certified                                                                                                                                                                                                                                          |
| Optional Software                        | <b>Kodak Info Input Solution</b> , <b>Kodak Capture Pro Software Group A</b>                                                                                                                                                                                              |
| Accessories (optional)                   | <b>Kodak Feed Roller Kit</b><br><b>Kodak Stacking Deflector Accessory</b><br><b>Kodak Integrated A4/Legal Flatbed Accessory</b><br><b>Kodak Passport Flatbed Accessory</b>                                                                                                |
| Warranty                                 | 3-year, next business day, Advanced Unit Replacement warranty                                                                                                                                                                                                             |

<sup>1</sup> Optional **Kodak Passport Flatbed Accessory** or **Kodak Integrated A4/Legal Flatbed Accessory** required.

<sup>2</sup> Depending on model.

<sup>3</sup> Throughput speed may vary depending on your choice of application software, operating system, PC, and selected image processing features.

<sup>4</sup> Visit [AlarisWorld.com/go/E1000](http://AlarisWorld.com/go/E1000) for a complete list of Operating Systems.



## ENVIRONMENTALLY APPROVED

**EPEAT® Gold:** Kodak E1030/E1040 Scanners have achieved the status of EPEAT® Gold Registered and meet ENERGY STAR® guidelines for energy efficiency and for the reduction of hazardous substances and waste products.

**ENERGY STAR®** certified scanners are independently certified to save energy without sacrificing features or functionality.

To learn more about our EPEAT status, visit [AlarisWorld.com/go/EPEAT](http://AlarisWorld.com/go/EPEAT)

From digitization to transformation, Kodak Alaris is there from the start. We transform documents and data into information better than anyone else bringing Speed, Accuracy, and Profitability to your business. To learn more, visit [AlarisWorld.com](http://AlarisWorld.com)



Want to learn more?

[AlarisWorld.com/go/E1000](http://AlarisWorld.com/go/E1000)

Contact us:

[AlarisWorld.com/go/contactus](http://AlarisWorld.com/go/contactus)



Services from  
**Kodak alaris**

**Kodak alaris**

All trademarks and trade names used are the property of their respective holders.

The Kodak trademark and trade dress are used under license from Eastman Kodak Company.

© 2023 Kodak Alaris Inc.  
TM/MC/MR: Alaris  
07/23

JA



# Impresora Xerox® B310 y equipo multifunción Xerox® B305/B315

**xerox**™

Al fin, impresoras que pueden mantenerse al día.



Impresora B310



Equipo multifunción B305



Equipo multifunción B315

| ESPECIFICACIONES DEL SISTEMA                                                           | IMPRESORA XEROX B310                                                                                                                                                                                                                                                                                                                                                                           | EQUIPO MULTIFUNCIÓN XEROX B305                                                                                                                                 | EQUIPO MULTIFUNCIÓN XEROX B315                                                                                                                                 |
|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| VELOCIDAD DE IMPRESIÓN (HASTA:)                                                        |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                |                                                                                                                                                                |
| Velocidad a una cara¹ – Blanco y negro<br>Carta (8.5 x 11 pulg.)<br>A4 (210 x 297 mm)  | 42 ppm<br>40 ppm                                                                                                                                                                                                                                                                                                                                                                               | 40 ppm<br>38 ppm                                                                                                                                               | 42 ppm<br>40 ppm                                                                                                                                               |
| Velocidad a dos caras¹ – Blanco y negro<br>Carta (8.5 x 11 pulg.)<br>A4 (210 x 297 mm) | 18 ppm<br>18 ppm                                                                                                                                                                                                                                                                                                                                                                               | 17 ppm<br>17 ppm                                                                                                                                               | 18 ppm<br>18 ppm                                                                                                                                               |
| Ciclo de trabajo mensual² (hasta:)<br>Páginas al mes                                   | 80 000                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                |                                                                                                                                                                |
| Volumen promedio de impresión mensual<br>recomendado (hasta:)<br>Páginas al mes        | 6000                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                |                                                                                                                                                                |
| Procesador/Memoria<br>Velocidad de reloj/núcleos<br>Memoria                            | Procesador de 1 GHz de doble núcleo<br>RAM de 256 MB                                                                                                                                                                                                                                                                                                                                           | Procesador de 1 GHz de doble núcleo<br>RAM de 512 MB                                                                                                           |                                                                                                                                                                |
| Conectividad<br>Conectividad de dispositivos                                           | USB 2.0 de alta velocidad (tipo B),<br>Ethernet 10/100 Base TX, inalámbrica<br>802.11 b/g/n                                                                                                                                                                                                                                                                                                    | USB 2.0 de alta velocidad (tipo B), Ethernet 10/100<br>Base TX, inalámbrica 802.11 b/g/n, USB 2.0 de alta<br>velocidad (tipo A - unidad de memoria Thumbdrive) | USB 2.0 de alta velocidad (tipo B), Ethernet 10/100<br>Base TX, inalámbrica 802.11 b/g/n, USB 2.0 de alta<br>velocidad (tipo A - unidad de memoria Thumbdrive) |
| Tecnología de imagen                                                                   | Láser monocromo                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                |                                                                                                                                                                |
| IMPRESIÓN Y COPIA                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                |                                                                                                                                                                |
| Resolución de impresión (hasta:)                                                       | 600 x 600 ppp, 2400 de calidad de imagen                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                |                                                                                                                                                                |
| Resolución de copia (hasta:)                                                           | N/A                                                                                                                                                                                                                                                                                                                                                                                            | 600 x 600 ppp                                                                                                                                                  |                                                                                                                                                                |
| Tiempo de salida de la primera impresión<br>(en solo:)                                 | 5.2 segundos                                                                                                                                                                                                                                                                                                                                                                                   | 5.8 segundos                                                                                                                                                   |                                                                                                                                                                |
| Tiempo de salida de la primera copia (en<br>solo:)                                     | N/A                                                                                                                                                                                                                                                                                                                                                                                            | 5.3 segundos                                                                                                                                                   |                                                                                                                                                                |
| Lenguajes de descripción de páginas                                                    | Emulación PostScript® 3, emulación PCL® 5/PCL 6, procesamiento directo de imagen                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                |                                                                                                                                                                |
| Características de impresión³                                                          | Interfaz de usuario de un toque, calidad de impresión, tipos de trabajo normal, seguro, guardado y de conjunto de muestras, a dos caras, orientación, compaginación, ID de trabajos de impresión en márgenes, modo de borrador, varias en 1, diseño de folletos, marca de agua, estado de la bandeja y tóner, rotación de imagen a 180 grados, ajustes guardados, configuración de Earth Smart |                                                                                                                                                                |                                                                                                                                                                |
| TECNOLOGÍA MÓVIL Y BASADA EN LA NUBE                                                   |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                |                                                                                                                                                                |
| Impresión móvil                                                                        | Apple AirPrint, Servicio de impresión de Mopria, Chromebook, Wi-Fi Direct®                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                |                                                                                                                                                                |
| Escaneado móvil                                                                        | Apple AirPrint, Servicio de escaneado de Mopria                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                |                                                                                                                                                                |
| Xerox® Workplace Suite y<br>Xerox® Workplace Cloud                                     | Sí                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                |                                                                                                                                                                |
| Conectividad a la nube                                                                 | Sí (a través de la Experiencia de impresión y escaneado de Xerox)                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                |                                                                                                                                                                |





# Impresora Xerox B310 y equipo multifunción Xerox B305/B315

| ESPECIFICACIONES DEL SISTEMA                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                     | IMPRESORA XEROX B310                                                                                                                                                                                                                                                | EQUIPO MULTIFUNCIÓN XEROX B305                                                                                                                                                        | EQUIPO MULTIFUNCIÓN XEROX B315 |
|----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| ESCANEO                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                     |                                                                                                                                                                                       |                                |
| Destinos                                                             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Unidad USB, correo electrónico, FTP, equipo conectado por red o USB, carpeta de red de Windows                                                                                                                                                                      |                                                                                                                                                                                       |                                |
| Formatos de archivos                                                 | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | TIFF, JPG, PDF (no apto para búsqueda), PDF seguro, PDF/A para archivo                                                                                                                                                                                              |                                                                                                                                                                                       |                                |
| FAX                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                     |                                                                                                                                                                                       |                                |
| Características estándar                                             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Conservación de fax, fax en color, todos los tamaños admitidos (incluye carta/oficio/A4), tono/pulso, portada de fax, velocidad máxima, envío diferido, bloquear lista de faxes no deseados/bloqueados, accesos directos de fax, fax de difusión (<400 ubicaciones) |                                                                                                                                                                                       |                                |
| DETALLES DE IMPRESIÓN                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                     |                                                                                                                                                                                       |                                |
| Tiempo de salida de la primera impresión - Blanco y negro (en solo:) | 5.2 segundos                                                                                                                                                                                                                                                                                                                                                                                                                                        | 5.8 segundos                                                                                                                                                                                                                                                        |                                                                                                                                                                                       |                                |
| Resolución (hasta:)                                                  | 600 × 600 ppp, 2400 de calidad de imagen                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                     |                                                                                                                                                                                       |                                |
| Lenguajes de descripción de páginas                                  | Emulación PostScript® 3<br>Emulación PCL® 5/PCL 6<br>Procesamiento directo de imagen                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                     |                                                                                                                                                                                       |                                |
| Margen de página no imprimible                                       | 5 mm desde cada borde                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                     |                                                                                                                                                                                       |                                |
| Impresión desde USB                                                  | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Formatos de archivos: PDF, JPEG, TIFF, GIF, BMP, PNG, PCX                                                                                                                                                                                                           |                                                                                                                                                                                       |                                |
| Tipos de controladores de impresión/sistemas operativos              | Windows® 8, 8.1 actualización 1, 10, 11, Windows Server® 2008 SP2 (32 y 64 bits), Windows Server 2008 R2 SP1, Windows Server 2012, Windows Server 2012 R2, Windows Server 2019, macOS 10.14, 10.15, 11, 12. Para obtener más información sobre los sistemas operativos compatibles, visite nuestra página de Controladores y descargas y especifique su dispositivo en <a href="http://www.support.xerox.com/es-ar">www.support.xerox.com/es-ar</a> |                                                                                                                                                                                                                                                                     |                                                                                                                                                                                       |                                |
| Protocolos de red                                                    | TCP/IP: HTTP/HTTPS, IPP, LPR/LDP, Impresión socket básico (Raw Socket Printing)/Puerto 9100, IPv4/IPv6, Servicios Web de MS WSD-Print 802.1x, SNMP                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                     |                                                                                                                                                                                       |                                |
| Capacidad de fuentes                                                 | Fuentes escalables PCL6 89, emulación PS de 2 mapas de bits, 158 fuentes escalables                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                     |                                                                                                                                                                                       |                                |
| DETALLES DE COPIA                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                     |                                                                                                                                                                                       |                                |
| Tiempo de salida de la primera copia - Blanco y negro (en solo:)     | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 5.3 segundos                                                                                                                                                                                                                                                        |                                                                                                                                                                                       |                                |
| Velocidad a 1 cara (hasta:)                                          | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 40 ppm carta/38 ppm A4                                                                                                                                                                                                                                              | 42 ppm carta/39 ppm A4                                                                                                                                                                |                                |
| Velocidad a 2 caras (hasta:)                                         | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 17 ppm carta/17 ppm A4                                                                                                                                                                                                                                              | 18 ppm carta/18 ppm A4                                                                                                                                                                |                                |
| Caras (Entrada:Salida)                                               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 1:1, 1:2                                                                                                                                                                                                                                                            | 1:1, 1:2, 2:1, 2:2                                                                                                                                                                    |                                |
| Cantidad                                                             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 1 a 9,999                                                                                                                                                                                                                                                           |                                                                                                                                                                                       |                                |
| Resolución                                                           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 600 × 600 ppp, 300 x 600 ppp                                                                                                                                                                                                                                        |                                                                                                                                                                                       |                                |
| Reducción/ampliación                                                 | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | -25 % a 400 %                                                                                                                                                                                                                                                       |                                                                                                                                                                                       |                                |
| Características de copia                                             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Varías en 1, 2 en 1, 4 en 1, a dos caras encuadernación de borde largo/borde corto                                                                                                                                                                                  |                                                                                                                                                                                       |                                |
| DETALLES DE ESCANEADO                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                     |                                                                                                                                                                                       |                                |
| Tecnología                                                           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Escáner plano color con alimentador automático de documentos, LED con sensor de imagen de contacto (CIS)                                                                                                                                                            |                                                                                                                                                                                       |                                |
| Capacidad                                                            | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Alimentador automático de documentos, hasta 50 hojas papel bond de 20 lb/75 g/m² color/blanco y negro. Altura máxima de apilado de documentos: 6.5 mm.                                                                                                              | Alimentador automático de documentos a dos caras de una sola pasada, hasta 50 hojas papel bond de 20 lb/75 g/m² color/blanco y negro. Altura máxima de apilado de documentos: 6.5 mm. |                                |
| Velocidad de entrada – Color (hasta:)                                | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 21 ipm a una cara carta, 20 ipm a una cara A4                                                                                                                                                                                                                       | 21 ipm a una cara/42 ipm a dos caras carta, 20 ipm a una cara/40 ipm a dos caras A4                                                                                                   |                                |
| Velocidad de entrada – Blanco y negro (hasta:)                       | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 48 ipm a una cara carta, 46 ipm a una cara A4                                                                                                                                                                                                                       | 48 ipm a una cara/96 ipm a dos caras carta, 46 ipm a una cara/92 ipm a dos caras A4                                                                                                   |                                |
| Resolución                                                           | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 600 x 600 ppp (ADF) color y blanco y negro                                                                                                                                                                                                                          |                                                                                                                                                                                       |                                |
| Resolución (utilidades del software)                                 | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 150 x 150, 200 x 200, 300 x 300, 400 x 400, 600 x 600                                                                                                                                                                                                               |                                                                                                                                                                                       |                                |
| Profundidad de bit                                                   | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 1 bit B/N, 24 bits color                                                                                                                                                                                                                                            |                                                                                                                                                                                       |                                |
| Área máxima de escaneado (ADF) (pulg.)                               | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Extra oficio (8.5 x 14 pulg.)                                                                                                                                                                                                                                       |                                                                                                                                                                                       |                                |
| Área máxima de escaneado (ADF) (mm)                                  | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 216 x 356 mm                                                                                                                                                                                                                                                        |                                                                                                                                                                                       |                                |
| Área máxima de escaneado (cristal de exposición) (pulg.)             | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 216 x 297 mm                                                                                                                                                                                                                                                        |                                                                                                                                                                                       |                                |
| Área máxima de escaneado (cristal de exposición) (mm)                | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 105 x 148 mm                                                                                                                                                                                                                                                        |                                                                                                                                                                                       |                                |
| Gramaje (ADF)                                                        | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Papel bond de 16 a 24 lb/60 a 90 g/m²                                                                                                                                                                                                                               |                                                                                                                                                                                       |                                |
| Formatos de archivos                                                 | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | TIFF, JPEG, PDF (no apto para búsqueda), PDF seguro, PDF/A para archivo                                                                                                                                                                                             |                                                                                                                                                                                       |                                |
| Destinos de escaneado compatibles                                    | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Correo electrónico, unidad USB frontal, FTP, equipo conectado por red o USB, carpeta de red de Windows.                                                                                                                                                             |                                                                                                                                                                                       |                                |
| Compatibilidad con controlador de escaneado                          | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                 | TWAIN, WIA, ICA                                                                                                                                                                                                                                                     |                                                                                                                                                                                       |                                |





## Impresora Xerox B310 y equipo multifunción Xerox B305/B315

| ESPECIFICACIONES DEL SISTEMA                  | IMPRESORA XEROX B310                                                                                                                                                                                                                                                                                                                                                                                              | EQUIPO MULTIFUNCIÓN XEROX B305             | EQUIPO MULTIFUNCIÓN XEROX B315                                                                                                                                        |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DETALLES DE FAX                               |                                                                                                                                                                                                                                                                                                                                                                                                                   |                                            |                                                                                                                                                                       |
| Velocidad de fax                              | N/A                                                                                                                                                                                                                                                                                                                                                                                                               |                                            | Máx. 33 600 bps, V.34 semidúplex Kbps                                                                                                                                 |
| Memoria                                       | N/A                                                                                                                                                                                                                                                                                                                                                                                                               |                                            | 6 MB                                                                                                                                                                  |
| Resolución (ppp)                              | N/A                                                                                                                                                                                                                                                                                                                                                                                                               |                                            | Blanco y negro estándar, fino, superfino, ultrafino 200 x 100 envío a 600 x 600 envío Color fino, superfino 200 x 200 (envío) y 300 x 200 envío/recepción             |
| Compresión                                    | N/A                                                                                                                                                                                                                                                                                                                                                                                                               |                                            | T.4 1D Codificación Huffman modificada<br>T.4 2D Codificación de lectura modificada<br>T.6 Codificación de lectura modificada<br>T.85 JBIG<br>T.88 JBIG2<br>T.81 JPEG |
| Características de fax                        | N/A                                                                                                                                                                                                                                                                                                                                                                                                               |                                            | Respuesta automática, remarcación automática, reducción automática, envío de emisiones, filtro de fax no deseado, libreta de direcciones de fax                       |
| Destinos de reenvío de fax                    | N/A                                                                                                                                                                                                                                                                                                                                                                                                               |                                            | Fax: uso de acceso directo de fax<br>Correo electrónico: uso de acceso directo de correo electrónico<br>FTP: uso de acceso directo de FTP                             |
| GESTIÓN DE DISPOSITIVOS                       |                                                                                                                                                                                                                                                                                                                                                                                                                   |                                            |                                                                                                                                                                       |
| Gestión de dispositivos                       | Consola remota, servidor web interno, Xerox Easy Assist                                                                                                                                                                                                                                                                                                                                                           |                                            |                                                                                                                                                                       |
| Software Xerox® CentreWare® Web               | Sí                                                                                                                                                                                                                                                                                                                                                                                                                |                                            |                                                                                                                                                                       |
| SEGURIDAD                                     |                                                                                                                                                                                                                                                                                                                                                                                                                   |                                            |                                                                                                                                                                       |
| Protocolos/funciones de seguridad             | Actualizaciones de firmware firmadas digitalmente, gestión de certificados, restablecimiento de contraseña segura, filtrado de conexión TCP, filtrado de puertos, controles de acceso, impresión confidencial, borrado de memoria no volátil, separación de red/fax, puertos USB protegidos, inserción automática de la dirección de correo electrónico del remitente, restricciones de inicio de sesión, TLS 1.3 |                                            |                                                                                                                                                                       |
| SEGURIDAD WI-FI                               |                                                                                                                                                                                                                                                                                                                                                                                                                   |                                            |                                                                                                                                                                       |
| Métodos de autenticación y cifrado            | WMM® Wi-Fi Multimedia, Wi-Fi Protected Setup™ (configuración de Wi-Fi protegida), modo de infraestructura (BSS), WPA Personal TKIP PSK (63 caracteres, 64 ASCII), WPA2 Enterprise, WPA3 Personal, WPA3 Enterprise, EAP-MD5, EAP-MSCHAPv2, EAP-TLS, EAP-TTLS (CHAPS/MSCHAPv2/PAP), LEAP, PEAP                                                                                                                      |                                            |                                                                                                                                                                       |
| MANIPULACIÓN DEL PAPEL                        |                                                                                                                                                                                                                                                                                                                                                                                                                   |                                            |                                                                                                                                                                       |
| ALIMENTADOR AUTOMÁTICO DE DOCUMENTOS          |                                                                                                                                                                                                                                                                                                                                                                                                                   |                                            |                                                                                                                                                                       |
| Tipo de alimentador automático de documentos  | N/A                                                                                                                                                                                                                                                                                                                                                                                                               | Alimentador automático de documentos (ADF) | Alimentador automático de documentos a 2 caras (DADF) de una pasada:                                                                                                  |
| Capacidad (hasta:)                            | N/A                                                                                                                                                                                                                                                                                                                                                                                                               | 50 hojas papel bond de 20 lb/75 g/m²       |                                                                                                                                                                       |
| Tamaño mínimo del papel (pulg.)               | N/A                                                                                                                                                                                                                                                                                                                                                                                                               | 4.1 x 5.8 pulg.                            |                                                                                                                                                                       |
| Tamaño mínimo del papel (mm)                  | N/A                                                                                                                                                                                                                                                                                                                                                                                                               | A6 SEF (105 x 148 mm)                      |                                                                                                                                                                       |
| Tamaño máximo del papel (pulg.)               | N/A                                                                                                                                                                                                                                                                                                                                                                                                               | Extra oficio (8.5 x 14 pulg.)              |                                                                                                                                                                       |
| Tamaño máximo del papel (mm)                  | N/A                                                                                                                                                                                                                                                                                                                                                                                                               | 216 x 355 mm                               |                                                                                                                                                                       |
| Gramaje mínimo del papel (g/m²)               | N/A                                                                                                                                                                                                                                                                                                                                                                                                               | Papel bond de 16 lb/60 g/m²                |                                                                                                                                                                       |
| Gramaje mínimo del papel – A dos caras (g/m²) | N/A                                                                                                                                                                                                                                                                                                                                                                                                               | N/A                                        | Papel bond de 24 lb/90 g/m²                                                                                                                                           |
| Gramaje máximo del papel (g/m²)               | N/A                                                                                                                                                                                                                                                                                                                                                                                                               | Papel bond de 24 lb/90 g/m²                |                                                                                                                                                                       |
| Gramaje máximo del papel – A dos caras (g/m²) | N/A                                                                                                                                                                                                                                                                                                                                                                                                               | N/A                                        | Papel bond de 24 lb/90 g/m²                                                                                                                                           |
| CRISTAL DE EXPOSICIÓN                         |                                                                                                                                                                                                                                                                                                                                                                                                                   |                                            |                                                                                                                                                                       |
| Tamaño máximo del papel (pulg.)               | N/A                                                                                                                                                                                                                                                                                                                                                                                                               | 8.5 x 11.7 pulg.                           |                                                                                                                                                                       |
| Tamaño máximo del papel (mm)                  | N/A                                                                                                                                                                                                                                                                                                                                                                                                               | A4 (216 x 297 mm)                          |                                                                                                                                                                       |



# Impresora Xerox B310 y equipo multifunción Xerox B305/B315

| ESPECIFICACIONES DEL SISTEMA                  | IMPRESORA XEROX B310                                                                                                                                                          | EQUIPO MULTIFUNCIÓN XEROX B305 | EQUIPO MULTIFUNCIÓN XEROX B315 |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|--------------------------------|
| MANIPULACIÓN DEL PAPEL (CONTINUACIÓN)         |                                                                                                                                                                               |                                |                                |
| ALIMENTADOR MULTIFUNCIONAL                    |                                                                                                                                                                               |                                |                                |
| Estándar/Opcional                             | Estándar                                                                                                                                                                      |                                |                                |
| Capacidad (hasta:)                            | 100 hojas papel bond de 20 lb/75 g/m²                                                                                                                                         |                                |                                |
| Tamaño mínimo del papel (pulg.)               | 3.9 x 5.8 pulg.                                                                                                                                                               |                                |                                |
| Tamaño mínimo del papel (mm)                  | 99 x 148 mm                                                                                                                                                                   |                                |                                |
| Tamaño máximo del papel (pulg.)               | Extra oficio (8.5 x 14 pulg.)                                                                                                                                                 |                                |                                |
| Tamaño máximo del papel (mm)                  | 216 x 356 mm                                                                                                                                                                  |                                |                                |
| Gramaje mínimo del papel (g/m²)               | 60 g/m²                                                                                                                                                                       |                                |                                |
| Gramaje mínimo del papel – A dos caras (g/m²) | 60 g/m²                                                                                                                                                                       |                                |                                |
| Gramaje máximo del papel (g/m²)               | 217 g/m²                                                                                                                                                                      |                                |                                |
| Gramaje máximo del papel – A dos caras (g/m²) | 90 g/m²                                                                                                                                                                       |                                |                                |
| Tipos de papel admitidos                      | Papel común, papel liviano, papel pesado, cartulina, etiquetas (etiquetas de papel), sobres, papel de color, membrete, preimpreso, bond, brillante, rugoso/algodón, reciclado |                                |                                |
| BANDEJA PRINCIPAL                             |                                                                                                                                                                               |                                |                                |
| Estándar/Opcional                             | Estándar                                                                                                                                                                      |                                |                                |
| Capacidad (hasta:)                            | 250 hojas papel bond de 20 lb/75 g/m²                                                                                                                                         |                                |                                |
| Tamaño mínimo del papel (pulg.)               | 3.9 x 5.8 pulg.                                                                                                                                                               |                                |                                |
| Tamaño mínimo del papel (mm)                  | 99 x 148 mm                                                                                                                                                                   |                                |                                |
| Tamaño máximo del papel (pulg.)               | Extra oficio (8.5 x 14 pulg.)                                                                                                                                                 |                                |                                |
| Tamaño máximo del papel (mm)                  | 216 x 356 mm                                                                                                                                                                  |                                |                                |
| Gramaje mínimo del papel (g/m²)               | 60 g/m²                                                                                                                                                                       |                                |                                |
| Gramaje mínimo del papel – A dos caras (g/m²) | 60 g/m²                                                                                                                                                                       |                                |                                |
| Gramaje máximo del papel (g/m²)               | 120 g/m²                                                                                                                                                                      |                                |                                |
| Gramaje máximo del papel – A dos caras (g/m²) | 90 g/m²                                                                                                                                                                       |                                |                                |
| Tipos de papel admitidos                      | Papel normal, cartulina, reciclado, etiquetas (papel), bond, sobres, sobres rugosos, membrete, preimpreso, papel de color, papel claro, papel grueso, algodón rugoso          |                                |                                |
| BANDEJA PARA 550 HOJAS                        |                                                                                                                                                                               |                                |                                |
| Estándar/Opcional                             | Opcional                                                                                                                                                                      |                                |                                |
| Capacidad (hasta:)                            | 550 hojas papel bond de 20 lb/75 g/m²                                                                                                                                         |                                |                                |
| Tamaño mínimo del papel (pulg.)               | 3.9 x 5.8 pulg.                                                                                                                                                               |                                |                                |
| Tamaño mínimo del papel (mm)                  | 99 x 148 mm                                                                                                                                                                   |                                |                                |
| Tamaño máximo del papel (pulg.)               | Extra oficio (8.5 x 14 pulg.)                                                                                                                                                 |                                |                                |
| Tamaño máximo del papel (mm)                  | 216 x 356 mm                                                                                                                                                                  |                                |                                |
| Gramaje mínimo del papel (g/m²)               | 60 g/m²                                                                                                                                                                       |                                |                                |
| Gramaje mínimo del papel – A dos caras (g/m²) | 60 g/m²                                                                                                                                                                       |                                |                                |
| Gramaje máximo del papel (g/m²)               | 120 g/m²                                                                                                                                                                      |                                |                                |
| Gramaje máximo del papel – A dos caras (g/m²) | 90 g/m²                                                                                                                                                                       |                                |                                |
| Tipos de papel admitidos                      | Papel común, papel liviano, papel pesado, cartulina, etiquetas (etiquetas de papel), sobres, papel de color, membrete, preimpreso, bond, brillante, rugoso/algodón, reciclado |                                |                                |
| CAPACIDAD DE ENTRADA ESTÁNDAR/MÁXIMA          |                                                                                                                                                                               |                                |                                |
| Capacidad de entrada estándar                 | 350 hojas papel bond de 20 lb/75 g/m²                                                                                                                                         |                                |                                |
| Capacidad de entrada máxima                   | 900 hojas papel bond de 20 lb/75 g/m²                                                                                                                                         |                                |                                |
| CAPACIDAD DE SALIDA                           |                                                                                                                                                                               |                                |                                |
| Capacidad de salida                           | Hasta 150 hojas papel bond de 20 lb/75 g/m²                                                                                                                                   |                                |                                |

PBS Dominicana





# Impresora Xerox B310 y equipo multifunción Xerox B305/B315

| ESPECIFICACIONES DEL SISTEMA                                          |                                                                                                                                | IMPRESORA XEROX B310               | EQUIPO MULTIFUNCIÓN XEROX B305                                                                                                                                                                                                                                        | EQUIPO MULTIFUNCIÓN XEROX B315 |
|-----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| ESPECIFICACIONES DEL DISPOSITIVO                                      |                                                                                                                                |                                    |                                                                                                                                                                                                                                                                       |                                |
| REQUISITOS ELÉCTRICOS                                                 |                                                                                                                                |                                    |                                                                                                                                                                                                                                                                       |                                |
| Norteamérica                                                          | Voltaje: De 100 a 127 VCA De 47 a 63 hercios (Hz) nominales<br>Frecuencia: De 47 a 63 Hz                                       |                                    |                                                                                                                                                                                                                                                                       |                                |
| Europa                                                                | Voltaje: De 220 a 240 VCA<br>Frecuencia: De 47 a 63 Hz                                                                         |                                    |                                                                                                                                                                                                                                                                       |                                |
| CONSUMO DE ENERGÍA                                                    |                                                                                                                                |                                    |                                                                                                                                                                                                                                                                       |                                |
| Funcionamiento/Ejecución: 110 V                                       | A una cara 570 W/a dos caras 305 W                                                                                             | A una cara 530 W/a dos caras 315 W | A una cara 580 W/a dos caras 330 W                                                                                                                                                                                                                                    |                                |
| Funcionamiento/Ejecución: 220 V                                       | A una cara 570 W/a dos caras 305 W                                                                                             | A una cara 530 W/a dos caras 315 W | A una cara 580 W/a dos caras 330 W                                                                                                                                                                                                                                    |                                |
| Modo de espera: 110 V                                                 | 4,9 W                                                                                                                          | 6,5 W                              | 7,5 W                                                                                                                                                                                                                                                                 |                                |
| Modo de espera: 220 V                                                 | 4,9 W                                                                                                                          | 6,5 W                              | 7,5 W                                                                                                                                                                                                                                                                 |                                |
| Modo de apagado automático/reposo: 110 V                              | 0,9 W                                                                                                                          | 0,8 W                              | 1,1 W                                                                                                                                                                                                                                                                 |                                |
| Modo de apagado automático/reposo: 220 V                              | 0,9 W                                                                                                                          | 0,8 W                              | 1,1 W                                                                                                                                                                                                                                                                 |                                |
| Modo de apagado: 110 V                                                | 0,1 W                                                                                                                          |                                    |                                                                                                                                                                                                                                                                       |                                |
| Modo de apagado: 220 V                                                | 0,1 W                                                                                                                          |                                    |                                                                                                                                                                                                                                                                       |                                |
| Tiempo predeterminado para modo de reposo                             | 15 min. (según Energy Star)                                                                                                    |                                    |                                                                                                                                                                                                                                                                       |                                |
| Recuperación desde modo de reposo/ preparación desde modo de reposo   | De 70 a 90 segundos                                                                                                            |                                    |                                                                                                                                                                                                                                                                       |                                |
| Preparación desde apagado                                             | De 70 a 90 segundos                                                                                                            |                                    |                                                                                                                                                                                                                                                                       |                                |
| ENTORNO DE FUNCIONAMIENTO                                             |                                                                                                                                |                                    |                                                                                                                                                                                                                                                                       |                                |
| Intervalo de temperatura requerido: Fahrenheit (almacenamiento/envío) | De -40 a 104 °F                                                                                                                |                                    |                                                                                                                                                                                                                                                                       |                                |
| Intervalo de temperatura requerido: Fahrenheit (en funcionamiento)    | De 50 a 90 °F                                                                                                                  |                                    |                                                                                                                                                                                                                                                                       |                                |
| Intervalo de temperatura requerido: Celsius (almacenamiento/envío)    | De -40 a 40 °C                                                                                                                 |                                    |                                                                                                                                                                                                                                                                       |                                |
| Intervalo de temperatura requerido: Celsius (en funcionamiento)       | De 10 a 32,2 °C                                                                                                                |                                    |                                                                                                                                                                                                                                                                       |                                |
| Humedad relativa requerida                                            | De 8 % a 80 % HR                                                                                                               |                                    |                                                                                                                                                                                                                                                                       |                                |
| NIVELES DE POTENCIA DE SONIDO                                         |                                                                                                                                |                                    |                                                                                                                                                                                                                                                                       |                                |
| Niveles de potencia de sonido (en funcionamiento)                     | 67,4 dBA, 6,8 LwAd B(A) a una cara, 6,4 LwAd B(A) a dos caras, Modo silencioso a una cara 6,2, Modo silencioso a dos caras 6,1 |                                    | 67,1 dBA, 6,7 LwAd B(A) a una cara, 6,4 LwAd B(A) a dos caras, Modo silencioso a una cara 6,3, Modo silencioso a dos caras 6,1 B(A), Escaneado a archivo B/N 7,3 B(A), Escaneado a archivo color 6,6 B(A), Copia ADF B/N 7,3 B(A), Modo silencioso ADF Copia 7,3 B(A) |                                |
| Niveles de potencia de sonido (en espera)                             | 3,1 LwAd, B(A)                                                                                                                 |                                    |                                                                                                                                                                                                                                                                       |                                |
| DIMENSIONES Y PESOS                                                   |                                                                                                                                |                                    |                                                                                                                                                                                                                                                                       |                                |
| MOTORES (SIN EMBALAJE)                                                |                                                                                                                                |                                    |                                                                                                                                                                                                                                                                       |                                |
| Ancho (pulg.)                                                         | 14,5 pulg.                                                                                                                     |                                    | 16,2 pulg.                                                                                                                                                                                                                                                            |                                |
| Profundidad (pulg.)                                                   | 14,3 pulg.                                                                                                                     |                                    | 14,4 pulg.                                                                                                                                                                                                                                                            |                                |
| Altura (pulg.)                                                        | 8,2 pulg.                                                                                                                      |                                    | 13,3 pulg.                                                                                                                                                                                                                                                            |                                |
| Peso (lb)                                                             | 20,6 lb                                                                                                                        |                                    | 28,2 lb                                                                                                                                                                                                                                                               |                                |
| Ancho (mm)                                                            | 368 mm                                                                                                                         |                                    | 411 mm                                                                                                                                                                                                                                                                |                                |
| Profundidad (mm)                                                      | 363 mm                                                                                                                         |                                    | 366 mm                                                                                                                                                                                                                                                                |                                |
| Altura (mm)                                                           | 222 mm                                                                                                                         |                                    | 339 mm                                                                                                                                                                                                                                                                |                                |
| Peso (kg)                                                             | 9,3 kg                                                                                                                         |                                    | 12,8 kg                                                                                                                                                                                                                                                               |                                |
| BANDEJA DE 550 HOJAS (SIN EMBALAJE)                                   |                                                                                                                                |                                    |                                                                                                                                                                                                                                                                       |                                |
| Ancho (pulg.)                                                         | 14,6 pulg.                                                                                                                     |                                    |                                                                                                                                                                                                                                                                       |                                |
| Profundidad (pulg.)                                                   | 14,9 pulg.                                                                                                                     |                                    |                                                                                                                                                                                                                                                                       |                                |
| Altura (pulg.)                                                        | 4,2 pulg.                                                                                                                      |                                    |                                                                                                                                                                                                                                                                       |                                |
| Peso (lb)                                                             | 8,9 lb                                                                                                                         |                                    |                                                                                                                                                                                                                                                                       |                                |
| Ancho (mm)                                                            | 370 mm                                                                                                                         |                                    |                                                                                                                                                                                                                                                                       |                                |
| Profundidad (mm)                                                      | 378 mm                                                                                                                         |                                    |                                                                                                                                                                                                                                                                       |                                |
| Altura (mm)                                                           | 107 mm                                                                                                                         |                                    |                                                                                                                                                                                                                                                                       |                                |
| Peso (kg)                                                             | 4,1 kg                                                                                                                         |                                    |                                                                                                                                                                                                                                                                       |                                |

PBS Dominicana





## Impresora Xerox B310 y equipo multifunción Xerox B305/B315

| ESPECIFICACIONES DEL SISTEMA                                                                                                                                                                          |                                                                                                                                                                                                                                      | IMPRESORA XEROX B310                                                                                                                                                                                                                           | EQUIPO MULTIFUNCIÓN XEROX B305                                                                                                                                                                                                                 | EQUIPO MULTIFUNCIÓN XEROX B315 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| DIMENSIONES Y PESOS (CONTINUACIÓN)                                                                                                                                                                    |                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| MOTORES (CON EMBALAJE)                                                                                                                                                                                |                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| Ancho (pulg.)                                                                                                                                                                                         | 16,1 pulg.                                                                                                                                                                                                                           | 16,5 pulg.                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                |                                |
| Profundidad (pulg.)                                                                                                                                                                                   | 16,5 pulg.                                                                                                                                                                                                                           | 18,3 pulg.                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                |                                |
| Altura (pulg.)                                                                                                                                                                                        | 11 pulg.                                                                                                                                                                                                                             | 15,1 pulg.                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                |                                |
| Peso (lb)                                                                                                                                                                                             | 23,9 lb                                                                                                                                                                                                                              | 32,4 lb                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                |                                |
| Ancho (mm)                                                                                                                                                                                            | 410 mm                                                                                                                                                                                                                               | 420 mm                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                |                                |
| Profundidad (mm)                                                                                                                                                                                      | 420 mm                                                                                                                                                                                                                               | 465 mm                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                |                                |
| Altura (mm)                                                                                                                                                                                           | 280 mm                                                                                                                                                                                                                               | 385 mm                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                |                                |
| Peso (kg)                                                                                                                                                                                             | 10,5 kg                                                                                                                                                                                                                              | 14,7 kg                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                |                                |
| BANDEJA PARA 550 HOJAS (CON EMBALAJE)                                                                                                                                                                 |                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| Ancho (pulg.)                                                                                                                                                                                         | 16,9 pulg.                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| Profundidad (pulg.)                                                                                                                                                                                   | 17,6 pulg.                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| Altura (pulg.)                                                                                                                                                                                        | 7,4 pulg.                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| Peso (lb)                                                                                                                                                                                             | 10,8 lb                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| Ancho (mm)                                                                                                                                                                                            | 430 mm                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| Profundidad (mm)                                                                                                                                                                                      | 448 mm                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| Altura (mm)                                                                                                                                                                                           | 188 mm                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| Peso (kg)                                                                                                                                                                                             | 4,9 kg                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| ASPECTOS A TENER EN CUENTA EN LA INSTALACIÓN                                                                                                                                                          |                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| El área alrededor del dispositivo debe estar despejada para permitir el acceso y la ventilación. En la siguiente tabla se muestra el área que se necesita en cada lado para una instalación correcta. |                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| Superior                                                                                                                                                                                              | 305 mm/12 pulg.                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| Trasera                                                                                                                                                                                               | 76,2 mm/3 pulg.                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| Izquierda                                                                                                                                                                                             | 110 mm/4,33 pulg.                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| Derecha                                                                                                                                                                                               | 100 mm/3,94 pulg.                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| Delantera                                                                                                                                                                                             | 305 mm/12 pulg.                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| CERTIFICACIÓN DEL SISTEMA/CUMPLIMIENTO NORMATIVO                                                                                                                                                      |                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| Certificaciones                                                                                                                                                                                       | Para obtener la lista de certificaciones más reciente, visite <a href="http://xerox.com/OfficeCertifications">xerox.com/OfficeCertifications</a>                                                                                     |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| ¿QUÉ CONTIENE LA CAJA?                                                                                                                                                                                |                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                |                                |
| Todos los elementos contenidos en la caja                                                                                                                                                             | Impresora B310<br>Cable de alimentación<br>Guía de instalación<br>Hoja de seguridad del producto<br>Guía de uso rápido<br>CD con software y documentación<br>Cartucho de tóner inicial preinstalado:<br>capacidad para 2500 páginas* | Equipo multifunción B305<br>Cable de alimentación<br>Guía de instalación<br>Hoja de seguridad del producto<br>Guía de uso rápido<br>CD con software y documentación<br>Cartucho de tóner inicial preinstalado:<br>capacidad para 1500 páginas* | Equipo multifunción B315<br>Cable de alimentación<br>Guía de instalación<br>Hoja de seguridad del producto<br>Guía de uso rápido<br>CD con software y documentación<br>Cartucho de tóner inicial preinstalado:<br>capacidad para 2500 páginas* |                                |



## Impresora Xerox B310 y equipo multifunción Xerox B305/B315

| CONSUMIBLES Y ACCESORIOS                                                                    | IMPRESORA XEROX B310 | EQUIPO MULTIFUNCIÓN XEROX B305 | EQUIPO MULTIFUNCIÓN XEROX B315 |
|---------------------------------------------------------------------------------------------|----------------------|--------------------------------|--------------------------------|
| <b>CONSUMIBLES: NORTEAMÉRICA Y EUROPA*</b>                                                  |                      |                                |                                |
| Cartucho de tóner negro de capacidad estándar original de Xerox (3000 páginas) <sup>4</sup> | 006R04376            |                                |                                |
| Cartucho de tóner negro de alta capacidad original de Xerox (8000 páginas) <sup>4</sup>     | 006R04377            |                                |                                |
| Cartucho de tóner negro de capacidad extra original de Xerox (20 000 páginas) <sup>4</sup>  | 006R04378            |                                |                                |
| Kit de impresión (40 000 páginas) <sup>5</sup> Universal                                    | 013R00690            |                                |                                |
| <b>CONSUMIBLES: TODAS LAS DEMÁS REGIONES</b>                                                |                      |                                |                                |
| Cartucho de tóner negro de capacidad estándar original de Xerox (3000 páginas) <sup>4</sup> | 006R04379            |                                |                                |
| Cartucho de tóner negro de alta capacidad original de Xerox (8000 páginas) <sup>4</sup>     | 006R04380            |                                |                                |
| Cartucho de tóner negro de capacidad extra original de Xerox (20 000 páginas) <sup>4</sup>  | 006R04381            |                                |                                |
| Kit de impresión (40 000 páginas) <sup>5</sup> Universal                                    | 013R00690            |                                |                                |
| <b>ACCESORIOS OPCIONALES</b>                                                                |                      |                                |                                |
| Bandeja para 550 hojas                                                                      | 497N07968            |                                |                                |

\* Norteamérica (NA): EE, UU., Canadá

Europa (XE): Reino Unido, Francia, Alemania, España, Italia, Países Bajos, Bélgica, Noruega, Suecia, Finlandia, Dinamarca, Islandia, Luxemburgo, Austria, Suiza, Portugal, Irlanda, Andorra, Azores, Córcega, Groenlandia, Liechtenstein, Madeira, San Marino



<sup>1</sup> Velocidad de impresión declarada según norma ISO/IEC 24734.

<sup>2</sup> Capacidad de volumen máxima esperada en cualquier mes. No debe esperarse como volumen mantenido regularmente.

<sup>3</sup> Algunas funciones pueden requerir actualización de software de xerox.com disponible en el cuarto trimestre de 2021.

<sup>4</sup> Páginas estándar promedio. El rendimiento declarado cumple con la norma ISO/IEC 19798. El rendimiento varía según la imagen, el área de cobertura y el modo de impresión.

<sup>5</sup> Páginas aproximadas. El rendimiento declarado varía según la duración de la ejecución del trabajo, el tamaño y la orientación del material de impresión y el modo de impresión. Para obtener más información, visite [office.xerox.com/latest/SUPGL-01.PDF](http://office.xerox.com/latest/SUPGL-01.PDF)

Para obtener más información, visítenos en [www.office.xerox.com/index/esar.html](http://www.office.xerox.com/index/esar.html).



# Xerox® C310 Color Printer and Xerox® C315 Color Multifunction Printer

**xerox**™

Work doesn't slow down, and  
your printer shouldn't either.



C310 Color Printer

C315 Color  
Multifunction Printer

| SYSTEM SPECIFICATION                                                              |                                                                                                                                                                                                                                                                          | XEROX C310 COLOR PRINTER                        | XEROX C315 COLOR MULTIFUNCTION PRINTER                                                |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|---------------------------------------------------------------------------------------|
| PRINT SPEED (UP TO:)                                                              |                                                                                                                                                                                                                                                                          |                                                 |                                                                                       |
| One-sided Speed <sup>1</sup> – Color<br>Letter (8.5 x 11 in)<br>A4 (210 x 297 mm) | 35 ppm<br>33 ppm                                                                                                                                                                                                                                                         |                                                 |  |
| Two-sided Speed <sup>1</sup> – Color<br>Letter (8.5 x 11 in)<br>A4 (210 x 297 mm) | 17 ppm<br>16 ppm                                                                                                                                                                                                                                                         |                                                 |                                                                                       |
| One-sided Speed <sup>1</sup> – B&W<br>Letter (8.5 x 11 in)<br>A4 (210 x 297 mm)   | 35 ppm<br>33 ppm                                                                                                                                                                                                                                                         |                                                 |                                                                                       |
| Two-sided Speed <sup>1</sup> – B&W<br>Letter (8.5 x 11 in)<br>A4 (210 x 297 mm)   | 17 ppm<br>16 ppm                                                                                                                                                                                                                                                         |                                                 |                                                                                       |
| Monthly Duty Cycle <sup>2</sup> (Up To:)<br>Pages Per Month                       | 80,000                                                                                                                                                                                                                                                                   |                                                 |                                                                                       |
| Recommended Average Monthly<br>Print Volume (Up To:)<br>Pages Per Month           | 6,000                                                                                                                                                                                                                                                                    |                                                 |                                                                                       |
| Processor/Memory<br>Clock Speed/Cores<br>Memory                                   | 1 GHz Dual Core Processor with GPU<br>1GB RAM                                                                                                                                                                                                                            | 1.2 GHz Quad Core Processor with GPU<br>2GB RAM |                                                                                       |
| Connectivity<br>Device Connectivity                                               | Hi-Speed USB 2.0 (Type A- thumbdrive), Gigabit Ethernet, Hi-Speed USB 2.0 (USB) (Type B), Wireless 802.11 b/g/n                                                                                                                                                          |                                                 |                                                                                       |
| Imaging Technology                                                                | Color Laser                                                                                                                                                                                                                                                              |                                                 |                                                                                       |
| PRINT AND COPY                                                                    |                                                                                                                                                                                                                                                                          |                                                 |                                                                                       |
| Print Resolution (Up To:)                                                         | 1200 x 1200 dpi, 4800 Color Quality                                                                                                                                                                                                                                      |                                                 |                                                                                       |
| Copy Resolution (Up To:)                                                          | N/A                                                                                                                                                                                                                                                                      | 600 x 600 dpi                                   |                                                                                       |
| First-print-out Time (As Fast As:)                                                | 7.2 seconds color/6.7 seconds B&W                                                                                                                                                                                                                                        | 8.0 seconds color/7.9 seconds B&W               |                                                                                       |
| First-copy-out Time (As Fast As:)                                                 | N/A                                                                                                                                                                                                                                                                      | 9.1 seconds color/8.2 seconds B&W               |                                                                                       |
| Page Description Languages                                                        | PostScript® 3 Emulation, PCL® 6 Emulation, PCL 5, XPS, PDF v1.7 emulation, HTML, Direct Image                                                                                                                                                                            |                                                 |                                                                                       |
| Print Features <sup>3</sup>                                                       | One Touch UI, Print Quality, Normal, Secure, Saved and Sample Set Job Types, Duplex, Orientation, Collation, Print Job ID in Margins, Draft Mode, N-up, Booklet Layout, Watermark, Tray and Toner Status, Rotate Image 180 Degrees, Saved Settings, Earth Smart Settings |                                                 |                                                                                       |

## Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

| SYSTEM SPECIFICATION                              |                                                                                                                                                                                                                                                                                                                                                                                              | XEROX C310 COLOR PRINTER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | XEROX C315 COLOR MULTIFUNCTION PRINTER |
|---------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| MOBILE AND CLOUD READY                            |                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |
| Mobile Printing                                   | Apple AirPrint, Mopria Print Service, Chromebook, Wi-Fi Direct®                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |
| Mobile Scanning                                   | Apple AirPrint, Mopria Scan Service                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |
| Xerox® Workplace Suite and Xerox® Workplace Cloud | Yes                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |
| Cloud Connectivity                                | Yes (via Xerox Print and Scan Experience)                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |
| SCAN                                              |                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |
| Destinations                                      | N/A                                                                                                                                                                                                                                                                                                                                                                                          | Email, Front-side USB drive, FTP, Network or USB Connected Computer, Windows Network Folder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                        |
| File Formats                                      | N/A                                                                                                                                                                                                                                                                                                                                                                                          | TIFF, JPEG, PDF (non-searchable), Secure PDF, XPS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                        |
| FAX                                               |                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |
| Standard Features                                 | N/A                                                                                                                                                                                                                                                                                                                                                                                          | MH/MR/MMR/JBIG/JBIG2/JPEG Compression, Auto Answer, Auto Redial, Auto Reduction, Broadcast Send, Junk Fax Filter, Fax Address Book, Fax Forward includes: Fax, Email, FTP, Network Folder, Called Number                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                        |
| PRINT DETAILS                                     |                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |
| First-print-out Time – Color (As Fast As:)        | 7.2 seconds                                                                                                                                                                                                                                                                                                                                                                                  | 8.0 seconds                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                        |
| First-print-out Time – B&W (As Fast As:)          | 6.7 seconds                                                                                                                                                                                                                                                                                                                                                                                  | 7.9 seconds                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                        |
| Resolution (Up To:)                               | 1200 x 1200 dpi, 4800 Color Quality                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |
| Page Description Languages                        | PostScript® 3 Emulation, PCL® 6 Emulation, PCL 5, XPS, PDF v1.7 emulation, HTML, Direct Image                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |
| Unprintable Page Margin                           | Print: 4.2 mm from each edge                                                                                                                                                                                                                                                                                                                                                                 | Print: 4.2 mm from each edge; Copy: 3 mm from each edge                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                        |
| Print from USB                                    | N/A                                                                                                                                                                                                                                                                                                                                                                                          | File Formats: Microsoft Office Formats (Word, Excel, PPT), PDF, HTML, XPS, Image Formats (JPEG, TIFF, GIF, BMP, PNG, PCX)<br>Options available to configure prints from USB: paper source, print blank pages, collate, two-sided printing, paper saver orientation, separator sheets, paper saver, paper saver ordering                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                        |
| Print Driver Types/Operating Systems              | Windows® 8, 8.1 Update 1, 10, 11, Windows Server® 2008 SP2 (32- and 64-bit), Windows Server 2008 R2 SP1, Windows Server 2012, Windows Server 2012 R2, Windows Server 2019, macOS 10.14, 10.15, 11, 12. For more information about supported Operating Systems, please visit our Drivers & Downloads page and specify your device at <a href="http://support.xerox.com">support.xerox.com</a> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |
| Network Protocols                                 | TCP/IP: HTTP/HTTPS, IPP, LPR/LDP, Raw Socket Printing/Port 9100, IPv4/IPv6, MS Web Services WSD-Print 802.1x, SNMP                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |
| Font Capability                                   | PCL6 89 scalable fonts, 2 bitmapped<br>PS emulation 158 scalable fonts                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |
| COPY DETAILS                                      |                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                        |
| First-copy-out Time – Color (As Fast As:)         | N/A                                                                                                                                                                                                                                                                                                                                                                                          | 9.1 seconds                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                        |
| First-copy-out Time – B&W (As Fast As:)           | N/A                                                                                                                                                                                                                                                                                                                                                                                          | 8.2 seconds                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                        |
| Simplex Speed (Up To:)                            | N/A                                                                                                                                                                                                                                                                                                                                                                                          | 35 Letter ppm/33 A4 ppm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                        |
| Duplex Speed (Up To:)                             | N/A                                                                                                                                                                                                                                                                                                                                                                                          | 17 Letter ppm/16 A4 ppm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                        |
| Sides (Input:Output)                              | N/A                                                                                                                                                                                                                                                                                                                                                                                          | 1:1, 1:2, 2:1, 2:2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                        |
| Quantity                                          | N/A                                                                                                                                                                                                                                                                                                                                                                                          | 1-9,999                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                        |
| Concurrency                                       | N/A                                                                                                                                                                                                                                                                                                                                                                                          | Yes (copy while printing)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                        |
| Copy Features                                     | N/A                                                                                                                                                                                                                                                                                                                                                                                          | Copy From Size; Copy To Size; Scale 25 % to 400 %; Darkness/Lightness; Sides 1:1, 1:2, 2:1, 2:2; Duplex; Collate; Sample Copy; <b>Content Type</b> – Text, Text/Photo, Photo, Graphics; <b>Content Source</b> – B&W Laser, Color Laser, Inkjet, Photo/Film, Magazine, Newspaper, Press, Other; Create Shortcut; Color<br><br><b>Advanced Options</b><br>Paper Setup; Advanced Imaging, Auto Center, Background Removal, Contrast, Mirror Image, Negative Image, Scan Edge to Edge, Shadow Detail, Sharpness, Color Balance, Color Dropout; Create Booklet; Cover Page Setup; Custom Job Build; Edge Erase; Header/Footer; Margin Shift; Overlay; <b>Pages per Side</b> – 2 pages per side, 4 pages per side;<br><b>Separator Sheets</b> – Between Pages, Between Copies, Between Jobs |                                        |

PBS Dominicana



**PBS Dominicana**



## Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

| SYSTEM SPECIFICATION                  | XEROX C310 COLOR PRINTER                                                                                                                                                                                                                                                                                                         | XEROX C315 COLOR MULTIFUNCTION PRINTER                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SCAN DETAILS                          |                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                          |
| Technology                            | N/A                                                                                                                                                                                                                                                                                                                              | Color Flatbed Scanner with RADF, Contact Image Sensor (CIS)                                                                                                                                                                                                                                                                                                              |
| Capability                            | N/A                                                                                                                                                                                                                                                                                                                              | RADF, up to 50 sheets of 20 lb bond/75 gsm, Color/B&W                                                                                                                                                                                                                                                                                                                    |
| Concurrency                           | N/A                                                                                                                                                                                                                                                                                                                              | Yes (scan while printing)                                                                                                                                                                                                                                                                                                                                                |
| Input Speed – Color (Up To:)          | N/A                                                                                                                                                                                                                                                                                                                              | 32 ipm simplex/14 ipm duplex letter, 30 ipm simplex/13 ipm duplex A4                                                                                                                                                                                                                                                                                                     |
| Input Speed – B&W (Up To:)            | N/A                                                                                                                                                                                                                                                                                                                              | 50 ipm simplex/23 ipm duplex letter, 47 ipm simplex/21 ipm duplex A4                                                                                                                                                                                                                                                                                                     |
| Resolution                            | N/A                                                                                                                                                                                                                                                                                                                              | 600 x 600 dpi                                                                                                                                                                                                                                                                                                                                                            |
| Resolution (Software Utilities) (dpi) | N/A                                                                                                                                                                                                                                                                                                                              | 150 x 150, 200 x 200, 300 x 300, 400 x 400, 600 x 600                                                                                                                                                                                                                                                                                                                    |
| Maximum Scan Area (ADF) (in)          | N/A                                                                                                                                                                                                                                                                                                                              | 8.5 x 14 in                                                                                                                                                                                                                                                                                                                                                              |
| Maximum Scan Area (ADF) (mm)          | N/A                                                                                                                                                                                                                                                                                                                              | 216 x 355 mm                                                                                                                                                                                                                                                                                                                                                             |
| Maximum Scan Area (Platen) (in)       | N/A                                                                                                                                                                                                                                                                                                                              | 8.5 x 11.7 in                                                                                                                                                                                                                                                                                                                                                            |
| Maximum Scan Area (Platen) (mm)       | N/A                                                                                                                                                                                                                                                                                                                              | 216 x 297 mm                                                                                                                                                                                                                                                                                                                                                             |
| Media Weight (ADF)                    | N/A                                                                                                                                                                                                                                                                                                                              | 52 to 120 gsm                                                                                                                                                                                                                                                                                                                                                            |
| Network Filing Protocol               | N/A                                                                                                                                                                                                                                                                                                                              | FTP, SFTP, SMB, USB, Windows Network Folder                                                                                                                                                                                                                                                                                                                              |
| File Formats                          | N/A                                                                                                                                                                                                                                                                                                                              | TIFF, JPEG, PDF (non-searchable), Secure PDF, XPS                                                                                                                                                                                                                                                                                                                        |
| Scan Driver Compatibility             | N/A                                                                                                                                                                                                                                                                                                                              | TWAIN, WIA, ICA                                                                                                                                                                                                                                                                                                                                                          |
| Scan File Compression Options         | N/A                                                                                                                                                                                                                                                                                                                              | PDF – 1 bit – JBIG2, CCIT G4, Flate<br>8/24 bit – Flate, JPEG<br>TIFF – 1 bit – CCITT G4<br>8/24 bit – Packbits, LZW<br>JPG – 8/24 bit – JPEG                                                                                                                                                                                                                            |
| Supported Scan Destinations           | N/A                                                                                                                                                                                                                                                                                                                              | Email, Front-side USB Drive, FTP, SFTP, Network or USB Connected Computer, Windows Network Folder                                                                                                                                                                                                                                                                        |
| FAX DETAILS                           |                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                          |
| Fax Speed                             | N/A                                                                                                                                                                                                                                                                                                                              | 33.6K bps                                                                                                                                                                                                                                                                                                                                                                |
| Memory                                | N/A                                                                                                                                                                                                                                                                                                                              | 18MB                                                                                                                                                                                                                                                                                                                                                                     |
| Resolution (dpi)                      | N/A                                                                                                                                                                                                                                                                                                                              | B&W standard 200 x 100 send, 200 x 100, 204 x 98 receive<br>B&W fine 200 x 200 send, 200 x 200, 204 x 196 receive<br>B&W superfine 300 x 300 send, 300 x 300, 204 x 391 receive<br>B&W ultrafine 600 x 600 send, 600 x 600, 400 x 400, 408 x 391 receive<br>Color fine 200 x 200 send, 200 x 200 receive<br>Color superfine 300 x 300 send, 300 x 300, 400 x 400 receive |
| Compression                           | N/A                                                                                                                                                                                                                                                                                                                              | T.4 1D Modified Huffman Encoding<br>T.4 2D Modified Read Encoding<br>T.6 Modified Modified Read Encoding<br>T.85 JBIG<br>T.88 JBIG2<br>T.81 JPEG                                                                                                                                                                                                                         |
| Fax Features                          | N/A                                                                                                                                                                                                                                                                                                                              | Auto Answer, Auto Redial, Auto Reduction, Broadcast Send, Junk Fax Filter, Fax Address Book                                                                                                                                                                                                                                                                              |
| Fax Forward Destinations              | N/A                                                                                                                                                                                                                                                                                                                              | Fax – using one Fax Shortcut<br>Email – using one Email Shortcut<br>FTP – using one FTP Shortcut                                                                                                                                                                                                                                                                         |
| DEVICE MANAGEMENT                     |                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                          |
| Device Management                     | Remote Console, Embedded Web Server, Xerox Easy Assist                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                          |
| Xerox® CentreWare® Web Software       | Yes                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                          |
| SECURITY                              |                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                          |
| Security Protocols/Features           | Digitally Signed Firmware Updates, Certificate Management, Secure Password Reset, TCP Connection Filtering, Port Filtering, Access Controls, Confidential Print, Non-Volatile Memory Wipe, Fax/Network Separation, Protected USB Ports, Auto-insertion of Sender's Email Address, Login Restrictions, TLS 1.3, Audit Log, Syslog |                                                                                                                                                                                                                                                                                                                                                                          |
| WI-FI SECURITY                        |                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                          |
| Authentication and Encryption Methods | 802.11 b/g/n, Infrastructure (BSS) Mode, WPA Personal TKIP PSK (63 char, 64 ASCII), WPA Enterprise, WPA3 Personal, WPA3 Enterprise, 802.1x; EAP-MDS, EAP-MSCHAPv2, EAP-TLS, EAP-TTLS (CHAPS/MSCHASp2/PAP), LEAP, PEAP                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                          |



# Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

| SYSTEM SPECIFICATION                | XEROX C310 COLOR PRINTER                                            | XEROX C315 COLOR MULTIFUNCTION PRINTER                                                  |
|-------------------------------------|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| PAPER HANDLING                      |                                                                     |                                                                                         |
| AUTOMATIC DOCUMENT FEEDER           |                                                                     |                                                                                         |
| Type of ADF                         | N/A                                                                 | Reversing Automatic Document Feeder (RADF)                                              |
| Capacity (Up To:)                   | N/A                                                                 | 50 sheets of 20 lb bond/75 gsm stock; capacities will vary with different weight stocks |
| Minimum Media Size (in)             | N/A                                                                 | 4.1 x 5.8 in                                                                            |
| Minimum Media Size (mm)             | N/A                                                                 | A6 SEF (105 x 148 mm)                                                                   |
| Maximum Media Size (in)             | N/A                                                                 | Legal (8.5 x 14 in)                                                                     |
| Maximum Media Size (mm)             | N/A                                                                 | 216 x 355 mm                                                                            |
| Minimum Media Weight (gsm)          | N/A                                                                 | 14 lb bond                                                                              |
| Minimum Media Weight – Duplex (gsm) | N/A                                                                 | 52 gsm                                                                                  |
| Maximum Media Weight (gsm)          | N/A                                                                 | 32 lb bond                                                                              |
| Maximum Media Weight – Duplex (gsm) | N/A                                                                 | 120 gsm                                                                                 |
| PLATEN                              |                                                                     |                                                                                         |
| Maximum Media Size (in)             | N/A                                                                 | 8.5 x 11.7 in                                                                           |
| Maximum Media Size (mm)             | N/A                                                                 | 216 x 297 mm                                                                            |
| MANUAL FEED SLOT                    |                                                                     |                                                                                         |
| Standard/Optional                   | Standard                                                            |                                                                                         |
| Capacity                            | 1 sheet of 20 lb bond/75 gsm                                        |                                                                                         |
| Minimum Media Size (in)             | 3 x 5 in                                                            |                                                                                         |
| Minimum Media Size (mm)             | 76 x 127 mm                                                         |                                                                                         |
| Maximum Media Size (in)             | Legal (8.5 x 14 in)                                                 |                                                                                         |
| Maximum Media Size (mm)             | 216 x 356 mm                                                        |                                                                                         |
| Minimum Media Weight (gsm)          | 60 gsm                                                              |                                                                                         |
| Minimum Media Weight – Duplex (gsm) | 60 gsm                                                              |                                                                                         |
| Maximum Media Weight (gsm)          | 216 gsm                                                             |                                                                                         |
| Maximum Media Weight – Duplex (gsm) | 105 gsm                                                             |                                                                                         |
| Media Types Supported               | Light Paper, Plain Paper, Heavy Paper, Cardstock, Envelopes, Labels |                                                                                         |
| MAIN TRAY                           |                                                                     |                                                                                         |
| Standard/Optional                   | Standard                                                            |                                                                                         |
| Capacity (Up To:)                   | 250 sheets of 20 lb bond/75 gsm                                     |                                                                                         |
| Minimum Media Size (in)             | 3.8 x 5.8 in                                                        |                                                                                         |
| Minimum Media Size (mm)             | 98 x 148 mm                                                         |                                                                                         |
| Maximum Media Size (in)             | Legal (8.5 x 14 in)                                                 |                                                                                         |
| Maximum Media Size (mm)             | 216 x 356 mm                                                        |                                                                                         |
| Minimum Media Weight (gsm)          | 60 gsm                                                              |                                                                                         |
| Minimum Media Weight – Duplex (gsm) | 60 gsm                                                              |                                                                                         |
| Maximum Media Weight (gsm)          | 216 gsm                                                             |                                                                                         |
| Maximum Media Weight – Duplex (gsm) | 105 gsm                                                             |                                                                                         |
| Media Types Supported               | Light Paper, Plain Paper, Heavy Paper, Labels, Cardstock, Envelopes |                                                                                         |

PBS Dominicana



**PBS Dominicana**



*W*

*JB*

## Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

| SYSTEM SPECIFICATION                     | XEROX C310 COLOR PRINTER                                            | XEROX C315 COLOR MULTIFUNCTION PRINTER |
|------------------------------------------|---------------------------------------------------------------------|----------------------------------------|
| PAPER HANDLING (CONTINUED)               |                                                                     |                                        |
| 550 PLUS 100 SHEET TRAY – 100 SHEET TRAY |                                                                     |                                        |
| Standard/Optional                        | Optional – included with the 550 plus 100 Sheet Tray                |                                        |
| Capacity (Up To:)                        | 100 sheets of 20 lb bond/75 gsm                                     |                                        |
| Minimum Media Size (in)                  | 3 x 5 in                                                            |                                        |
| Minimum Media Size (mm)                  | 76 x 127 mm                                                         |                                        |
| Maximum Media Size (in)                  | Legal (8.5 x 14 in)                                                 |                                        |
| Maximum Media Size (mm)                  | 216 x 356 mm                                                        |                                        |
| Minimum Media Weight (gsm)               | 60 gsm                                                              |                                        |
| Minimum Media Weight – Duplex (gsm)      | 60 gsm                                                              |                                        |
| Maximum Media Weight (gsm)               | 176 gsm                                                             |                                        |
| Maximum Media Weight – Duplex (gsm)      | 105 gsm                                                             |                                        |
| Media Types Supported                    | Light Paper, Plain Paper, Heavy Paper, Labels, Cardstock, Envelopes |                                        |
| 550 PLUS 100 SHEET TRAY – 550 SHEET TRAY |                                                                     |                                        |
| Standard/Optional                        | Optional – included with the 550 plus 100 Sheet Tray                |                                        |
| Capacity (Up To:)                        | 550 sheets of 20 lb bond/75 gsm                                     |                                        |
| Minimum Media Size (in)                  | 5.83 x 8.27 in                                                      |                                        |
| Minimum Media Size (mm)                  | 148 x 210 mm                                                        |                                        |
| Maximum Media Size (in)                  | Legal (8.5 x 14 in)                                                 |                                        |
| Maximum Media Size (mm)                  | 216 x 356 mm                                                        |                                        |
| Minimum Media Weight (gsm)               | 60 gsm                                                              |                                        |
| Minimum Media Weight – Duplex (gsm)      | 60 gsm                                                              |                                        |
| Maximum Media Weight (gsm)               | 176 gsm                                                             |                                        |
| Maximum Media Weight – Duplex (gsm)      | 105 gsm                                                             |                                        |
| Media Types Supported                    | Light Paper, Plain Paper, Heavy Paper, Labels, Cardstock            |                                        |
| STANDARD/MAXIMUM INPUT CAPACITY          |                                                                     |                                        |
| Standard Input Capacity                  | 251                                                                 |                                        |
| Maximum Input Capacity                   | 901                                                                 |                                        |
| OUTPUT CAPACITY                          |                                                                     |                                        |
| Output Capacity                          | 125                                                                 | 150                                    |



*lm*

*J*

# Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

| SYSTEM SPECIFICATION                                |                                                                                                                                                                                   | XEROX C310 COLOR PRINTER | XEROX C315 COLOR MULTIFUNCTION PRINTER                                                                                                                                             |
|-----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DEVICE SPECIFICATIONS                               |                                                                                                                                                                                   |                          |                                                                                                                                                                                    |
| ELECTRICAL REQUIREMENTS                             |                                                                                                                                                                                   |                          |                                                                                                                                                                                    |
| North America                                       | 100 to 127 volts (V) (100 – 110 Japan) at 47 to 53 hz or 57 to 63 hertz (HZ) nominal<br>90 to 140 volts (90 – 110 Japan), extreme                                                 |                          |                                                                                                                                                                                    |
| Europe                                              | 220 to 240 volts (V) at 47 to 53 hz or 57 to 63 hertz (HZ) nominal (not available in all countries)<br>198 to 259 volts, extreme                                                  |                          |                                                                                                                                                                                    |
| POWER CONSUMPTION                                   |                                                                                                                                                                                   |                          |                                                                                                                                                                                    |
| Operation/Running – 110V                            | Simplex 530W; Duplex 360W                                                                                                                                                         |                          |                                                                                                                                                                                    |
| Operation/Running – 220V                            | Simplex 530W; Duplex 360W                                                                                                                                                         |                          |                                                                                                                                                                                    |
| Standby Mode – 110V                                 | 22W                                                                                                                                                                               | 26.2W                    |                                                                                                                                                                                    |
| Standby Mode – 220V                                 | 22W                                                                                                                                                                               | 26.2W                    |                                                                                                                                                                                    |
| Auto Off/Sleep Mode – 110V                          | 1.61W                                                                                                                                                                             | 1.44W                    |                                                                                                                                                                                    |
| Auto Off/Sleep Mode – 220V                          | 1.61W                                                                                                                                                                             | 1.44W                    |                                                                                                                                                                                    |
| Power Off Mode – 110V                               | 0.2W                                                                                                                                                                              |                          |                                                                                                                                                                                    |
| Power Off Mode – 220V                               | 0.2W                                                                                                                                                                              |                          |                                                                                                                                                                                    |
| Default Time to Sleep Mode                          | 3 minutes                                                                                                                                                                         |                          |                                                                                                                                                                                    |
| Time to First Print from Sleep Mode                 | 15 seconds                                                                                                                                                                        | 16 seconds               |                                                                                                                                                                                    |
| Time to Ready from Off                              | 42 seconds                                                                                                                                                                        | 49 seconds               |                                                                                                                                                                                    |
| OPERATING ENVIRONMENT                               |                                                                                                                                                                                   |                          |                                                                                                                                                                                    |
| Required Temperature Range – Fahrenheit (storage)   | 50 to 90° F<br>Shipping: -40 to 110° F                                                                                                                                            |                          |                                                                                                                                                                                    |
| Required Temperature Range – Fahrenheit (operating) | 50 to 90° F                                                                                                                                                                       |                          |                                                                                                                                                                                    |
| Required Temperature Range – Celsius (storage)      | 10 to 32.2° C<br>Shipping: -40 to 43.3° C                                                                                                                                         |                          |                                                                                                                                                                                    |
| Required Temperature Range – Celsius (operating)    | 10 to 32.2° C                                                                                                                                                                     |                          |                                                                                                                                                                                    |
| Required Relative Humidity                          | 15% to 80% RH                                                                                                                                                                     |                          |                                                                                                                                                                                    |
| SOUND POWER LEVELS                                  |                                                                                                                                                                                   |                          |                                                                                                                                                                                    |
| Sound Pressure Levels                               | Operating simplex b&w/col 49/50 dB(A)<br>Operating duplex b&w/col 51/52 dB(A)<br>Quiet mode simplex b&w/col 46/47 dB(A)<br>Quiet mode duplex b&w/col 49/49 dB(A)<br>Idle 15 dB(A) |                          | Operating simplex b&w/col 52/52 dB(A)<br>Operating duplex b&w/col 52/53 dB(A)<br>Quiet mode simplex b&w/col 49/49 dB(A)<br>Quiet mode duplex b&w/col 50/50 dB(A)<br>Idle 15 dB(A)  |
| Sound Power Levels                                  | Operating simplex b&w/col 64/65 dB(A)<br>Operating duplex b&w/col 65/66 dB(A)<br>Quiet mode simplex b&w/col 61/62 dB(A)<br>Quiet mode duplex b&w/col 63/64 dB(A)<br>Idle 31 dB(A) |                          | Operating simplex b&w/col 67/67 dB(A)<br>Operating simplex b&w/col 67/67 dB(A)<br>Quiet mode simplex b&w/col 63/63 dB(A)<br>Quiet mode duplex b&w/col 64/65 dB(A)<br>Idle 31 dB(A) |
| DIMENSIONS AND WEIGHTS                              |                                                                                                                                                                                   |                          |                                                                                                                                                                                    |
| ENGINES (UNPACKAGED)                                |                                                                                                                                                                                   |                          |                                                                                                                                                                                    |
| Width (in)                                          | 17.4 in                                                                                                                                                                           |                          |                                                                                                                                                                                    |
| Depth (in)                                          | 16.6 in                                                                                                                                                                           | 23.1 in                  |                                                                                                                                                                                    |
| Height (in)                                         | 12.1 in                                                                                                                                                                           | 18.2 in                  |                                                                                                                                                                                    |
| Weight (lb)                                         | 46 lb                                                                                                                                                                             | 60 lb                    |                                                                                                                                                                                    |
| Width (mm)                                          | 442 mm                                                                                                                                                                            |                          |                                                                                                                                                                                    |
| Depth (mm)                                          | 421 mm                                                                                                                                                                            | 588 mm                   |                                                                                                                                                                                    |
| Height (mm)                                         | 308 mm                                                                                                                                                                            | 462 mm                   |                                                                                                                                                                                    |
| Weight (kg)                                         | 21 kg                                                                                                                                                                             | 27.1 kg                  |                                                                                                                                                                                    |

19



# Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

| SYSTEM SPECIFICATION                                                                                                                               |                                                                                                                                                                                                                                                                                | XEROX C310 COLOR PRINTER                                                                                                                                                                                                                                                                     | XEROX C315 COLOR MULTIFUNCTION PRINTER |
|----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| DIMENSIONS AND WEIGHTS (CONTINUED)                                                                                                                 |                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                              |                                        |
| 550 PLUS 100 SHEET TRAY (UNPACKAGED)                                                                                                               |                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                              |                                        |
| Width (in)                                                                                                                                         | 16.7 in                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                              |                                        |
| Depth (in)                                                                                                                                         | 16.4 in                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                              |                                        |
| Height (in)                                                                                                                                        | 5.2 in                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                              |                                        |
| Weight (lb)                                                                                                                                        | 9.3 lb                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                              |                                        |
| Width (mm)                                                                                                                                         | 424 mm                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                              |                                        |
| Depth (mm)                                                                                                                                         | 416 mm                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                              |                                        |
| Height (mm)                                                                                                                                        | 133 mm                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                              |                                        |
| Weight (kg)                                                                                                                                        | 4.2 kg                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                              |                                        |
| ENGINES (PACKAGED)                                                                                                                                 |                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                              |                                        |
| Width (in)                                                                                                                                         | 19.5 in                                                                                                                                                                                                                                                                        | 22.0 in                                                                                                                                                                                                                                                                                      |                                        |
| Depth (in)                                                                                                                                         | 23.4 in                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                              |                                        |
| Height (in)                                                                                                                                        | 15.8 in                                                                                                                                                                                                                                                                        | 22.4 in                                                                                                                                                                                                                                                                                      |                                        |
| Weight (lb)                                                                                                                                        | 52.3 lb                                                                                                                                                                                                                                                                        | 67.8 lb                                                                                                                                                                                                                                                                                      |                                        |
| Width (mm)                                                                                                                                         | 495 mm                                                                                                                                                                                                                                                                         | 558 mm                                                                                                                                                                                                                                                                                       |                                        |
| Depth (mm)                                                                                                                                         | 595 mm                                                                                                                                                                                                                                                                         | 594 mm                                                                                                                                                                                                                                                                                       |                                        |
| Height (mm)                                                                                                                                        | 402 mm                                                                                                                                                                                                                                                                         | 570 mm                                                                                                                                                                                                                                                                                       |                                        |
| Weight (kg)                                                                                                                                        | 23.8 kg                                                                                                                                                                                                                                                                        | 30.8 kg                                                                                                                                                                                                                                                                                      |                                        |
| 550 PLUS 100 SHEET TRAY (PACKAGED)                                                                                                                 |                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                              |                                        |
| Width (in)                                                                                                                                         | 8.6 in                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                              |                                        |
| Depth (in)                                                                                                                                         | 20.0 in                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                              |                                        |
| Height (in)                                                                                                                                        | 18.8 in                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                              |                                        |
| Weight (lb)                                                                                                                                        | 11.45 lb                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                              |                                        |
| Width (mm)                                                                                                                                         | 218 mm                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                              |                                        |
| Depth (mm)                                                                                                                                         | 508 mm                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                              |                                        |
| Height (mm)                                                                                                                                        | 478 mm                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                              |                                        |
| Weight (kg)                                                                                                                                        | 5.2 kg                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                              |                                        |
| INSTALLATION CONSIDERATIONS                                                                                                                        |                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                              |                                        |
| Clear area around the device is necessary for access and ventilation. The below table shows the area needed on each side for correct installation. |                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                              |                                        |
| Top                                                                                                                                                | 10 in/254 mm                                                                                                                                                                                                                                                                   | 12 in/305 mm                                                                                                                                                                                                                                                                                 |                                        |
| Rear                                                                                                                                               | 4 in/101.6 mm                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                              |                                        |
| Left                                                                                                                                               | 3 in/76.2 mm                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                              |                                        |
| Right                                                                                                                                              | 3 in/76.2 mm                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                              |                                        |
| Front                                                                                                                                              | 3 in/76.2 mm                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                              |                                        |
| SYSTEM CERTIFICATION/REGULATORY COMPLIANCE                                                                                                         |                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                              |                                        |
| Certifications                                                                                                                                     | To view the latest list of certifications, go to <a href="http://xerox.com/OfficeCertifications">xerox.com/OfficeCertifications</a>                                                                                                                                            |                                                                                                                                                                                                                                                                                              |                                        |
| WHAT'S IN THE BOX                                                                                                                                  |                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                              |                                        |
| All items contained in the box                                                                                                                     | C310 Color Printer<br>Power Cord<br>Installation Guide<br>Product Safety Sheet<br>Quick Use Guide<br>Software and Documentation CD<br>Pre-installed Starter Capacity CMY Print Cartridges:<br>1,000 page capacity <sup>4</sup> ; K cartridge: 1,500 page capacity <sup>4</sup> | C315 Color Multifunction Printer<br>Power Cord<br>Installation Guide<br>Product Safety Sheet<br>Quick Use Guide<br>Software and Documentation CD<br>Pre-installed Starter Capacity CMY Print Cartridges:<br>1,000 page capacity <sup>4</sup> ; K cartridge: 1,500 page capacity <sup>4</sup> |                                        |



## Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

| SUPPLIES AND ACCESSORIES                                                                                                        | XEROX C310 | XEROX C315 |
|---------------------------------------------------------------------------------------------------------------------------------|------------|------------|
| <b>SUPPLIES – NORTH AMERICA AND EUROPE*</b>                                                                                     |            |            |
| Genuine Xerox Black Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (3,000 Pages) <sup>4</sup>   | 006R04356  |            |
| Genuine Xerox Cyan Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup>    | 006R04357  |            |
| Genuine Xerox Magenta Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup> | 006R04358  |            |
| Genuine Xerox Yellow Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup>  | 006R04359  |            |
| Genuine Xerox Black High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (8,000 Pages) <sup>4</sup>       | 006R04364  |            |
| Genuine Xerox Cyan High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>        | 006R04365  |            |
| Genuine Xerox Magenta High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>     | 006R04366  |            |
| Genuine Xerox Yellow High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>      | 006R04367  |            |
| Genuine Xerox Waste Toner Bottle, Xerox C310/C315 Color Printer/Multifunction (25,000 Pages)                                    | 008R13325  |            |
| Genuine Xerox Black Imaging Kit, Xerox C310/C315 Color Printer/Multifunction (125,000 Pages) <sup>5</sup>                       | 013R00689  |            |
| Genuine Xerox Color Imaging Kit (CMYK), Xerox C310/C315 Color Printer/Multifunction (125,000 Pages) <sup>5</sup>                | 013R00692  |            |
| <b>SUPPLIES – ALL OTHER REGIONS</b>                                                                                             |            |            |
| Genuine Xerox Black Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (3,000 Pages) <sup>4</sup>   | 006R04360  |            |
| Genuine Xerox Cyan Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup>    | 006R04361  |            |
| Genuine Xerox Magenta Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup> | 006R04362  |            |
| Genuine Xerox Yellow Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup>  | 006R04363  |            |
| Genuine Xerox Black High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (8,000 Pages) <sup>4</sup>       | 006R04368  |            |
| Genuine Xerox Cyan High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>        | 006R04369  |            |
| Genuine Xerox Magenta High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>     | 006R04370  |            |
| Genuine Xerox Yellow High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>      | 006R04371  |            |
| Genuine Xerox Waste Toner Bottle, Xerox C310/C315 Color Printer/Multifunction (25,000 Pages)                                    | 008R13325  |            |
| Genuine Xerox Black Imaging Kit, Xerox C310/C315 Color Printer/Multifunction (125,000 Pages) <sup>5</sup>                       | 013R00689  |            |
| Genuine Xerox Color Imaging Kit (CMYK), Xerox C310/C315 Color Printer/Multifunction (125,000 Pages) <sup>5</sup>                | 013R00692  |            |
| <b>OPTIONAL ACCESSORIES</b>                                                                                                     |            |            |
| 550 plus 100 Sheet Tray                                                                                                         | 497N07995  |            |

\* North America (NA): U.S., Canada

Europe (XE): U.K., France, Germany, Spain, Italy, Netherlands, Belgium, Norway, Sweden, Finland, Denmark, Iceland, Luxembourg, Austria, Switzerland, Portugal, Ireland Andorra, Azores, Corsica, Greenland, Iceland, Lichtenstein, Luxembourg, Madeira, San Marino



<sup>1</sup> Declared print speed in accordance with ISO/IEC 24734.

<sup>2</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

<sup>3</sup> Some functionality may require software update from xerox.com available Q4 2021 (C310 only).

<sup>4</sup> Average standard pages. Declared yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

<sup>5</sup> Approximate pages. Declared yield will vary depending on job run length and media size/orientation and print mode. For more information, visit [office.xerox.com/latest/SUPGL-01.PDF](http://office.xerox.com/latest/SUPGL-01.PDF). C315 will become available early 2022.

For more information, visit us at [xerox.com/office](http://xerox.com/office).

# Lenovo Slim Pro 9 16IRP8 83C00003US



**PSREF**  
Product Specifications  
Reference

## PERFORMANCE

- Processor  
Intel® Core™ i9-13905H, 14C (6P + 8E) / 20T, P-core 2.6 / 5.4GHz, E-core 1.9 / 4.1GHz, 24MB
- Graphics  
NVIDIA® GeForce RTX™ 4050 6GB GDDR6
- Chipset  
Intel® Soc Platform
- Memory  
32GB Soldered LPDDR5X-6400
- Memory Slots  
Memory soldered to systemboard, no slots, dual-channel
- Max Memory  
32GB soldered memory, not upgradeable
- Storage  
1TB SSD M.2 2280 PCIe® 4.0x4 NVMe®
- Storage Support<sup>[1]2</sup>  
Up to two drives, 2x M.2 SSD  
• M.2 2280 SSD up to 1TB
- Storage Slot  
Two M.2 slots  
• One M.2 2280 PCIe® 3.0 x4 slot  
• One M.2 2280 PCIe® 4.0 x4 slot
- Card Reader  
SD Card Reader
- Optical  
None
- Audio Chip  
High Definition (HD) Audio, Realtek® ALC3506 codec
- Speakers  
6 stereo speakers, 2W x4 (dual side woofers), 2W x2 (tweeters), optimized with Dolby® Atmos®, Smart Amplifier (AMP)
- Camera  
5.0MP + IR with E-shutter
- Microphone  
4x, Array
- Battery<sup>[3]</sup>  
Integrated / 75Wh
- Power Adapter  
170W Slim Tip (3-pin)

## DESIGN

- Display  
16" 3.2K (3200x2000) Mini LED 120nits Glossy / Anti-fingerprint, 100% P3, 100% Adobe® RGB, 100% sRGB, 165Hz, Eyesafe®, Dolby® Vision®, DisplayHDR™ 1000, Glass, Touch, TCON
- Touchscreen  
OGM, 10-point Multi-touch
- Color Calibration  
Factory Color Calibration
- Keyboard  
Backlit, English (US)
- Touchpad  
Buttonless glass surface multi-touch touchpad, supports Precision Touchpad (PTP), 95 x 150 mm (3.75 x 5.91 inches)
- Case Color  
Storm Grey
- Surface Treatment  
Aluminium Stamping (Anodized with Sandblasting)
- Case Material  
Aluminium (Top), Aluminium (Bottom)
- Dimensions (WxDxH)<sup>[4]</sup>  
362.44 x 244.82 x 18.16 mm (14.27 x 9.64 x 0.71 inches)
- Weight<sup>[5]</sup>  
Starting at 2.23 kg (4.92 lbs)
- SOFTWARE  
Operating System  
Windows® 11 Home, English
- Bundled Software  
Office Trial
- CONNECTIVITY  
Ethernet  
No Onboard Ethernet  
Wi-Fi 6E, 11ax 2x2 + BT5.3  
WLAN + Bluetooth<sup>[6]</sup>  
Standard Ports  
• 1x USB-A (USB 5Gbps / USB 3.2 Gen 1)  
• 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On  
• 1x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.0 and DisplayPort™ 1.4  
• 1x HDMI®, up to 4K/30Hz  
• 1x Headphone / microphone combo jack (3.5mm)  
• 1x SD card reader  
• 1x Power connector

Docking  
Various docking solutions are supported via Thunderbolt™. For more compatible docking solutions, please visit [Docking for Lenovo® Slim Pro 9 16IRP8](#)

## SECURITY & PRIVACY

- Security Chip  
Firmware TPM 2.0
- Fingerprint Reader  
None
- Other Security  
• IR camera for Windows® Hello (facial recognition)  
• E-shutter
- SERVICE  
Base Warranty  
1-year, Courier or Carry-in  
Included Upgrade  
1Y Premium Care with Onsite upgrade from 1Y Courier/Carry-in

## ACCESSORIES

- Bundled Accessories<sup>[7]</sup>  
None



- Other Certifications  
• Intel® Evo™ Platform  
• Eyesafe® Certified 2.0  
• TÜV Rheinland® Low Blue Light (Hardware Solution)
- MIL-Spec Test  
MIL-STD-810H military test passed (21 test items)
- MODEL  
TopSeller : NO  
Announce Date : 2023-03-17  
EAN / UPC / JAN : 196803896558  
End of Support : 2029-04-30
- Lenovo reserves the right to change specifications without notice.  
• California Electronic Waste Recycling Fee in California, per state law,  
Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to:  
<https://www.calrecycle.ca.gov/Electronics/Consumer>  
To see more information, please link to  
<https://psref.lenovo.com/Detail/221227M-83C00003US>

## Premium Care - Advanced Support from Real People. Real Fast.



### REAL PERSON

Choose how you want to reach us - through the phone, chat or email - our expert technicians will take care of you.



### REAL FAST

Highly trained technicians will provide you real-time solutions, whatever the issue, on your first contact. If needed, our team will schedule an onsite visit for the next business day.



### HASSLE FREE

'Getting started' and 'how-to' assistance for hardware and software. Easy solutions that are simple to reach - that's how Premium Care delivers you the ideal support experience.



### PC HEALTH CHECK

Free annual PC Health Check that allows our experts to spot issues before you do so they can resolve them quickly and help you avoid PC problems.

## Accidental Damage Protection - Protection of your PC from the unexpected.

Experience shows that a significant portion of devices may be damaged (and not covered under warranty) in the first three years. Lenovo's Accidental Damage Protection service covers accidents beyond the system warranty such as drops, spills, bumps and even electrical surges. Make sure your new device has maximum protection, avoid unplanned costs and get peace of mind.

## Base Warranty – Included with the systems you purchase, default 1 - or 3-year coverage window.

## Warranty Extensions & Upgrades -- Service and protection that's right for your circumstances.

- Pick Up & Return Courier
- Onsite Support
- Technician Installed Customer
- Replaceable Unit Service
- International Warranty Upgrade

Lenovo may not offer the products, services or features discussed in this document in all regions. Lenovo may withdraw an offering at any time. Consult your local representative for information on offerings available in your area. Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

## Recommended Accessories

### ThinkPad Hybrid USB-C with USB-A Dock (American Standard Plug Type B)

40AF01Z5US

- The ThinkPad Hybrid USB-C with USB-A dock is a productivity solution for any USB-C or USB-A laptop, including non-Lenovo laptops from Dell, HP, and Apple, providing power, display, and port expansion in any m...

### ThinkPad Universal USB-C Dock

40AV00B0US

THE SMARTER WAY TO WORK Introducing the ThinkPac Universal USB-C Dock. This advanced, universally compatible one-cable docking solution lets you work smarter, not harder. It comes with a vast array of ports, next-gen ...

For a full list of accessories and services, please visit:  
<https://smartfind.lenovo.com>

# Lenovo

**PSREF**  
Product Specifications  
Reference

**Kodak alaris**



Guadalajara, Jalisco a 26 abril del 2024

Señores:

Junta Central Electoral (JCE)

Referencia: JCE-CCC-LPN-2024-0003

Por medio de la presente, en mi carácter de apoderado legal de la emrpde la KODAK ALARIS MÉXICO, S.A. DE C.V., distribuidor exclusivo y directo del fabricante Kodak Alaris Inc. para América Latina, informo que la empresa, Productive Business Solutions Republica Dominicana (PBS RD) está autorizada para comercializar productos de la Línea Alaris (hardware y software) incluyendo partes, y suministros, a través del mayorista en Miami, Global Product Alliance (GPA).

Productive Business Solutions Republica Dominicana (PBS RD) es distribuidor autorizado para la venta, distribución de los productos Kodak Alaris y es centro de servicio autorizado de la marca Kodak Alaris en República Dominicana.

Kodak Alaris certifica que los escáneres KODAK ALARIS ofertados por nuestro distribuidor, son nuevos, no usados ni remanufacturados, y cuentan con un año de garantía con el distribuidor, además el modelo cuenta con 5 años de soporte en repuestos partes y suministros una vez salga del mercado.

Kodak Alaris pone a su disposición a la Sra Mayra Cortés en el teléfono +521 33 2255 1493 y/o email [mayra.cortes@kodakalaris.com](mailto:mayra.cortes@kodakalaris.com) para cualquier consulta que deseen hacer.

Atentamente  
Yorgui Montero González  
Apoderado Legal

**PBS Dominicana**



*W*

*du*

**PBS Dominicana**



C ential

KODAK ALARIS MEXICO SA DE CV  
| Av. Américas 1462 piso 3, Col Country Club, Guadalajara, Jalisco, México |



Patricia Rueda  
General Manager  
Xerox Distributor Group

Xerox Corporation  
14025 NW 60<sup>th</sup> Ave.  
Miami Lakes, FL 33014

Patricia.Rueda@xerox.com  
Tel 305.260.1629

Miami, 19 de abril de 2024

Santo Domingo  
República Dominicana

RE: Distribuidor Autorizado

A quien interese:


Xerox Corporation, con domicilio en 14025 NW 60<sup>th</sup> Ave. Miami Lakes Florida, indica que:

Productive Business Solutions República Dominicana S.A., es distribuidor autorizado de Xerox para el territorio de República Dominicana, y cuenta con más de 50 años de experiencia representando y comercializando los equipos, suministros, papel y repuestos de la marca XEROX en este país.

Productive Business Solutions República Dominicana S.A., es centro de servicio autorizado en República Dominicana para dar mantenimiento preventivo y correctivo a los equipos de la marca XEROX. Cuenta con un departamento de servicio técnico y taller propio con herramientas especializadas, soporte técnico especializado e inventario de repuestos para dichos equipos.

La lista abajo detalla los modelos en existencia para los cuales Productive Business Solutions República Dominicana S.A., es distribuidor exclusivo de los equipos y sus correspondientes partes y suministros. Esta lista está sujeta a cambios a medida que nuevos modelos son lanzados al mercado.

XEROX® WORKCENTRE® 4260  
XEROX® WORKCENTRE® 4265  
XEROX® WORKCENTRE® 6655  
XEROX® WORKCENTRE® 5020  
XEROX® WORKCENTRE® 5225 / 5230  
XEROX® WORKCENTRE® 5325 / 5330 / 5335  
XEROX® WORKCENTRE® 5645 / 5665 / 5675 / 5687  
XEROX® WORKCENTRE® 5735 / 5740 / 5745 / 5755 / 5765 / 5790  
XEROX® WORKCENTRE® 5845 / 5855 / 5865 / 5875 / 5890 / 5865i / 5875i / 5890i  
XEROX® WORKCENTRE® 7120 / 7125  
XEROX® WORKCENTRE® 7220 / 7225 / 7220i / 7225i  
XEROX® WORKCENTRE® 7328 / 7336 / 7345 / 7346  
XEROX® WORKCENTRE® 7425 / 7428 / 7430 / 7445  
XEROX® WORKCENTRE® 7525 / 7530 / 7535 / 7545 / 7556  
XEROX® WORKCENTRE® 7655 / 7665 / 7675  
XEROX® WORKCENTRE® 7755 / 7765 / 7775  
XEROX® WORKCENTRE® 7970 / 7970i



**Lenovo  
360**

**Lenovo**

Lenovo 360  
Intelligent Devices

**Lenovo**

Lenovo 360  
Infrastructure Solutions

**Lenovo**

2024 Authorized

2024 Authorized

01 May 2024

Ricardo Rodriguez  
Productive Business Solutions Dominicana  
Dominican Republic

101025506

Welcome to Lenovo 360 Engage. This letter is to confirm Productive Business Solutions Dominicana is an authorized Lenovo Reseller located in Dominican Republic. This letter acknowledges you as such and it is valid for seven consecutive days from the date of issuance.

As a member of Lenovo 360 Engage Productive Business Solutions Dominicana has earned:

Authorized Intelligent Devices Tier status and is authorized to resell all commercial Intelligent Devices products, including associated services. The Intelligent Devices category is including but not limited to ThinkPad and ThinkBook notebooks, ThinkCentre desktops, ThinkStation workstations, ThinkVision monitors, associated accessories, peripherals, and services.

Authorized Infrastructure Solutions Tier status and is authorized to resell all Infrastructure Solutions products, including associated services. The Infrastructure Solutions products are including but not limited to ThinkSystem and ThinkAgile server and storage, associated options, software, and services.

Please note that your status will be reviewed regularly, and any changes will be communicated to you by your local Channel Account Manager. If you have any questions, please feel free to contact us. [lenovobp\\_las@lenovo.com](mailto:lenovobp_las@lenovo.com) (IDG) or [isg\\_programs@lenovo.com](mailto:isg_programs@lenovo.com) (ISG).

Yours sincerely

*Ana Cristina Villalobos*

Ana Cristina Villalobos - LA One Channel Director

