



OD Dominicana Corp

RNC: 130695407

Tel.: (809) 385-1500, Fax: (809) 549-5102

Ave. San Martin No. 279, Ens. La Fe
Santo Domingo, Distrito Nacional
Republica Dominicana

Email: info@officedepot.com.do

Cotización

Número: 10094683

Fecha: 03/02/2017

Código C0522
Nombre Junta Central Electoral
RNC/Cédula 401007541
Dirección Av. Gregorio Luperon (Antiguo edificio Jonhson)
Zona Industrial de Herrera

Contacto Maximo Santana
Teléfono 809-539-5419ext2209
Fax 809-539-8978
Correo 2434 noemi

Código	Descripción	Cantidad	Unid.	Marca	Precio	Precio c/ITBIS	Total	Total c/ITBIS
3887	TECLADO ALAMBRICO LOGITECH K120 USB ESPAÑOL 920-004422 1EA NEGRO	300	EA	LOGITECH	321.80	379.72	96,540.00	113,917.20
5893	MOUSE ALAMBRICO LOGITECH M90 910-004053 NEGRO	300	EA	LOGITECH	214.54	253.16	64,362.00	75,947.16
5000	HP ScanJet Pro 2500 f1 Flatbed	20	EA	SIN MARCA	10,689.26	12,613.33	213,785.20	252,266.54
5000	HP ScanJet 4500fn1 Flatbed Scanner	10	EA	SIN MARCA	30,964.00	36,537.52	309,640.00	365,375.20
5000	HP ScanJet 300 Photo Scanner	25	EA	SIN MARCA	3,981.25	4,697.88	99,531.25	117,446.88
5000	BATERIA UPS FORZA FUB-1270 12V 7A	200	EA	SIN MARCA	475.44	561.02	95,088.00	112,203.84
911245	AIRE COMPRIMIDO PARA LIMPIAR 10 OZ, 1EA	24	EA	OFFICE DEPOT	198.33	234.03	4,759.92	5,616.71
10733	IMPRESORA HP LASERJET ENTERPRISE 500 M506DN, MONO, ETHERNET, F2A69A, 1EA	15	EA	HP	22,718.15	26,807.42	340,772.25	402,111.26
714234	IMPRESORA HP LASERJET PRO 400 M402DN, C5F94A, MONO, 1EA	15	EA	HP	-8,924.82	10,531.29	133,872.30	157,969.31

Total de artículos: 909

Maximo Santana

Subtotal	1,358,350.92
ITBIS	244,503.17
Total General RD\$	1,602,854.09

- Los pagos en cheques deben ser emitidos a nombre de OD DOMINICANA CORP.
- Monto mínimo para despachos a domicilio en área metropolitana S.D. RD\$3,000.00.
- Tiempo de entrega : 24 horas, luego de colocada la orden de compra, antes de las 12:00 p.m., en días laborables.
- Los productos marcados con (*) estarán disponibles en 15 días.
- Precios pueden cambiar sin previo aviso.
- Las trituradoras incluyen 30 días de garantía siempre que sea por defecto de fábrica.

Realizado por: María Jiménez, María Jiménez
PROCESO CP-11-2017

María Jiménez

Recibido Conforme

Fecha

Hora

Sello de la Empresa

Office DEPOT

07 de febrero del 2017

Distrito Nacional, República Dominicana

Señores:

Junta Central Electoral

REF: CP-11-2017

Departamento de Compras y Contrataciones

Estimados,

Después de un cordial saludo, les informamos que para el proceso de comparación de precio, ponemos a su consideración las siguientes informaciones:

- Las condiciones de pago son de crédito a 30 días.
- Esta oferta está vigente por 90 días a partir de la fecha que se emite esta documentación.
- Tiempo de entrega de 15 días después de recepción de la orden de compra.

Esperamos que las condiciones detalladas anteriormente cumplan con todos los requerimientos de su institución, con la calidad que les ofrecemos, como siempre, con los mejores productos del mercado.

Se despide,



Rosalinda Trueba de Prida

Directora Administrativa



HP Inc
1501 Page Mill Road,
Palo Alto, CA 94304
P.C. 94304-1112
Palo Alto, United States

07 de Febrero del 2017

Señores
OD DOMINICANA CORP
Presente
JUNTA CENTRAL ELECTORAL (JCE)/CP-11-2017

HP Inc reconoce que:

- OD DOMINICANA CORP tiene la intención de presentar una oferta, la cual incluye productos HP Inc (Printing and Personal Systems) y los servicios de HP Care Pack (en lo sucesivo "Productos HP") y,
- Si la adjudicación fuere otorgada al Revendedor Autorizado de HP, éste negociará y firmará un contrato que se registrará exclusivamente por los términos y condiciones previstos por el Cliente y el Revendedor Autorizado HP, para el suministro de productos y servicios HP al Cliente, incluyendo los Productos HP.

HP Inc reconoce que el Revendedor Autorizado de HP es, a la fecha de esta carta, un revendedor autorizado pero no exclusivo de HP, para la venta de Productos HP en República Dominicana.

Los Productos HP están cubiertos por la garantía estándar de HP con las especificaciones de los términos y condiciones de las garantías aplicables a República Dominicana. Los servicios HP Care Pack son servicios estándares de HP pre-pagados y empacados. El Revendedor Autorizado de HP podrá ofrecer dicha garantía estándar a los usuarios finales que adquieran y utilicen los Productos HP en República Dominicana y HP Inc respetará y cumplirá con dichos estándares de garantía.

No obstante todo lo aquí mencionado:

1. El Revendedor Autorizado de HP está actuando por su cuenta y en nombre propio, por lo que no posee derecho, poder, o autoridad alguna, para crear obligaciones o deberes, expresas o tácitas, por cuenta de HP Inc o compañía alguna de HP.
2. HP Inc será únicamente responsable frente al Cliente en lo que respecta a la garantía estándar y/o a los términos y condiciones del HP Care Pack. El Revendedor Autorizado de HP será el único responsable por las ampliaciones o extensiones de dicha garantía y/o de los términos y condiciones.

La presente tiene una validez de seis (6) meses para licitaciones públicas y de tres (3) meses para licitaciones privadas a partir de esta fecha.

Sin otro particular, les saluda atentamente,

Rodolfo Raul Pilipiak
General Manager
HP Inc

306-120729



HP Inc
1501 Page Mill Road,
Palo Alto, CA 94304
P.C. 94304-1112
Palo Alto, United States

07 de Febrero del 2017

Señores
OD DOMINICANA CORP
Presente
JUNTA CENTRAL ELECTORAL (JCE)/CP-11-2017

Por medio de la presente, HP Inc se permite detallar cuál es la garantía que ofrece HP Inc para sus suministros y repuestos:

- Garantía limitada para cartuchos de impresión, cabezales y suministros de tinta HP Inkjet. Los cartuchos de impresión, los cabezales, y el suministro de tinta de HP están garantizados por defectos en materiales y mano de obra, siempre que se utilicen en el dispositivo de impresión HP designado y se cumpla con las siguientes condiciones:
 - o El reclamo ocurra dentro de un periodo de 6 meses a partir de la fecha de compra
 - o El cartucho contenga un 70% o más de tinta
- Garantía limitada para cartuchos de toner HP LaserJet y HP Color LaserJet. Cuentan con una garantía limitada que cubre las fallas de materiales y de fabricación y se cumpla con las siguientes condiciones:
 - o El reclamo ocurra dentro de un periodo de 12 meses a partir de la fecha de compra
 - o El cartucho contenga un 70% o más de toner

La garantía HP no cubre: cartuchos vacíos, cartuchos rellenos o remanufacturados, ó, cartuchos que se hayan usado o manipulado indebidamente.

Se expide en la ciudad de Quito y tiene una validez de seis (6) meses para licitaciones públicas y de tres (3) meses para licitaciones privadas a partir de esta fecha.

Sin otro particular, les saluda atentamente,

Rodolfo Raul Pilipiak
General Manager
HP Inc

331-120729



Logitech

Logitech

Keyboard K120

Una mejor experiencia al escribir, creada para durar.


Adiós al aburrimiento, y a los teclados del montón.

El Teclado Logitech® K120. Una mejor experiencia al escribir, creado para durar. Disfrutarás la cómoda y tranquila experiencia al escribir gracias a las teclas de bajo perfil que apenas hacen ruido, distribución standard con las teclas F de tamaño completo y teclado numérico. Perfil delgado, diseño resistente a derrames, teclas durables que soportan hasta 10 millones de pulsaciones**.

Atractivo y robusto, con sólidas patas ajustables, este teclado no solo luce y se siente bien—esta creado para larga duración. La instalación es sencilla. Solo conecta en el puerto USB y comienza a usarlo una vez fuera de la caja. Los brillantes y definidos caracteres en las teclas hacen más fácil la lectura.

Y todo con la Alta Calidad y Confiabilidad de que esta hecho por Logitech


El líder mundial en teclados y mouse.



724P

Características Principales

- Escritura cómoda y silenciosa
- Plano y robusto, diseño resistente a derrames*
- Conexión USB, de respuesta inmediata



* Sometido a pruebas en condiciones limitadas (máximo de 60 ml de líquido). No sumerja el teclado en ningún líquido.


Logitech

Keyboard K120™

Una mejor experiencia al escribir, creada para durar.



Logitech




Características

- | | |
|--|---|
| Teclas planas y silenciosas | ✓ |
| Teclado de tamaño completo | ✓ |
| Teclado de perfil delgado | ✓ |
| Diseño resistente a derrames* | ✓ |
| Teclas durables que duran hasta 10 millones de pulsaciones** | ✓ |
| Sólidas patas ajustables | ✓ |
| Conexión USB Plug and Play | ✓ |
| Caracteres blancos brillantes y definidos | ✓ |
| No requiere software | ✓ |



Cómoda y silenciosa escritura

Disfrutarás de una extraordinaria experiencia al escribir gracias a sus teclas planas que apenas emiten sonido y su distribución standard con las teclas F de tamaño completo y teclado numérico.



Diseño resistente a derrames*

El líquido se drena fuera del teclado, así no tendrás que preocuparte por arruinar tu inversión con derrames accidentales.



Teclas fáciles de leer

Los caracteres blancos brillantes hacen más fácil la lectura—perfecto para quien no ve correctamente.



Conexión USB

Instalarlo es simple—solo conéctalo en el puerto USB de tu computadora de escritorio, laptop o netbook y úsalo una vez que lo saques de la caja.

728P

Requerimientos del Sistema

PC Windows

- Windows® XP, Windows Vista®, o Windows® 7

- Puerto USB

Linux™


- Linux™ kernel 2.6+
- Puerto USB

Contenido del Paquete

- Teclado
- Documentación del Usuario

Especificaciones del Empaque

	Individual	Case Pack
Part#	920-002480	N/A
UPC	097855065544	
Peso	43.2 oz.	11.23 lb.
Ancho	1.12 in.	5 in.
Longitud	18.44 in.	18.86 in.
Altura	7.25 in.	7.87 in.
Cubicaje	0.867 ft.	0.429 ft.3
Case Pack Count	N/A	4 unidades ind.
Pallet Count	480 unidades	120 case packs



Garantía

- 3-años de garantía limitada en hardware




Logitech

Mouse M90

Control cómodo y confiable

A veces con un simple “apunte y click”, lo logrará

El mouse Logitech® M90 te proporciona lo indispensable para un control cómodo y confiable computadora. Fue creado por Logitech®—el experto en mouse—y posee la cualidad que hemos desarrollado en más de un billón de mouse. Posee cable, así solo tendrás que conectar el cable en le puerto USB y usarlo de inmediato. Y tres años de garantía limitada en hardware que significa que funcionará tal como lo esperabas.



Logitech

Características Principales


- Fácil instalación y sencillo de usar—solo conéctalo
- Tamaño completo, forma ambidiestra
- Ratreo Optico de Alta definición (1000 dpis)

Logitech Corporation
3400 Tully Road
Fremont, CA 94538
Tel: 415 660 8000
Fax: 415 660 8001
www.logitech.com

Logitech

Mouse M90

Control cómodo y confiable



Features

Creado por Logitech[®] — los expertos en mouse

El mouse que hoy tienes, posee todo el cuidado con el que hemos construido más de un billón de ellos, más que cualquier otro fabricante. Por más de 25 años, gente alrededor del mundo ha apreciado su diseño, calidad,

Y nuestro foco en Innovación

Eso es lo que hemos puesto en cada



uno de nuestros Mouse Logitech

Tamaño completo, forma ambidiestra

Diseñado para tener a las dos manos


contentas. Así te sentirás cómodo,

aún después de horas de uso.



El mouse con el que puedes contar

Gracias a que fue creado por Logitech, obtendrás de tu mouse justo lo que esperabas.




Simple de instalar y de usar

Instalarlo es fácil y rápido. No necesita Software. Y al tener cable, solo necesitas conectarlo en el puerto USB y usarlo de inmediato.



Cableado para más confiabilidad

Feature description Praxis Light 7.5, Leading 8. Feature description Praxis Light 7.5, Leading 8. Feature description Praxis Light 7.5, Leading 8.



Rastreo Óptico de Alta definición (1000 dpis)

Habilita un control total de tu cursor para un rastreo preciso y fácil selección de textos.

Handwritten signature

Requisitos del Sistema

Windows-PC

- Windows[®] XP, Windows Vista[™], o Windows[®] 7
- Puerto USB

Mac

- Mac OS[®] X 10.4 o posterior
- Puerto USB
- Linux[®]
- Linux[®] kernel 2.6 o posterior
- Puerto USB

Contenido del Paquete

- Mouse
- Documentación del Usuario

Garantía

- 3-años de garantía limitada en hardware

Especificaciones del Empaque

	Single	Case Pack
Part#	910-001648	N/A
UPC	097855063953	10097855063950
Peso	6.3 oz.	3.6 lb.
Ancho	5.12 in.	8.86 in.
Profundidad	2.06 in.	7.48 in.
Altura	7.12 in.	10.87 in.
Cubicaje	0.0435 ft.3	0.417 ft.3
Case Pack Count	N/A	8 unidades Ind
Pallet Count	864 unidades	108 case packs



Logitech Inc. 6505 Kaiser Drive, Fremont, CA 94555

Tel: (510) 795-8500

Sales Info: (800) 231-7717

www.logitech.com

Datasheet

HP ScanJet Pro 2500 f1 Flatbed Scanner



Enhance productivity for routine scanning with a compact HP ScanJet Pro. Automate workflow with fast, two-sided scanning, a 50-page ADF, 1,500-page daily duty cycle, and one-button shortcuts. You can even quickly capture and edit text from documents.



Real

Scan resolution: Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed)
Hardware: Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed) Optical
Scan speed: Up to 20 ppm/40 ipm (b&w, gray and color)
Scan media types: Paper (banner, inkjet, photo, plain), envelopes, labels, cards (greeting, index)
Maximum scan size (ADF): 8.5 x 122 in (216 x 3100 mm)

Boost productivity with fast, versatile scanning


- Produce up to 40 images per minute¹ with two-sided scanning and a 50-page automatic document feeder.
- Scan pages up to 8.5 x 122 inches (21.6 cm x 309.9 cm) through the ADF, and use the flatbed for bulky media.
- Don't wait for warm-up—Instant-on Technology lets you begin scanning quickly.
- Free up space for work. This HP ScanJet is small and slim—a modern design perfect for the desktop.

Automate and streamline your workflow

- Streamline routine work with one-touch scanning—create one-button, custom settings for recurring scan jobs.
- Define scan profiles for common document types and scan to multiple destinations with HP Scan software.
- Quickly share or archive scans directly to popular cloud destinations with HP Scan software.
- Scan directly into applications without opening another program with HP's full-featured TWAIN driver.

Sharp images and powerful editing tools

- Accurately capture text from documents for easy editing with HP Scan and I.R.I.S. Readiris™ Pro OCR software.
- Get sharp, true-to-life scans of documents, graphics, and photos with up to 1200 dpi resolution.
- Easily edit and organize documents and photos with a full suite of feature-rich software.
- Auto-imaging features in the included HP Scan software let you Enhance images and delete blank pages.



¹Scans scans of up to 40 images per minute measured at 300 dpi (black and white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Not furnished with products that use traditional tungsten and cold cathode fluorescent lamp (CCFL) displays.



HP ScanJet Pro 2500 f1 Flatbed Scanner Specifications Table

Color Scanning	Yes
Scan Technology	CMOS CIS (Contact Image Sensor)
Scan Type	Flatbed, ADF
Scan Resolution	Hardware: Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed). Optical: Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed)
Scan File Format	For text & images: PDF, JPEG, PNG, BMP, TIFF, TXT (Text), RTF (Rich Text) and searchable PDF.
Scan Input Modes	Scan front-panel function; Save as PDF; Save as JPEG; E-mail as PDF and Send to Cloud; HP Scan in Win OS; HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN.
Scan Speed	Up to 20 ppm/40 ipm (b&w, gray and color, 300 dpi)
Scan Size Maximum	ADF: 8.5 x 12.2 in; Flatbed: 8.5 x 11.7 in
Scanner Advanced Features	One-pass duplex scanning; One-button scan; OCR; Configurable Scan shortcuts
Duplex ADF scanning	Yes
Auto Document Feeder Capacity	Standard, 50 sheets
Multi Feed Detection	No
Light Source (scanning)	Light Emitting Diode (LED)
Output Resolution Opi Settings	75; 150; 200; 240; 300; 400; 500; 600; and 1200
Twain Version	TWAIN Certified Version 2.1
Bit depth / Grayscale levels	24-bit; 256
Connectivity	Standard: Hi-Speed USB 2.0
External I/O Ports	Hi-Speed USB 2.0
Network Ready	None
Memory	Standard: 64 MB
Processor Speed	120 MHz
Duty Cycle (daily)	Recommended daily duty cycle: 1500 pages (ADF)
Media Types	Paper (banner, inkjet, photo, plain), envelopes, labels, cards (greeting, index)
Media Weights	16 to 28 lb
Media Sizes	Letter; Legal; Executive; A4; A5; A6; B5; B5 (JIS)
What's in the box	L2747A HP ScanJet Pro 2500 f1 Scanner; HP ScanJet Pro 2500 f1 Flatbed Scanner Engine; Instal. Guide; HP Scan Software & Drivers CD; HP Bonus Pack Software CD; Supporting Flyers; Cushions; USB cable; Power adaptor; Power cords

Product Dimensions	W x D x H: 17.6 x 13.8 x 4.8 in, Maximum: 17.8 x 13.8 x 4.8 in
Product Weight	9.5 lb
Warranty Features	One-year limited hardware warranty. For more info please visit us at: http://support.hp.com
Control Panel	5 buttons (including Sleep/Power button); 7 LEDs (including Power, Error, Scan to which destination and Simplex/Duplex)
Software included	HP Scanner Device Driver; HP WIA Scan Driver; HP TWAIN Scan Driver (Certified); HP Scan; HP Scanner Tools Utility; HP Event (Button) Handler; HP Windows Installer; I.R.I.S. Reader Pro; I.R.I.S. Cardiris; Nuance PaperPort; ArcSoft PhotoStudio; SDK (software Development Kit); LPDF (file with link to download software); No Mac Software on CD.
Compatible Operating Systems	Windows 10 (32-bit/64-bit), Windows 8.1 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Mac OS X Mavericks 10.9, OS X Yosemite 10.10
Minimum System Requirements	Windows 7 or higher; 2 GHz processor; 2 GB RAM; 170 MB available hard disk space (driver only install); USB 2.0; 1024 x 768 SVGA monitor
Power	Power Supply Type: External power adapter. Power Requirements: Input Voltage: 90 to 264 VAC, 50/ 60 Hz; Power Consumption: 4.73 watts (Ready), 1.68 watts (Sleep), 0.13 watts (Auto-Off), 0.14 watts (Manual Off)
Acoustics	Acoustic Power Emissions: 6.3 B(A)
Operating Environment	Operating Temperature Range: 50 to 95°F. Recommended Operating Temperature: 50 to 95°F. Storage Temperature Range: -40 to 140°F. Non-Operating Humidity Range: 0 to 90% RH (non-condensing). Operating Humidity Range: 15 to 80% RH (non-condensing). Recommended Humidity Operating Range: 15 to 80% RH (non-condensing)
Accessories	HP ScanJet Pro 2500 f1 Roller Replacement Kit L2748A
HP Service and Support Options	U8TH0E - HP 3 year Standard Exchange ScanJet Pro 2500 Service; U8TG7E - HP 3 year Next Business Day Exchange ScanJet Pro 2500 Service; U8TG9E - HP 3 year Next Business Day Onsite Exchange ScanJet Pro 2500 Service



Learn more at
hp.com





HP ScanJet Pro 4500 fn1 Network Scanner

Ideal for workgroups that need wireless scanning with excellent paper handling, digital sending, and versatile workflow capabilities.



Robust digital sending – even to mobile devices

- Send scans right from the scanner to email, network folders, or a PC via a gigabit Ethernet connection.¹
- Scan directly to mobile devices with the HP JetAdvantage Capture app, then edit and save files.²
- Remotely monitor and manage jobs, and enable security settings with the embedded web server.
- Send scans through the network with security protocols and to mobile devices via Wi-Fi Direct.³

Fast, smooth scanning – every page

- Produce up to 60 images (30 pages) per minute⁴ with two-sided scanning – recommended for 4,000 sheets per day.
- Capture every page easily – even for stacks of mixed media – with HP EveryPage and an ultrasonic sensor.⁵
- Scan documents up to 21.6 x 309.9 cm (8.5 x 122 in) through the ADF, and use the flatbed for bulky media.
- Enjoy robust capabilities – including network and flatbed scanning – in a small device perfect for the desktop.

Customised scanning for streamlined workflows

- Scan images directly into applications with included and full-featured Kofax VRS Pro[®], TWAIN, and ISIS[®].
- Define scan profiles for common document types, and scan to multiple destinations with HP Scan software.
- Accurately capture text from documents for easy editing with HP Scan and I.R.I.S. Readiris[™] Pro OCR software.
- Capture and organise documents, business cards, and other file types with feature-rich software.



¹ Requires the HP JetAdvantage Capture app. Download the app at <http://www.hp.com/go/directconnect> or from the App Store. Actual performance may vary based on physical environment and distance from access point and may be limited during active Wi-Fi communications. Wi-Fi Direct scanning requires the mobile device to be connected directly to the Wi-Fi network of the scanner.

² Requires a PC with a USB driver and software installed and must be on the same network as the scanner. Up to 10 PCs can be supported in a single time.

³ Scan speed is up to 60 ppm (30 pages) measured at 300 dpi (black and white) (grey scale and colour). Actual print speed performance varies depending on the type of media and the application software.

⁴ HP EveryPage is referred to as HP JetAdvantage in HP ScanJet devices introduced prior to Mac OS X.



HP ScanJet Pro 4500 fn1 Network Scanner

TECHNICAL SPECIFICATIONS

Scan Technology	CMOS CIS (Contact Image Sensor)
Scan Type	Flatbed, ADF, Colour Scanning: Yes
Scan Speed	Up to 30 ppm/60 ipm
Scan Resolution	Hardware: Up to 600 x 600 dpi (colour and monochrome, ADF), Up to 1200 x 1200 dpi (colour and monochrome, flatbed) Optical: Up to 600 x 600 dpi (colour and monochrome, ADF), Up to 1200 x 1200 dpi (colour and monochrome, flatbed)
Scan File Format	For text & images: PDF, JPEG, PNG, BMP, TIFF, Text (.txt), Rich Text (.rtf) and searchable PDF
Scan Input Modes	Scan front-panel function; Save as PDF, Save as JPEG, Email as PDF, Email as JPEG, Send to Cloud, Everyday Scan and Save as Editable Text (.OCR), HP Scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN (USB & Network)
Light Source (Scanning)	Light Emitting Diode (LED)
Image Scaling Or Enlargement Range	Will not perform any arbitrary scaling
Output resolution dpi settings	75, 150, 200, 240, 300, 400, 500, 600 and 1200 pp
Grayscale Levels/Bit Depth	256/ Bit Depth: 24-bit
Duty Cycle (daily)	4,000 pages (ADF), 100 pages (Flatbed)
Multi Feed Detection	Yes
Auto Document Feeder Capacity	Standard, 50 sheets (75 g/m ² paper)
Duplex ADF Scanning	Yes
Media Size (ADF)	A4, A5, A6, B5, B5 (JIS)
Media Weight (ADF)	45 to 120 g/m ²
External I/O ports	Hi-Speed USB 2.0 or USB 3.0; Built-in Fast Ethernet 10/100/1000 Base-Tx network port
Standard Connectivity	Hi-Speed USB 2.0 and USB 3.0; Built-in Fast Ethernet 10/100/1000 Base-Tx network port
Network Ready	Built-in Ethernet, Wi-Fi 802.11 b/g/n
Supported Network Protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6, Web Services, Discovery, Bonjour, Web Services-Discovery, IP Config, IPv4 (CHCP, Manual), IPv6 (CHCPv6), Management: HTTP, HTTPS
Control Panel	7.11 cm (2.8") touchscreen, 3 buttons (Back, Home, Help)
Scanner Advanced Features	Blank page removal, Auto orientation, Auto colour detect, Auto crop, Auto exposure, Hole removal, Straighten content, Erase edges, Clean up background, Auto threshold, Colour drop out, OCR
Digital Sending Standard Features	Scan to email; Scan to PC; Scan to Network
Media Types Supported	Paper (banner, inkjet, photo, plain), envelopes, labels, cards (rectangular, index)
Twain Version	Twain 4.0 Certified, Version 2.1
Software Included	HP Scanner Device Driver, HP WIA Scan Driver, HP TWAIN (USB & Network) Scan Driver, HP Scan, HP Scanner Tools Utility, HP Windows Installer, I.R.I.S. Reading Pro, I.R.I.S. Cards, Nuance PaperPort, SIS driver, Kodak VRS
Compatible Operating Systems	Windows 7 or higher, Mac OS X El Capitan 10.11
Minimum System Requirements	PC: Windows 7 or higher, 2 GHz processor, 2 GB RAM, 170 MB available hard disk space (driver only install), USB 2.0, 1024 x 768 SVGA monitor, Mac: Mac OS X El Capitan 10.11, 1 GB available hard disk space, USB or Ethernet port

Operating Environment	Operating Temperature Range: 10 to 35°C Storage Temperature Range: -40 to 60°C Recommended Operating Temperature Range: 10 to 35°C Recommended Humidity Operating Range: 15 to 80% RH (non-condensing) Non-Operating Humidity Range: 0 to 90% RH (non-condensing)
Power	Power Consumption: 6.11 watts (ready), 1.35 watts (sleep), 0.05 watts (auto-off), 0.05 watts (off) Power Requirements: Input voltage: 100 to 240 VAC
Acoustic Power Emissions	6.3 B(A)
Energy Star	Yes
Regulatory compliance information/safety	IEC 60950-1:2005 +A1 and all applicable amendments; CSA/CUL 60950-1, 2nd edition (2007); EN 60950-1:2006 +A11 +A12 +A2, EAC safety, European Union CE, Kenya PVOC, Kuwait TCR, Nigeria SON, Saudi Arabia SASO, South Africa NRCS, Ukraine safety approval
Electromagnetic compatibility	Class B Emissions; CISPR 22:2008 (International); European Union EMC Directive 2004/108/-C; EN 55022:2010 (CE mark); EAC EMC Certificate; Ukraine EMC approval: EN 61000-3-2:2014 (harmonics); EN 61000-3-3:2013 (filter); Immunity: CISPR 24:2010, EN 50024:2010
Product Dimensions	520 x 387 x 145 mm; Packaged: 640 x 245 x 486 mm
Product Weight	5.98 kg; Packaged: 7.9 kg
What's in The Box	L2749A: HP ScanJet Pro 4500 fn1 Network Scanner, Install guide, HP Scan Software & Driver CD, HP Bonus Pack Software CD, Supporting flyers: Closures, USB cable, Power adaptor, Power cords
Accessories	L2742A HP ScanJet Pro 3500 f1/4500 f1 ADF Roller Replacement Kit
Warranty	One-year commercial hardware warranty, phone and Web support included. Warranty may vary by country as required by law. Go to http://www.hp.com/support to learn about HP award-winning service and support options in your region.
Service And Support Options	U4939E HP 3 years Next business day Exchange ScanJet 82xx/N6350/45xx Service U8254PE HP 1 year Post Warranty Next business day Exchange ScanJet 45xx Service UH365E HP 3 years Return ScanJet 82xx/N6350/45xx Service UH361E HP 2 years Next business day Onsite Exchange ScanJet 82xx/N6350/45xx Service U8255PE 1 year Post Warranty Next business day Onsite Exchange ScanJet 45xx Service UJ999E 3 years Standard Exchange ScanJet 82xx/N6350/45xx Service U8253PE 1 year Post Warranty Next business day Standard Exchange ScanJet 45xx Service UG837E HP Installation ScanJet 5000/N6350/7xxx/8xxx/45xx Service (U4939E, U8254PE, all except Baltics, RSA, Turkey, UH365E, Turkey, UH361E, U8255PE, France, Spain, Portugal, Austria, Switzerland, Finland, Norway, Sweden, Belgium, Netherlands, Poland, Russia, Greece, UJ999E, U8253PE, Baltics, RSA)

Count on dependable support to create the best image possible. We can help you enhance your printing and imaging environment, protect your IT investment, and grow your business—with expert support that's affordable, personal, and tailored to your needs through HP Care Pack Services.

Handwritten signature

Handwritten signature

For more information visit our website at <http://www.hp.com>

HP ScanJet Pro 4500 fn1 Network Scanner L2749A



The product could differ from the images shown. © Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA May 2016 AAA6 3018EEE



HP Scanjet 300 Flatbed Photo Scanner

The HP Scanjet 300 Flatbed Photo Scanner is ideal for business and home users who want a compact, easy-to-use scanner to scan photos and documents at high resolution and quickly capture, store, and share images.



Stay productive with high-quality, versatile document scanning

- Finish jobs faster – scan a one-page A4 document in as fast as 14 seconds at 200 dpi resolution¹, or scan a 10 x 15 cm (4 x 6-inch) photo in as fast as 21 seconds at 200 dpi resolution.
- Copy documents quickly using the one-touch copy button.
- Save time with easy-to-use controls. Plug in and set up fast, using a single cable.
- Get precise results when you scan important documents and images. Capture crisp detail at up to 4800 x 4800 dpi resolution, 48-bit colour².

Scan and archive documents with ease.

- Save time with convenient one-touch scanning capabilities. Capture and send images directly to email or PDF – and print or copy images in a touch.
- Scan multiple items at once – including business cards, receipts, and photos, and automatically save them as separate files.
- Create the prints you need: use the ArcSoft PhotoStudio 6 photo-editing software included to easily edit, search, and organise images for printing in multiple sizes.

Save valuable space in your office with this compact scanner that fits almost anywhere.

- Set up and work where you want: this compact, landscape-oriented scanner can fit almost anywhere in your office.
- Scan books, journals, and bound materials with ease, using the scanner's floating-hinged lid for high clearance.
- Eliminate the need for a power cable – this USB-powered scanner saves energy by plugging directly into your PC³.



¹ Optical resolution is a measure of maximum hardware sampling resolution based on ISO 14473 standard.
² Energy Star only used for computers. ArcSoft Studio 6 requires a separate power supply.





HP Scanjet 300 Flatbed Photo Scanner

TECHNICAL SPECIFICATIONS

Scan Technology	CIS (Contact Image Sensor)
Scan Type	Flatbed, Colour Scanning: Yes
Scan Resolution	Hardware: Up to 4800 x 4800 dpi Optical: Up to 4800 dpi Enhanced: Up to 19200 dpi
Scan File Format	Windows & Linux: BMP, JPEG, GIF, TIFF, TIFF Compressed, PNG, PCX, FlashPix (FPX), PDF, PDF Searchable, RTF, HTML, TXT, Mac: TIFF, PICT, JPEG, GIF, FlashPix, Plain Text, PDF, HTML, Rich Text, Mac HP Scan supports: TIFF, PNG, JPEG, JPEG 2000, PDF, PDF Searchable, RTF, TXT, TIFF, PNG, JPFC, JPFC 2000, PDF, PDF Searchable, RTF, TXT, Mac made Capture supports: TIFF, PNG, JPEG, JPEG 2000, GIF, BMP, PDF
Scan Input Modes	Four front panel buttons (Scan, Copy, Scan to PDF, Scan to e-mail), HP Solution Center, and user application via TWAIN
Light Source (Scanning)	LED Light Guide (Three LED Colour)
Image Scaling Or Enlargement Range	Windows: 10 to 2400% in 1% increments; Mac: Not supported
Output resolution dpi settings	Windows & Mac: 75, 150, 200, 300, 400, 600, 1200, 2400, 4800; Linux: 75, 150, 200, 240, 300, 400, 500, 600, 1200, 2400, 4800
Grayscale Levels/Bit Depth	256, Bit Depth: 48 bit
Standard Connectivity	1 Hi-Speed USB 2.0
Optional Connectivity	No
Network Ready	No
Control Panel	Four front panel buttons (Scan, Copy, Scan to PDF, Scan to e-mail)
Media Types Supported	Paper (plain, inkjet, photo, newsprint, magazine articles)
Software Included	Windows: HP Scanning Software (includes OCR); Mac: HP Scanjet Software (includes OCR); Acrobat PhotoStudio v6; Windows/Mac: Readiris OCR
Compatible Operating Systems	Windows 8, Windows 7, Windows Vista, Windows XP Service Pack 2 or higher (32-bit only); Mac OS X 10.6.8, OS X Lion, OS X Mountain Lion or later
Minimum System Requirements	PC: Windows 7: 1.3 GHz processor, 1 GB RAM, 2 GB for 64-bit, 1 GB hard disk space; CD-ROM/DVD; USB; Windows Vista: 1.3 GHz processor, 1 GB RAM, 2 GB for 64-bit, 1 GB HD; 2 GB for 64-bit; CD-ROM/DVD; USB; Windows XP Service Pack 2 or higher (32-bit only); 1.3 GHz processor, 512 MB RAM, 1 GB for 64-bit, 600 MB available hard disk space; CD-ROM/DVD-ROM; USB; Mac: Mac OS X 10.6.8, OS X Lion, OS X Mountain Lion

Operating Environment	Operating Temperature Range: 10 to 35° C Storage Temperature Range: -40 to 60° C Recommended Operating Temperature Range: 10 to 35° C Recommended Humidity Operating Range: 15 to 80% RH (non-condensing)
Power	Power Consumption: 2.5 watts (maximum), 0.5 watts (standby), 0.0125 watts (manual-off)
Acoustic Power Emissions	4.2 dBA (scanning at 300 or 600 dpi/colour)
Energy Star	Yes
Regulatory compliance information/safety	IEC 60950-1:2005 (Second Edition) + A1, all required group and national differences + all applicable amendments, CSA/UL 60950-1 2nd edition (2007) + all applicable amendments, EN 60950-1:2006 + A1:1 2009 + A12 + all applicable amendments, IUL CE, PVoC, TER, 50%, SASQ, BSMI, Ukraine: UL and others
Electromagnetic compatibility	EMC Directive 2004/108/EC (Europe), CISPR 22:2008, Class B, EN 55022:2010, EN 61000-3-2:2006 + A1:2009 + A2:2009, Class A, EN 61000-3-3:2008, CISPR 24:2010, EN 55024:2010, C- tick, CCC, CE, KCC, BSMI, Ukraine, FCC and others
Product Dimensions	173 x 274 x 44.5 mm; Packaged: 459 x 440 x 539 mm
Product Weight	1.76 kg; Packaged: 2.65 kg
What's In The Box	L2733A: HP Scanjet 300 Flatbed Photo Scanner, Install Guide, CD-ROM, Flyers, Warranty Sheet/Card, 1 Min. USB cable
Warranty	One-year next business day exchange warranty, phone and Web support included. Warranty may vary by country as required by law. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.
Service And Support Options	UG184E - HP 3 year Care Pack w/Standard Exchange for Single Function Printers and Scanners (Available in all Europe, Middle East, Africa countries) UG059E - HP 3 year Care Pack w/Next Day Exchange for Single Function Printers and Scanners (Available in Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, UK, Czech Republic, Greece, Hungary, Poland, Slovakia)

Count on dependable support to create the best image possible. We can help you enhance your printing and imaging environment, protect your IT investment, and grow your business—with expert support that's affordable, personal, and tailored to your needs through HP Care Pack Services.

For more information, visit our website at <http://www.hp.com>

HP Scanjet 300 Flatbed Photo Scanner L2733A

© Copyright 2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. This document is for HP product use only and does not constitute a warranty. Sales may vary by country. All other trademarks and product names are the property of their respective owners. All other trademarks and product names are the property of their respective owners. The information contained herein is subject to change without notice.

Published in EMLA January 2013 4AA4-4569CEE

Utilizando las últimas innovaciones en la aplicación del plomo-ácido, Forza™ introduce la FUB-1270, una batería versátil, recargable y completamente portátil. Su estructura hermética única en su tipo no requiere mantenimiento, siendo posible colocarla en cualquier posición sin degradar su capacidad y sin el riesgo de que se derrame el electrolito. Esta avanzada batería combina placas gruesas aisladas con fieltro de fibra de vidrio (AGM) con un elemento activo de alta densidad energética para incrementar el rendimiento y la durabilidad, tanto en régimen de carga cíclica o flotante. Esta resistente batería es ideal para una amplia gama de aplicaciones, tales como unidades de alimentación ininterrumpidas (UPS), luces de emergencia, herramientas eléctricas, sistemas de seguridad, ¡y mucho, mucho más!



CARACTERÍSTICAS

- Multipropósito: Régimen de carga cíclica o flotante
- Extensa vida útil: 5 años en régimen flotante como unidad de reserva y más de 260 ciclos de carga/descarga
- Unidad sellada que no requiere mantenimiento
- Estructura resistente completamente hermética
- Válvula de seguridad para evitar explosiones
- Gran calidad y fiabilidad
- Bajo índice de autodescarga
- Flexibilidad de diseño para instalarla en distintas posiciones
- Excepcional capacidad de recuperación tras descarga profunda
- Un año de garantía

APLICACIONES

- Sistemas de alarma
- Unidad de reserva para computadoras
- UPS-Unidades de alimentación ininterrumpida
- Luces de emergencia
- Sistemas de seguridad y protección contra incendios
- Herramientas eléctricas
- Aparatos de video portátiles
- Equipos de campaña y de deportes al aire libre
- Carros de golf
- Equipo náutico
- Equipos médicos y sillas de ruedas eléctricas
- Robótica
- Juguetes y mucho, mucho más




Handwritten signature or mark.

HP LaserJet Enterprise M506 series




Get a faster startup¹ and help protect against threats with multi-level device security.⁶

Finish key tasks faster with a printer that starts right away and helps conserve energy.¹ Multi-level device security helps protect from threats.⁶ Original HP Toner cartridges with JetIntelligence and this printer produce more high-quality pages.²



HP LaserJet Enterprise M506n



HP LaserJet Enterprise M506dn



HP LaserJet Enterprise M506x

Accelerate your work and use less energy

- Don't wait for documents. Print your first page in as few as 8.5 seconds from energy-efficient sleep mode.¹
- This printer leads its class in low energy use—thanks to its innovative design and toner technology.²
- Speed through jobs on a variety of media. Print two-sided documents almost as quickly as one.³
- Now almost 30% smaller—this printer fits in tight places and delivers quiet operation.⁴

Unparalleled fleet security and management

- Embedded features detect security threats and heal your printer, protecting it from boot up to shutdown.⁶
- Protect sensitive data stored on the printer and in transit, using embedded and optional security features.⁶
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions.⁸
- Centralize control of your print environment with HP Web Jetadmin⁷—and help build business efficiency.

More pages, performance, and protection

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.⁵
- Get more. Original HP Toner with JetIntelligence delivers more pages per cartridge than predecessors.²
- Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with a preinstalled toner cartridge. Replace it with an optional high-yield cartridge.⁹


Stay connected with secure mobile printing options

- Enable 128-bit encrypted wireless direct printing from mobile devices—without accessing the network.¹⁰
- Print with just a touch of your NFC-enabled mobile device to this printer—no network needed.¹¹
- Easily access, print, and share resources with Ethernet and optional wireless networking.⁹
- Protect your investment with HP Care Pack. Let our HP certified engineers resolve all your technical issues.¹²

¹Based on HP internal testing of top three leading competitors' first page out from its deep-sleep mode and duplex print speed completed 8/2/15. Subject to device settings. Actual results may vary. For details, see hp.com/go/uptime. ²More pages versus predecessor cartridges claim based on page yield comparison of HP 55X High-Yield Black Original LaserJet Toner Cartridges with HP 87X High-Yield Black Original LaserJet Toner Cartridges. For more information, see hp.com/go/earnaboutsupplies. ³Compared with the HP LaserJet Enterprise P3015. ⁴Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2/15. Actual results may vary. For details, see hp.com/go/uptime. ⁵HP 87X High-Yield Black Original LaserJet Toner Cartridges not included; please purchase separately. ⁶Some features require additional purchase. Learn more at hp.com/go/printsecurity. A FutureSmart service pack update may be required to activate security features. ⁷HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin. ⁸Some solutions require download or additional purchase. Learn more at hp.com/go/printingsolutions. ⁹Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. ¹⁰Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ¹¹Wireless direct printing is standard on the HP LaserJet Enterprise M506x only. Requires purchase of option, HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise M506n/cn. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/businessmobileprinting. ¹²Touch-to-print capability is standard on the HP LaserJet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise M506n/cn. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting. For more details on HP Care Pack, go to hp.com/go/cp.

Product walkaround

- 1 Intuitive 4.3-inch (10.9 cm) colour VGA control panel tilts up for easier viewing
- 2 Home button (returns to home screen)
- 3 250-sheet output bin
- 4 Easy-access USB port to print files directly¹
- 5 Top cover access to Original HP Toner cartridge with JetIntelligence
- 6 100-sheet multipurpose tray
- 7 Two 550-sheet input trays for a 1,200-sheet total input capacity
- 8 Hardware Integration Pocket (HIP) for solution integration²
- 9 Built-in wireless direct³/NFC touch-to-print⁴
- 10 Convenient front on/off switch
- 11 Built-in automatic two-sided printing
- 12 Rear door (access to the print path)
- 13 512 MB standard memory (upgradeable to 1.5 GB) and a 1.2 GHz processor
- 14 Access port for optional Kensington-style lock
- 15 HP Jetdirect Gigabit/Fast Ethernet embedded print server
- 16 Hi-Speed USB 2.0 port (for connecting third-party devices)
- 17 Hi-Speed USB 2.0 printing port



Series at a glance

Model	M506n	M506dn	M506x
Product number	F2A68A	F2A69A	F2A70A
100-sheet multipurpose tray, 550-sheet input tray 2	✓	✓	✓
550-sheet input tray 3	Optional	Optional	✓
2 550-sheet input trays 4 and 5⁵	Optional	Optional	Optional
Printer cabinet	Optional	Optional	Optional
Control panel	4-line display with keypad	4-line display with keypad	4.3-inch (10.9 cm) touchscreen
HP High Performance Secure Hard Disk	Optional	Optional	Optional
Hardware Integration Pocket (HIP)²	Not available	✓	✓
Automatic duplexing	Not available	✓	✓
Wireless direct³ and NFC touch-to-print⁴	Optional	Optional	✓
ENERGY STAR® and Blue Angel certified	Not available	✓	✓

¹ An administrator must enable the easy-access USB port before use.² The Hardware Integration Pocket is only available for the HP LaserJet Enterprise M506n and M506x models. Enabling the HIP requires purchase of optional HP internal USB Ports for M506/M527 accessory (H-2A87A). Solutions deployed through the Hardware Integration Pocket may require additional purchase.³ Wireless direct printing is standard on the HP LaserJet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise M506n/dn. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see <http://go/businessmobileprinting>.⁴ Touch-to-print capability is standard on the HP LaserJet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise M506n/dn. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see <http://go/businessmobileprinting>.⁵ Based on ISO/IEC 19752 cartridge yields for HP 55X High Yield Black Original LaserJet Toner cartridges compared with HP 87X High Yield Black Original LaserJet Toner cartridges. Learn more at <http://go/learnaboutequipment>.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability): 4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime): Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hr Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service: Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service: Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices



Windows 8



Top Features

Work quickly with the fastest first page out from sleep mode—on the most energy-efficient printer in its class.^{1,4} Launch two-sided printing right from the touchscreen. Reload paper less often with a substantial 2,300-sheet maximum capacity.³

Trust your printer is secure from power-up to power-down. Get strong protection for devices, data, and documents with embedded and optional security features while centrally managing your entire printer fleet.⁷

Bring out the best in your printer. Print more high-quality pages than ever before,² using specially designed Original HP Toner cartridges with JetIntelligence. Count on the authentic HP quality you paid for—something the competition can't match.

Enable secure wireless printing in the office—with or without network access⁵—and keep users connected with Ethernet and optional wireless networking. Print with just a touch from mobile devices.⁶

Product

F2A68A	HP LaserJet Enterprise M506n
F2A69A	HP LaserJet Enterprise M506dn
F2A70A	HP LaserJet Enterprise M506x

Accessories

F2A72A	HP LaserJet 550-sheet Paper Tray
F2A73A	HP LaserJet Printer Cabinet
G6W84A	1 GB DDR3 SlimDIMM
B5L29A	HP Secure High Performance Hard Disk Drive
F5S62A	HP Trusted Platform Module Accessory
B5L28A	HP Internal USB Ports
F2A87A	HP Internal USB Ports for M506 and M527
J8031A	HP Jetdirect 2900nw Print Server
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory

Supplies & Maintenance Kits^a

CF287A	HP 87A Black Original LaserJet Toner Cartridge (~9,000 pages)
CF287X	HP 87X Black Original LaserJet Toner Cartridge (~18,000 pages)

HP Care Packs

U8PK3E	HP 3-year Next Business Day + DMR LaserJet M506 Hardware Support
U8PK4E	HP 4-year Next Business Day + DMR LaserJet M506 Hardware Support
U8PK5E	HP 5-year Next Business Day + DMR LaserJet M506 Hardware Support
U8PL9PE	HP 1-year Post Warranty Next Business Day + DMR LaserJet M506 Hardware Support
U8PM0PE	HP 2-year Post Warranty Next Business Day + DMR LaserJet M506 Hardware Support

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipscc

HP LaserJet Fonts, Barcodes, and IPDS Emulation available at hp.com/go/laserjetfonts

To learn more about available infrastructure, management, and workflow solutions, visit hp.com/go/gsc

¹Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see hp.com/go/lycla.ms.
²More pages versus predecessor cartridges claim based on page yield comparison of HP 55X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see hp.com/go/learnaboutsupplies.
³Purchase of optional paper trays required to reach maximum input capacity.
⁴Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energy.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see hp.com/go/lycla.ms.
⁵Wireless direct printing is standard on the HP LaserJet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise M506n/dn. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/businessmobileprinting.
⁶Touch-to-print capability is standard on the HP LaserJet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise M506n/dn. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting. Some features require additional purchase. Learn more at hp.com/go/printsecurity. A FutureSmart service pack update may be required to activate security features.
⁷Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies.

HP LaserJet Enterprise M506 series


Technical specifications	HP LaserJet Enterprise M506n (F2A68A)	HP LaserJet Enterprise M506dn (F2A69A)	HP LaserJet Enterprise M506x (F2A70A)
Functions	Print only		
Print	Automatic (standard)		
Duplex print options	Manual (driver support provided)		Automatic (standard)
Print speed	Black (normal, A4): Up to 43 ppm; Black (normal, letter): Up to 45 ppm; Black (Landscape, A5): Up to 65 ppm; Black (Duplex, A4): Up to 34 ppm; Black (Duplex, letter): Up to 36 ppm		
First page out	Black (A4, ready): As fast as 6.0 sec. As fast as 11.5 sec (100 V); Black (A4, sleep): As fast as 8.1 sec. As fast as 13.7 sec (100 V)		
Print technology	Laser		
Print resolution	Black (best): Up to 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi		
Print resolution technologies	300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200		
Print cartridges number	2 (black)		
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v.1.7)		
Printer management	Printer Management, Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator), HP Web JetAdmin Software, HP Proxy Agent Software, HP JetAdvantage Security Manager		
Connectivity	Standard (built-in Gigabit Ethernet)		
Standard connect city	Hi-Speed USB 2.0 port, built-in Fast Ethernet 10/100Base-Tx, Gigabit Ethernet 1000Base-T		
Mobile printing capability	HP ePrint, Apple AirPrint™, Mopria certified, Wireless Direct print, NFC touch-to-print		
Network ready	Standard (built-in Gigabit Ethernet)		
Network capabilities	IPv4/IPv6, Apple Bonjour compatible (Mac OS v10.2.4 or higher), SNMPv1/v2/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, XMPP, IPsec/Firewall, IPv6, DHCPv6, MLDv1, ICMPv6, IPv4, Auto-IP, S-P, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print		
Wireless capability	Optional, enabled with purchase of HW accessories		
Memory	Standard: 512 MB; Maximum: 1.5 GB		
Duty cycle*	Up to 50,000 pages; Recommended monthly page volume: 2,000 to 7,500 pages		
Processor speed	1.2 GHz		
Paper handling	100-sheet multipurpose Tray 1, 550-sheet input Tray 2, 2 and 3, automatic duplex printing		
Input	100-sheet multipurpose Tray 1, 550-sheet input Tray 2, 2 and 3, automatic duplex printing	100-sheet multipurpose Tray 1, 550-sheet input Tray 2, 2 and 3, automatic duplex printing	100-sheet multipurpose Tray 1, 550-sheet input Trays 2 and 3, automatic duplex printing
Optional:	Up to 3 550-sheet paper feeders	Up to 3 550-sheet paper feeders	Optional: Up to 2 550-sheet paper feeders
Output	250-sheet output bin		
Media type	Paper (bond, colour, letterhead, plain, preprinted, recycled, rough), envelopes, labels, cardstock, transparencies, user-defined		
Media weight	Tray 1: 60 to 199 g/m²; Tray 2*: 60 to 120 g/m²		
Media sizes custom	Tray 1: 76 x 127 to 216 x 356 mm; 550-sheet input Tray 2*: 105 x 148 to 216 x 356 mm		
Dimensions (W x D x H)	418 x 376 x 298 mm (16.46 x 14.80 x 11.73 in)		
Weight	11.6 kg (25.5 lb)		
What's in the box†	HP LaserJet M506n Printer; Introductory HP Black LaserJet Toner Cartridge (~6,000 pages), CDs containing software and electronic documentation, Warranty Guides, HGS, Erratas	HP LaserJet M506dn Printer; Introductory HP Black LaserJet Toner Cartridge (~6,000 pages), CDs containing software and electronic documentation, Warranty Guides, HGS, Erratas	HP LaserJet M506x Printer; Introductory HP Black LaserJet Toner Cartridge (~6,000 pages), CDs containing software and electronic documentation, Warranty Guides, HGS, Erratas; 550-sheet Paper Tray
Warranty features	One-year, return-to-bench warranty		
Systems	Compatible operating systems: Windows OS compatible with In-Box Driver: Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc), Windows 7 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows OS compatible with Universal Print Driver (UFD) HP compatible: Windows XP SP3 32- & 64-bit editions (XP Home, XP Pro, etc), Windows Vista all 32- & 64-bit editions (Home Basic, Premium, Professional, etc), Windows 7 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows OS (lin-OS drivers) iOS, Android, Windows 8/10 RT, Linux OS (lin-OS HPLIP), SUSE Linux (12, 13, 14, 15, 16, 17), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, Debian (6.0.x, 7.x); Other OS: UNIX		
Minimum system requirements	PC: Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc), Windows 7 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), CD-ROM or DVD drive, or internet connection. Dedicated USB or network connection or Wireless connection; 200 MB available hard disk space; OS compatible hardware (For OS hardware requirements see microsoft.com); Mac: Mac OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite, OS X 10.11 El Capitan, OS X 10.12 Sierra, OS X 10.13 High Sierra, OS X 10.14 Mojave, OS X 10.15 Catalina, OS X 10.16 Big Sur, OS X 10.17 Monterey, OS X 10.18 Ventura, OS X 10.19 Sonoma, OS X 10.20 Sequoia, OS X 10.21 Sonoma, OS X 10.22 Sequoia, OS X 10.23 Sequoia, OS X 10.24 Sequoia, OS X 10.25 Sequoia, OS X 10.26 Sequoia, OS X 10.27 Sequoia, OS X 10.28 Sequoia, OS X 10.29 Sequoia, OS X 10.30 Sequoia, OS X 10.31 Sequoia, OS X 10.32 Sequoia, OS X 10.33 Sequoia, OS X 10.34 Sequoia, OS X 10.35 Sequoia, OS X 10.36 Sequoia, OS X 10.37 Sequoia, OS X 10.38 Sequoia, OS X 10.39 Sequoia, OS X 10.40 Sequoia, OS X 10.41 Sequoia, OS X 10.42 Sequoia, OS X 10.43 Sequoia, OS X 10.44 Sequoia, OS X 10.45 Sequoia, OS X 10.46 Sequoia, OS X 10.47 Sequoia, OS X 10.48 Sequoia, OS X 10.49 Sequoia, OS X 10.50 Sequoia, OS X 10.51 Sequoia, OS X 10.52 Sequoia, OS X 10.53 Sequoia, OS X 10.54 Sequoia, OS X 10.55 Sequoia, OS X 10.56 Sequoia, OS X 10.57 Sequoia, OS X 10.58 Sequoia, OS X 10.59 Sequoia, OS X 10.60 Sequoia, OS X 10.61 Sequoia, OS X 10.62 Sequoia, OS X 10.63 Sequoia, OS X 10.64 Sequoia, OS X 10.65 Sequoia, OS X 10.66 Sequoia, OS X 10.67 Sequoia, OS X 10.68 Sequoia, OS X 10.69 Sequoia, OS X 10.70 Sequoia, OS X 10.71 Sequoia, OS X 10.72 Sequoia, OS X 10.73 Sequoia, OS X 10.74 Sequoia, OS X 10.75 Sequoia, OS X 10.76 Sequoia, OS X 10.77 Sequoia, OS X 10.78 Sequoia, OS X 10.79 Sequoia, OS X 10.80 Sequoia, OS X 10.81 Sequoia, OS X 10.82 Sequoia, OS X 10.83 Sequoia, OS X 10.84 Sequoia, OS X 10.85 Sequoia, OS X 10.86 Sequoia, OS X 10.87 Sequoia, OS X 10.88 Sequoia, OS X 10.89 Sequoia, OS X 10.90 Sequoia, OS X 10.91 Sequoia, OS X 10.92 Sequoia, OS X 10.93 Sequoia, OS X 10.94 Sequoia, OS X 10.95 Sequoia, OS X 10.96 Sequoia, OS X 10.97 Sequoia, OS X 10.98 Sequoia, OS X 10.99 Sequoia, OS X 10.100 Sequoia, OS X 10.101 Sequoia, OS X 10.102 Sequoia, OS X 10.103 Sequoia, OS X 10.104 Sequoia, OS X 10.105 Sequoia, OS X 10.106 Sequoia, OS X 10.107 Sequoia, OS X 10.108 Sequoia, OS X 10.109 Sequoia, OS X 10.110 Sequoia, OS X 10.111 Sequoia, OS X 10.112 Sequoia, OS X 10.113 Sequoia, OS X 10.114 Sequoia, OS X 10.115 Sequoia, OS X 10.116 Sequoia, OS X 10.117 Sequoia, OS X 10.118 Sequoia, OS X 10.119 Sequoia, OS X 10.120 Sequoia, OS X 10.121 Sequoia, OS X 10.122 Sequoia, OS X 10.123 Sequoia, OS X 10.124 Sequoia, OS X 10.125 Sequoia, OS X 10.126 Sequoia, OS X 10.127 Sequoia, OS X 10.128 Sequoia, OS X 10.129 Sequoia, OS X 10.130 Sequoia, OS X 10.131 Sequoia, OS X 10.132 Sequoia, OS X 10.133 Sequoia, OS X 10.134 Sequoia, OS X 10.135 Sequoia, OS X 10.136 Sequoia, OS X 10.137 Sequoia, OS X 10.138 Sequoia, OS X 10.139 Sequoia, OS X 10.140 Sequoia, OS X 10.141 Sequoia, OS X 10.142 Sequoia, OS X 10.143 Sequoia, OS X 10.144 Sequoia, OS X 10.145 Sequoia, OS X 10.146 Sequoia, OS X 10.147 Sequoia, OS X 10.148 Sequoia, OS X 10.149 Sequoia, OS X 10.150 Sequoia, OS X 10.151 Sequoia, OS X 10.152 Sequoia, OS X 10.153 Sequoia, OS X 10.154 Sequoia, OS X 10.155 Sequoia, OS X 10.156 Sequoia, OS X 10.157 Sequoia, OS X 10.158 Sequoia, OS X 10.159 Sequoia, OS X 10.160 Sequoia, OS X 10.161 Sequoia, OS X 10.162 Sequoia, OS X 10.163 Sequoia, OS X 10.164 Sequoia, OS X 10.165 Sequoia, OS X 10.166 Sequoia, OS X 10.167 Sequoia, OS X 10.168 Sequoia, OS X 10.169 Sequoia, OS X 10.170 Sequoia, OS X 10.171 Sequoia, OS X 10.172 Sequoia, OS X 10.173 Sequoia, OS X 10.174 Sequoia, OS X 10.175 Sequoia, OS X 10.176 Sequoia, OS X 10.177 Sequoia, OS X 10.178 Sequoia, OS X 10.179 Sequoia, OS X 10.180 Sequoia, OS X 10.181 Sequoia, OS X 10.182 Sequoia, OS X 10.183 Sequoia, OS X 10.184 Sequoia, OS X 10.185 Sequoia, OS X 10.186 Sequoia, OS X 10.187 Sequoia, OS X 10.188 Sequoia, OS X 10.189 Sequoia, OS X 10.190 Sequoia, OS X 10.191 Sequoia, OS X 10.192 Sequoia, OS X 10.193 Sequoia, OS X 10.194 Sequoia, OS X 10.195 Sequoia, OS X 10.196 Sequoia, OS X 10.197 Sequoia, OS X 10.198 Sequoia, OS X 10.199 Sequoia, OS X 10.200 Sequoia, OS X 10.201 Sequoia, OS X 10.202 Sequoia, OS X 10.203 Sequoia, OS X 10.204 Sequoia, OS X 10.205 Sequoia, OS X 10.206 Sequoia, OS X 10.207 Sequoia, OS X 10.208 Sequoia, OS X 10.209 Sequoia, OS X 10.210 Sequoia, OS X 10.211 Sequoia, OS X 10.212 Sequoia, OS X 10.213 Sequoia, OS X 10.214 Sequoia, OS X 10.215 Sequoia, OS X 10.216 Sequoia, OS X 10.217 Sequoia, OS X 10.218 Sequoia, OS X 10.219 Sequoia, OS X 10.220 Sequoia, OS X 10.221 Sequoia, OS X 10.222 Sequoia, OS X 10.223 Sequoia, OS X 10.224 Sequoia, OS X 10.225 Sequoia, OS X 10.226 Sequoia, OS X 10.227 Sequoia, OS X 10.228 Sequoia, OS X 10.229 Sequoia, OS X 10.230 Sequoia, OS X 10.231 Sequoia, OS X 10.232 Sequoia, OS X 10.233 Sequoia, OS X 10.234 Sequoia, OS X 10.235 Sequoia, OS X 10.236 Sequoia, OS X 10.237 Sequoia, OS X 10.238 Sequoia, OS X 10.239 Sequoia, OS X 10.240 Sequoia, OS X 10.241 Sequoia, OS X 10.242 Sequoia, OS X 10.243 Sequoia, OS X 10.244 Sequoia, OS X 10.245 Sequoia, OS X 10.246 Sequoia, OS X 10.247 Sequoia, OS X 10.248 Sequoia, OS X 10.249 Sequoia, OS X 10.250 Sequoia, OS X 10.251 Sequoia, OS X 10.252 Sequoia, OS X 10.253 Sequoia, OS X 10.254 Sequoia, OS X 10.255 Sequoia, OS X 10.256 Sequoia, OS X 10.257 Sequoia, OS X 10.258 Sequoia, OS X 10.259 Sequoia, OS X 10.260 Sequoia, OS X 10.261 Sequoia, OS X 10.262 Sequoia, OS X 10.263 Sequoia, OS X 10.264 Sequoia, OS X 10.265 Sequoia, OS X 10.266 Sequoia, OS X 10.267 Sequoia, OS X 10.268 Sequoia, OS X 10.269 Sequoia, OS X 10.270 Sequoia, OS X 10.271 Sequoia, OS X 10.272 Sequoia, OS X 10.273 Sequoia, OS X 10.274 Sequoia, OS X 10.275 Sequoia, OS X 10.276 Sequoia, OS X 10.277 Sequoia, OS X 10.278 Sequoia, OS X 10.279 Sequoia, OS X 10.280 Sequoia, OS X 10.281 Sequoia, OS X 10.282 Sequoia, OS X 10.283 Sequoia, OS X 10.284 Sequoia, OS X 10.285 Sequoia, OS X 10.286 Sequoia, OS X 10.287 Sequoia, OS X 10.288 Sequoia, OS X 10.289 Sequoia, OS X 10.290 Sequoia, OS X 10.291 Sequoia, OS X 10.292 Sequoia, OS X 10.293 Sequoia, OS X 10.294 Sequoia, OS X 10.295 Sequoia, OS X 10.296 Sequoia, OS X 10.297 Sequoia, OS X 10.298 Sequoia, OS X 10.299 Sequoia, OS X 10.300 Sequoia, OS X 10.301 Sequoia, OS X 10.302 Sequoia, OS X 10.303 Sequoia, OS X 10.304 Sequoia, OS X 10.305 Sequoia, OS X 10.306 Sequoia, OS X 10.307 Sequoia, OS X 10.308 Sequoia, OS X 10.309 Sequoia, OS X 10.310 Sequoia, OS X 10.311 Sequoia, OS X 10.312 Sequoia, OS X 10.313 Sequoia, OS X 10.314 Sequoia, OS X 10.315 Sequoia, OS X 10.316 Sequoia, OS X 10.317 Sequoia, OS X 10.318 Sequoia, OS X 10.319 Sequoia, OS X 10.320 Sequoia, OS X 10.321 Sequoia, OS X 10.322 Sequoia, OS X 10.323 Sequoia, OS X 10.324 Sequoia, OS X 10.325 Sequoia, OS X 10.326 Sequoia, OS X 10.327 Sequoia, OS X 10.328 Sequoia, OS X 10.329 Sequoia, OS X 10.330 Sequoia, OS X 10.331 Sequoia, OS X 10.332 Sequoia, OS X 10.333 Sequoia, OS X 10.334 Sequoia, OS X 10.335 Sequoia, OS X 10.336 Sequoia, OS X 10.337 Sequoia, OS X 10.338 Sequoia, OS X 10.339 Sequoia, OS X 10.340 Sequoia, OS X 10.341 Sequoia, OS X 10.342 Sequoia, OS X 10.343 Sequoia, OS X 10.344 Sequoia, OS X 10.345 Sequoia, OS X 10.346 Sequoia, OS X 10.347 Sequoia, OS X 10.348 Sequoia, OS X 10.349 Sequoia, OS X 10.350 Sequoia, OS X 10.351 Sequoia, OS X 10.352 Sequoia, OS X 10.353 Sequoia, OS X 10.354 Sequoia, OS X 10.355 Sequoia, OS X 10.356 Sequoia, OS X 10.357 Sequoia, OS X 10.358 Sequoia, OS X 10.359 Sequoia, OS X 10.360 Sequoia, OS X 10.361 Sequoia, OS X 10.362 Sequoia, OS X 10.363 Sequoia, OS X 10.364 Sequoia, OS X 10.365 Sequoia, OS X 10.366 Sequoia, OS X 10.367 Sequoia, OS X 10.368 Sequoia, OS X 10.369 Sequoia, OS X 10.370 Sequoia, OS X 10.371 Sequoia, OS X 10.372 Sequoia, OS X 10.373 Sequoia, OS X 10.374 Sequoia, OS X 10.375 Sequoia, OS X 10.376 Sequoia, OS X 10.377 Sequoia, OS X 10.378 Sequoia, OS X 10.379 Sequoia, OS X 10.380 Sequoia, OS X 10.381 Sequoia, OS X 10.382 Sequoia, OS X 10.383 Sequoia, OS X 10.384 Sequoia, OS X 10.385 Sequoia, OS X 10.386 Sequoia, OS X 10.387 Sequoia, OS X 10.388 Sequoia, OS X 10.389 Sequoia, OS X 10.390 Sequoia, OS X 10.391 Sequoia, OS X 10.392 Sequoia, OS X 10.393 Sequoia, OS X 10.394 Sequoia, OS X 10.395 Sequoia, OS X 10.396 Sequoia, OS X 10.397 Sequoia, OS X 10.398 Sequoia, OS X 10.399 Sequoia, OS X 10.400 Sequoia, OS X 10.401 Sequoia, OS X 10.402 Sequoia, OS X 10.403 Sequoia, OS X 10.404 Sequoia, OS X 10.405 Sequoia, OS X 10.406 Sequoia, OS X 10.407 Sequoia, OS X 10.408 Sequoia, OS X 10.409 Sequoia, OS X 10.410 Sequoia, OS X 10.411 Sequoia, OS X 10.412 Sequoia, OS X 10.413 Sequoia, OS X 10.414 Sequoia, OS X 10.415 Sequoia, OS X 10.416 Sequoia, OS X 10.417 Sequoia, OS X 10.418 Sequoia, OS X 10.419 Sequoia, OS X 10.420 Sequoia, OS X 10.421 Sequoia, OS X 10.422 Sequoia, OS X 10.423 Sequoia, OS X 10.424 Sequoia, OS X 10.425 Sequoia, OS X 10.426 Sequoia, OS X 10.427 Sequoia, OS X 10.428 Sequoia, OS X 10.429 Sequoia, OS X 10.430 Sequoia, OS X 10.431 Sequoia, OS X 10.432 Sequoia, OS X 10.433 Sequoia, OS X 10.434 Sequoia, OS X 10.435 Sequoia, OS X 10.436 Sequoia, OS X 10.437 Sequoia, OS X 10.438 Sequoia, OS X 10.439 Sequoia, OS X 10.440 Sequoia, OS X 10.441 Sequoia, OS X 10.442 Sequoia, OS X 10.443 Sequoia, OS X 10.444 Sequoia, OS X 10.445 Sequoia, OS X 10.446 Sequoia, OS X 10.447 Sequoia, OS X 10.448 Sequoia, OS X 10.449 Sequoia, OS X 10.450 Sequoia, OS X 10.451 Sequoia, OS X 10.452 Sequoia, OS X 10.453 Sequoia, OS X 10.454 Sequoia, OS X 10.455 Sequoia, OS X 10.456 Sequoia, OS X 10.457 Sequoia, OS X 10.458 Sequoia, OS X 10.459 Sequoia, OS X 10.460 Sequoia, OS X 10.461 Sequoia, OS X 10.462 Sequoia, OS X 10.463 Sequoia, OS X 10.464 Sequoia, OS X 10.465 Sequoia, OS X 10.466 Sequoia, OS X 10.467 Sequoia, OS X 10.468 Sequoia, OS X 10.469 Sequoia, OS X 10.470 Sequoia, OS X 10.471 Sequoia, OS X 10.472 Sequoia, OS X 10.473 Sequoia, OS X 10.474 Sequoia, OS X 10.475 Sequoia, OS X 10.476 Sequoia, OS X 10.477 Sequoia, OS X 10.478 Sequoia, OS X 10.479 Sequoia, OS X 10.480 Sequoia, OS X 10.481 Sequoia, OS X 10.482 Sequoia, OS X 10.483 Sequoia, OS X 10.484 Sequoia, OS X 10.485 Sequoia, OS X 10.486 Sequoia, OS X 10.487 Sequoia, OS X 10.488 Sequoia, OS X 10.489 Sequoia, OS X 10.490 Sequoia, OS X 10.491 Sequoia, OS X 10.492 Sequoia, OS X 10.493 Sequoia, OS X 10.494 Sequoia, OS X 10.495 Sequoia, OS X 10.496 Sequoia, OS X 10.497 Sequoia, OS X 10.498 Sequoia, OS X 10.499 Sequoia, OS X 10.500 Sequoia, OS X 10.501 Sequoia, OS X 10.502 Sequoia, OS X 10.503 Sequoia, OS X 10.504 Sequoia, OS X 10.505 Sequoia, OS X 10.506 Sequoia, OS X 10.507 Sequoia, OS X 10.508 Sequoia, OS X 10.509 Sequoia, OS X 10.510 Sequoia, OS X 10.511 Sequoia, OS X 10.512 Sequoia, OS X 10.513 Sequoia, OS X 10.514 Sequoia, OS X 10.515 Sequoia, OS X 10.516 Sequoia, OS X 10.517 Sequoia, OS X 10.518 Sequoia, OS X 10.519 Sequoia, OS X 10.520 Sequoia, OS X 10.521 Sequoia, OS X 10.522 Sequoia, OS X 10.523 Sequoia, OS X 10.524 Sequoia, OS X 10.525 Sequoia, OS X 10.526 Sequoia, OS X 10.527 Sequoia, OS X 10.528 Sequoia, OS X 10.529 Sequoia, OS X 10.530 Sequoia, OS X 10.531 Sequoia, OS X 10.532 Sequoia, OS X 10.533 Sequoia, OS X 10.534 Sequoia, OS X 10.535 Sequoia, OS X 10.536 Sequoia, OS X 10.537 Sequoia, OS X 10.538 Sequoia, OS X 10.539 Sequoia, OS X 10.540 Sequoia, OS X 10.541 Sequoia, OS X 10.542 Sequoia, OS X 10.543 Sequoia, OS X 10.544 Sequoia, OS X 10.545 Sequoia, OS X 10.546 Sequoia, OS X 10.547 Sequoia, OS X 10.548 Sequoia, OS X 10.549 Sequoia, OS X 10.550 Sequoia, OS X 10.551 Sequoia, OS X 10.552 Sequoia, OS X 10.553 Sequoia, OS X 10.554 Sequoia, OS X 10.555 Sequoia, OS X 10.556 Sequoia, OS X 10.557 Sequoia, OS X 10.558 Sequoia, OS X 10.559 Sequoia, OS X 10.560 Sequoia, OS X 10.561 Sequoia, OS X 10.562 Sequoia, OS X 10.563 Sequoia, OS X 10.564 Sequoia, OS X 10.565 Sequoia, OS X 10.566 Sequoia, OS X 10.567 Sequoia, OS X 10.568 Sequoia, OS X 10.569 Sequoia, OS X 10.570 Sequoia, OS X 10.571 Sequoia, OS X 10.572 Sequoia, OS X 10.573 Sequoia, OS X 10.574 Sequoia, OS X 10.575 Sequoia, OS X 10.576 Sequoia, OS X 10.577 Sequoia, OS X 10.578 Sequoia, OS X 10.579 Sequoia, OS X 10.580 Sequoia, OS X 10.581 Sequoia, OS X 10.582 Sequoia, OS X 10.583 Sequoia, OS X 10.584 Sequoia, OS X 10.585 Sequoia, OS X 10.586 Sequoia, OS X 10.587 Sequoia, OS X 10.588 Sequoia, OS X 10.589 Sequoia, OS X 10.590 Sequoia, OS X 10.591 Sequoia, OS X 10.592 Sequoia, OS X 10.593 Sequoia, OS X 10.594 Sequoia, OS X 10.595 Sequoia, OS X 10.596 Sequoia, OS X 10.597 Sequoia, OS X 10.598 Sequoia, OS X 10.599 Sequoia, OS X 10.600 Sequoia, OS X 10.601 Sequoia, OS X 10.602 Sequoia, OS X 10.603 Sequoia, OS X 10.604 Sequoia, OS X 10.605 Sequoia, OS X 10.606 Sequoia, OS X 10.607 Sequoia, OS X 10.608 Sequoia, OS X 10.609 Sequoia, OS X 10.610 Sequoia, OS X 10.611 Sequoia, OS X 10.612 Sequoia, OS X 10.613 Sequoia, OS X 10.614 Sequoia, OS X 10.615 Sequoia, OS X 10.616 Sequoia, OS X 10.617 Sequoia, OS X 10.618 Sequoia, OS X 10.619 Sequoia, OS X 10.620 Sequoia, OS X 10.621 Sequoia, OS X 10.622 Sequoia, OS X 10.623 Sequoia, OS X 10.624 Sequoia, OS X 10.625 Sequoia, OS X 10.626 Sequoia, OS X 10.627 Sequoia, OS X 10.628 Sequoia, OS X 10.629 Sequoia, OS X 10.630 Sequoia, OS X 10.631 Sequoia, OS X 10.632 Sequoia, OS X 10.633 Sequoia, OS X 10.634 Sequoia, OS X 10.635 Sequoia, OS X 10.636 Sequoia, OS X 10.637 Sequoia, OS X 10.638 Sequoia, OS X 10.639 Sequoia, OS X 10.640 Sequoia, OS X 10.641 Sequoia, OS X 10.642 Sequoia, OS X 10.643 Sequoia, OS X 10.644 Sequoia, OS X 10.645 Sequoia, OS X 10.646 Sequoia, OS X 10.647 Sequoia, OS X 10.648 Sequoia, OS X 10.649 Sequoia, OS X 10.650 Sequoia, OS X 10.651 Sequoia, OS X 10.652 Sequoia, OS X 10.653 Sequoia, OS X 10.654 Sequoia, OS X 10.655 Sequoia, OS X 10.656 Sequoia, OS X 10.657 Sequoia, OS X 10.658 Sequoia, OS X 10.659 Sequoia, OS X 10.660 Sequoia, OS X 10.661 Sequoia, OS X 10.662 Sequoia, OS X 10.663 Sequoia, OS X 10.664 Sequoia, OS X 10.665 Sequoia, OS X 10.666 Sequoia, OS X 10.667 Sequoia, OS X 10.668 Sequoia, OS X 10.669 Sequoia, OS X 10.670 Sequoia, OS X 10.671 Sequoia, OS X 10.672 Sequoia, OS X 10.673 Sequoia, OS X 10.674 Sequoia, OS X 10.675 Sequoia, OS X 10.676 Sequoia, OS X 10.677 Sequoia, OS X 10.678 Sequoia, OS X 10.679 Sequoia, OS X 10.680 Sequoia, OS X 10.681 Sequoia, OS X 10.682 Sequoia, OS X 10.683 Sequoia, OS X 10.684 Sequoia, OS X 10.685 Sequoia, OS X 10.686 Sequoia, OS X 10.687 Sequoia, OS X 10.688 Sequoia, OS X 10.689 Sequoia, OS X 10.690 Sequoia, OS X 10.691 Sequoia, OS X 10.692 Sequoia, OS X 10.693 Sequoia, OS X 10.694 Sequoia, OS X 10.695 Sequoia, OS X 10.696 Sequoia, OS X 10.697 Sequoia, OS X 10.698 Sequoia, OS X 10.699 Sequoia, OS X 10.700 Sequoia, OS X 10.701 Sequoia, OS X 10.702 Sequoia, OS X 10.703 Sequoia, OS X 10.7		

Ficha técnica

Impresora HP LaserJet Pro M402dn



Rendimiento de impresión y seguridad sólida para la forma en que trabaja. Esta impresora de gran capacidad termina los trabajos más rápido y ofrece seguridad integral para protegerlo de amenazas. Los cartuchos de tóner originales HP con JetIntelligence imprimen más páginas para usted.



Real

Impresión rápida. Protección fuerte.

- Tome las hojas y vaya, sin esperar dando vueltas. Esta impresora se inicia e imprime más rápido que las de la competencia.¹
- Finalice con éxito documentos de múltiples páginas con una impresión a doble cara que es más rápida que la de la competencia.¹
- Imprima de forma segura desde el arranque hasta el apagado con los recursos de seguridad que lo protegen de amenazas complejas.

Más. Páginas, rendimiento y protección.

- Obtenga la máxima cantidad de impresiones por lo que pagó, con los cartuchos de tóner originales HP de alta capacidad negros con JetIntelligence.
- Confíe en resultados uniformes a altas velocidades con un tóner negro de precisión.
- Ayude a garantizarse que está obteniendo la auténtica calidad HP por la que pagó, con la innovadora tecnología antifraude.
- Imprima de inmediato con los cartuchos de tóner instalados previamente. Reemplácelos por cartuchos de alta capacidad opcionales.

Ahorre energía y administre tareas con facilidad

- Ayude a ahorrar energía con la tecnología HP Auto-On/Auto-Off.²
- Imprima con menor consumo de energía que los competidores, mejorado por los cartuchos de tóner originales HP con JetIntelligence.³
- Aproveche al máximo el espacio de su oficina, con una impresora que se adapta fácilmente a su estilo de trabajo.
- Administre los dispositivos y los ajustes con facilidad mediante HP Web Jetadmin con un conjunto de recursos de administración esenciales.⁴

Permanezca conectado con opciones de impresión móvil sencillas

- Imprima fácilmente desde una variedad de smartphones y tablets; en general no se requiere configuración ni aplicaciones.⁵
- Configure, imprima y comparta fácilmente con la red Ethernet integrada.



¹ En función de una prueba interna de HP de los tres competidores líderes, respecto de la salida de la primera página del modo de suspensión y la velocidad de impresión a doble cara terminada 8/1/2015. Sujeto a la configuración del dispositivo. Los resultados reales pueden variar. Para obtener información más detallada, consulte hp.com/go/realprint. ² Basado en rendimientos de cartuchos HP 80X en comparación con otros cartuchos de tóner originales LaserJet HP 26X. Para obtener más información, consulte hp.com/go/realprint. Los recursos de ahorro de energía HP Auto-On/Auto-Off dependen de la impresora y la configuración. Puede requerir una actualización de firmware. ³ Basado en pruebas de HP con el método de consumo de electricidad típico (TEC) del programa de ENERGY STAR[®] o según el informe en energystar.gov respecto de los tres competidores líderes a agosto de 2015. Los resultados reales pueden variar. Para obtener información más detallada, consulte hp.com/go/realprint. ⁴ HP Web Jetadmin[®] es gratuito y se puede descargar de hp.com/go/webjetadmin. Las configuraciones inalámbricas son compatibles con velocidades de 2,4 GHz únicamente. También se puede recurrir a una cuenta de HP ePrint y una aplicación de software. Algunos de las funciones requieren la compra de un accesorio opcional. Obtenga más información en hp.com/go/mobileprint.

