

CLIENTE

COTIZACION

	Cotizacion No.	18710
Vendedor	Fecha	20/01/2020
	Referencia	
Contacto	Términos	Vencimiento

 Junta Central Electoral
 Referencia

 C/ 27 de febrero esq. Luperon
 Contacto
 Términos
 Vencimiento

 RNC 401-00754-1
 30
 19/02/2020

 Tel. 809-539-5419 ext.2209
 Precio Unit.
 TOTAL

Cantidad	Descripción	Precio Unit.	TOTAL
	Impresora Multifuncional a full Color Marca Toshiba Modelo 6516ACT Copiadora, Impresora & Scaner Velocidad de 65 copias por minutos B/N Velocidad de 75 Copias por Minutos a Full Color Velocidad del Scaner 240 Paginas por minutos color y 300 ppp monocromo Scaner a Doble cara de Alta velocidad Resolucion del 2400 x 600 con suavizado Tecnoligía de última Generación capacidad para 480,000 copy/Print mensuales Pantalla Tipo Tablet de 22.9" Bypass 100 x 148 mm - 330 x 483 mm, 60-300g/m2 papel para Campartas (Hasta 313.4 x 1,200 mm, 90-163 g/m2) 2 bandeja de 540 hojas 1 bandeja de alta capacidad de 2,320 1 Bypas de 120 hojas	1,090,000.00	1,090,000.007
		Subtotal	
63 TECHOLOG	10.45	ITBIS (18.0%)	
Recib	do Por	TOTAL	

Calle Mercedes Amiama de Blandino No. 3, San Gerónimo, Santo Domingo, D. N. Rep. Dom. Tel.: 809-567-8143 Fax: 809-732-5505 / www.ste.desoluciones.com / RNC.: 1-01-75973-9



CLIENTE

Junta Central Electoral

RNC 401-00754-1

C/ 27 de febrero esq. Luperon

COTIZACION

	Cotizacion No.	18710
Vendedor	Fecha	20/01/2020
GDR	Referencia	
Contacto	Términos	Vencimiento
	30	19/02/2020

Cantidad	Descripción	Precio Unit.	TOTAL
	Alimentador de Documentos (RADF) Compaginador electronico Tamaño de papel 8 1/2 x 11, 1, 17", 13 x 19.2 , banner 49.6" de largo Copias en dos Caras (Dúplex) Automatico Memoria 4GB Disco 320GB Amplia y reduce desde 25% has 400% ***********************************		
	1 Año de garantía en partes mecancias y Servicios Autorizado 3 Años de garantía en defectos de Fabrica Excluyendo partes eléctricas y Material Gastble Entrega en 20 dias Laborables		
10 10	Toner TFC616UK Black (106,600 copias) Toner TFC616UC Cyan para 39,200 copias Toner TFC 616UY Yellow para39,200 copias Toner TFT616UM Magenta para 39,200 copias ************************************	18,540.00 19,600.00 19,600.00 19,600.00	185,400.007 196,000.007 196,000.007 196,000.007
	NOLOGICAS EN	Subtotal RD\$	31,863,400.00
WEST TO THE STATE OF THE STATE	CTE E	ITBIS (18.0%) RI	D\$335,412.00
Recibi		TOTAL RD	\$2,198,812.00

Calle Mercedes Andemia de Blandino No. 3, San Gerónimo, Santo Domingo, D. N. Rep. Dom. Tel.:. 809-567-8144 / Fax: 809-732-5505 / www.steadesoluciones.com / RNC.: 1-01-75973-9



CONNECT. INTEGRATE. SIMPLIFY. AND MORE.

Technology for every workplace; delivering advanced functionality, ease of use, and peace of mind.

Every business is unique. That's why Toshiba offers the latest customizable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information—efficiently and safely to maximize your productivity.

Our latest series delivers on our commitment to collaborate with clients in order to provide tailored, cost-effective solutions that meet your print, document management, and content needs while helping you neet your green objectives.

- Speeds up to 55, 65 & 75 PPM Color, 65, 75 & 85 PPM Monochrome
- > High-resolution and high-volume color output
- > High-volume black & white output
- Advanced e-BRIDGE Next technology
- > Fast dual-core processor





Simple, smart and stylish.

A larger 10.1" tablet-style touch screen with an embedded web browser is easy to use, and customizable to meet your needs, enhancing the sleek and modern look of the complete series.

Sleeker, faster, and more versatile than ever.

Toshiba's new sleek lineup is as impressive on the inside as it is on the outside. Its ultra-modern look houses the latest innovative technologies, like brilliant, multi-beam laser color at a speed of up to 75 pages per minute, and up to 85 pages per minute in monochrome.

- > 1,200 dpi x 1,200 dpi
- > High-speed, high-capacity Dual-Scan Document Feeder Up to 600K maximum monthly copy volume


Elevate streamlines complicated multi-atop

processes into automated, one-touch functions.

We know you have work to do and at Toshiba we've introduced a new concept designed to make your job easier and more productive by personalizing the MFP user interface around your specific business processes.

Elevate enables customized and automated workflow presenting the user with convenient one-touch functions addressing only the tasks they use most. This results in simple operation and improved efficiency leading to an overall cost savings. Let Toshiba Elevate your productivity.

- Customize and automate workflow specifically around your business processes
- Boost productivity by reducing manual and paper intensive processes in the office
- Personalize the user interface by department to deliver the utmost efficiency
- Cost savings and greater efficiency through improved workflow and productivity



INNOVATIVE FEATURES, VERSATILE CONNECTIVITY.

The Toshiba e-STUDIO7516AC Series helps workgroups connect, integrate and simplify while improving efficiency and productivity to facilitate collaboration between departments.

High Speeds include 55/65/75 brilliant color pages per minute and 65/75/85 monochrome pages per minute, respectively.

Advanced e-BRIDGE Next Technology enables the MFP to drive Toshiba's internally developed embedded solutions or those from a third party with ease.

Fast Dual-Scan Document Feeder handles up to 300 sheets at a time and seamlessly scans both sides of each page in a single pass to produce a max of 240 images per minute (IPM).

Auto Skew Correction ensures your scanned documents are reproduced accurately.

Fast First Copy Out Times include 6.4/6.4/5.4 seconds for full-color printing and 5.2/4.5/4.1 seconds (respectively) for black and white printing.

10.1" Tablet-Style Touch Screen works intuitively, helping you access instructions, functions, and commands with the swipe of the finger.

Banner Printing produces impressive signage as large as 12" x 47" using our unique AquaAce media.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around a job that's held-up for a specific paper size, media type or color toner.

Saddle/Fold Capabilities offer saddle-stitch finishing and the option to fold without stapling.

e-BRIDGE Plus for USB lets you print PDF and JPG files straight from your USB drive and the MFP will scale documents to fit the available paper size if necessary.

Scan-to USB is great for capturing a file quickly when you're on the go.

Scan Preview allows you to review your scanned documents on the 10.1" tablet-style touch screen, even rotate and change pages prior to sending to file or email.

Fax Preview saves valuable resources by letting you view received faxes prior to printing them.

Notifications Feature takes the hassle out of checking for depleted supplies or maintenance needs.

Paper Volume Indicators on the front panel make it easy to see the paper sizes, types and levels in each cassette.











TOSHIBA INNOVATION AT ITS FINEST.

When it comes to seamless workflow and simplified integration, the e-STUD 17516AC Series represents the finest Toshiba has to offer. The latest e-BRIDGE Next technology enables the systems to offer invaluable embedded solutions capabilities and third-party integration.

AirPrint® and Mopria® support address the printing needs of mobile device users, while Wi-Fi Direct simplifies access to the MFP. Toshiba's exclusive e-BRIDGE Print & Capture application enables users additional printing features and the ability to scan documents back to their tablets or smartphones.

Toshiba's V4 Driver with Toshiba Print Experience serves PCL users, a universal print driver and XPS support addresses Windows® environments while PS3 support provides connectivity for Macintosh® users and beyond.

Cloud Support

Toshiba's new e-BRIDGE Plus apps, Including e-BRIDGE Plus for OneDrive® for Business, e-BRIDGE Plus for SharePoint® Online and e-BRIDGE Plus for Exchange Online let users print from Microsoft's cloud-based services directly at the front panel of the e-STUDIO MFP or their mobile device. This includes Word,™ Excel® and PowerPoint® (docx, xlsx, pptx) documents stored in OneDrive® accounts or SharePoint® locations. When combined with our embedded OCR feature, documents can be scanned into popular Office™ formats as well.*

With Google Cloud Print support, you can securely print over the web from anywhere, anytime—including your mobile device—to an e-STUDIO7516AC Series MFP, e-BRIDGE Plus for Google Drive, e-BRIDGE Plus for OneDrive, e-BRIDGE Plus for DropBox, and e-BRIDGE Plus for box address all of the popular cloud-based mobility apps.*

*Your network settings and/or access control may vary depending on network environment when installing e-BRIDGE Plus applications. For details, please consult Toshiba's sales person.

Advanced Security

Even more important than functionality is the security offered by the e-STUDIO7516AC Series. Such technological advancements include:

- A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- Available FIPS 140-2 Validated SED meets and exceeds strict government requirements
- IPsec is available to securely encrypt data sent to and from the MFP
- HCD-PP Certified ensures that the MFP has met rigorous security assurance requirements to safeguard your digital documents

Environmental Responsibility

Because we have been working to protect the environment as well as your security, you can rest assured Toshiba has what it takes to protect both.

- > ENERGY STAR® V2.0 certified
- RoHS compliance, the use of recycled plastics, and Super Sleep (0.6W) Mode work to help the environment
- > EPEAT Gold Registered for greener electronics, designed to help purchasers choose products that reduce environmental impact
- > The new e-STUDIO models' Typical [weekly] Electrical Consumption or TEC value is exceptionally low, equating to an environmentally friendly product with a low operating cost
- e-BRIDGE Plus for Green Information provides users with a graphical display at the MFP of their environmental contribution to promote more effective use.



IMPRESSIVE EVEN BEFORE YOU TURN IT ON.

Accessory Tray & Keyboard Options

GR1330 – Accessory Tray GR9000 – Bluetooth Keyboard GR1340 – 10-Key Numeric Keypad

2 Finishing Options

MJ1111B – 50-Sheet Console Finisher MJ1112B – 50-Sheet Saddle Stitch Finisher MJ6106N – Hole Punch Unit KA6551 – Side Exit Tray

3 Connectivity Options

GD1370N – Fax Unit/2nd Line for Fax Unit GN4020 – Wireless LAN/Bluetooth Module GE1230 – FIPS 140-2 Validated SED


4 Additional Paper Options

MP2502 -2,500 Sheet Large Capacity Feeder



Additional Option Highlights

- > IPsec Security Enabler
- > Multi-Station Print Enabler
- > Embedded OCR Enabler



Toshiba's e-STUDIO7516AC Series offers the best of the best, enabling large workgroups to improve productivity and connectivity while simplifying the overall workflow.

Double the Scan Speed

A 300-sheet, high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex.

Bluetooth/Wi-Fi Option

Bluetooth feature provides support for a wireless keyboard to simplify workflow processes at the MFP, while the Wi-Fi capability enables Wi-Fi Direct printing making it ideal for mobile users.

Volumes and Volumes

A high monthly copy volume of 480K/540K/600K respectively. Impressive toner yields of 39,200 color and 106,600 black and white (each at 5%).

Multi-Station Print Enabler

Toshiba's internally developed Multi-Station Print Enabler allows users to send print jobs from their desktop and retrieve them at any available MFP by simply swiping their card and authenticating at that device.

Advanced e-BRIDGE Next Technology

Built on Linux® this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, an Intel Atom™ dual-core processor, 4GB RAM, and a 320GB SED enabling the MFP to easily drive Toshiba's internally developed solutions and third-party applications

C-STUDIO 5516AC/6516AC/7516AC

Main Specifications

Copy System Indirect Electrostatic Photographic Method/OPC/Laser Printing/

Heat Roller Fusing Display

10.1" Color WSVGA Touch Screen Tilting Display Copy Speed Color: 55/65/75 PPM (LT), Monochrome: 65/75/85 PPM (LT) Color: 6.4/6.4/5.4, Monochrome: 5.2/4.5/4.1 Seconds

First Copy Out

Warm-Up Time Approx. 20 Seconds 600 x 600 dpi

Copy Resolution Stack Feed Bypass 3.9" x 5.8" to 13" x 19", 12" x 47" Banner, Envelope

Multiple Copying Up to 9,999 Copies **Paper Capacity** 4-Drawer: 2,280 Sheets/Max, 4,780 Sheets

Tandem Drawer: Standard 3,520 Sheets/Max. 6,020 Sheets

Original Feed Standard 300-Sheet DSDF

Scan Speed & Weights DSDF Scan; Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color)

Simplex: 9.3-110 lb Index, Duplex: 9.3-110 lb Index

Max. Original Size

Paper Feed Sizes Drawers: 540 Sheets-ST-R to 12" x 18' Integral Tandem LCF 1,160 x 2 LT-Only

Stack Feed Bypass: 120 Sheets-3.9" x 5.8" to 13" x 19", 12" x 47" Banner

Opt. 2.500-Sheet Ext. LCF LT-Only

Paper Weights 4-Drawer: Standard 540 Sheets x 4-16 lb Bond-140 lb Index

Tandem LCF 1,160 Sheets x 2-16 lb Bond-140 lb Index Plus 540 Sheets x 2-16 lb Bond-140 lb Index

Stack Feed Bypass: 120 Sheets-16 lb Bond-110 lb Cover Opt. 2,500-Sheet Ext. LCF LT-Only -16 lb Bond-140 lb Index

Standard Automatic Duplex Unit (16 lb Bond-140 lb Index)

Duplex 25% to 400%

Reproduction Ratio Max Duty Cycle Max, 480K/540K/600K Month (Color: 100%)

Weight Approx. 470 lb

37.6" (W) x 27.5" (D) x 48.3" (H) CMY: 39,200, K: 106,600 @ 5% Approx. Dimensions Toner Yield

120 Volts, 50/60 Hz, 16 Amps **Power Consumption** Maximum 2.0kW (120V) CPU Intel Atom™ 1.75 GHz (Dual-Core)

Hard Disk Drive 320GB Self-Encrypting Drive

Security Features

User Authentication, On-Board Data Scramble Function, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408)* with HCD-PP v1.0, IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for Firmware Update, Integrity Check Function, Image Log, Card Authentication, NFC Authentication

Conformance with HCD-PPv1.0 in High Security Mode. ENERGY STAR (V2.0), EPEAT Gold Environmental Stds.

Certification

WHQL (Windows® 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell®, Citrix®, SAP, AirPrint®, Mopria®

Scan Specifications

Scan Speed Scan Modes Scan Resolution **File Formats**

DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color) Standard: Full Color, Auto Color, Monochrome, Grayscale

600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi

Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Color/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX

(Opt.), PPTX (Opt.)

Image Compression Color/Grayscale: JPEG (High, Middle, Low)

Facsimile Specifications

Compatibility

MH/MR/MMR/JBIG **Data Compression Transmission Speed**

e-BRIDGE Next Print Specifications

Print Bustod Print Resolution

Operating Bystoms

PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG Color: 55/65/75 PPM (LT), Monochrome: 65/75/85 PPM (LT)

Server® 2012/R2, Windows Server® 2016, Macintosh® (macOS X 10.7.4, 10.8,

Millwork Profitocio

Printing Protocole SMS, L*TVCPD, I** (Ver.2.0) w/Aphinibulcouton, AppleTail* PAP or, Port 9100 (BI-Directional), NetWare P-SERVER LPD w/ IPrint, WS Print, FTP **Print Drivers**

802.11b/g/n, Wireless LAN, Optional Bluetooth

AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple® App Store or Google Play)

Device Management Up to 10,000 Users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows® Domain) or Login Name/

600 x 600 dpi (8 bit). 1,200 x 1,200 dpi (Color/2 bit) or 3,600 x 1,200 dpi (BW/with Smoothing) PS3 Only Windows Server® 2008 R2, R2 SP1, 2008/SP2, Windows® 7,8.1,10, Windows

10.9, 10.10, 10.11, macOS 10.12, 10.13), Unix®, Linux®
TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments,

EtherTalk for Macintosh® Environments

Windows Server® 2008 SP2 (32-bit), 64-bit) Windows Server® 2008 R2 SP1 (64-bit), Windows® 7 SP1 (32-bit), Windows® 8.1 (32-bit), 64-bit), Windows Server® 2012/R2 (64-bit), Windows Server® 2016, Windows® 10 (32-bit, 64-bit), macOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, macOS 10.12, 10.13 RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-Speed) Optional

TopAccess, EFMS 6.3 (e-BRIDGE Fleet Management Software)

Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function Accessibility Features Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen Timeout and Audible Beep Message Alerts

Super G3

Approx. 3 Seconds Per Page

Fax Modem Speed Up to 33.6 Kbps

Memory Transmission 100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job

0.7 Seconds Per Page, Maximum 73 IPM

e-Filing Specifications

Operation Method Number of Boxes Capacity of Boxes

Color Touch Screen Control Panel or Client PC 1 Public Box, 200 Private User Boxes 100 Folders Per Box, 400 Documents Per Folder/Box,

200 Pages Per Document

Accessories (Options)

Additional Paper Options Large Capacity Feeder	MP2502	
Finishing Options		
50-Sheet Staple Finisher	MJ1111B	
Saddle-Stitch Finisher	MJ1112B	
Hole Punch Unit for MJ1111B/MJ1112B	MJ6106N	
Side Exit Tray	KA6551	
Finisher Guide Rail	KN1103	

Connectivity/Security Options FAX Unit/2nd Line for FAX Unit **GD1370N** Wireless LAN/Bluetooth GN4020 Bluetooth Keyboard GR9000 Accessory Tray Panel 10-Key Option GR1330 GR1340 Card Reader Holder GR1320 Meta Scan Enable GS1010

IPsec Enabler GP1080 GS1007 Unicode Font Enabler FIPS 140-2 Validated SED GE1230 Embedded OCR Enabler Per Seat License GS1080 Multi-Station Print Enabler Per Seat License GS1090 GB1440 SharePoint® Connector Exchange Connector GB1450 Google Docs™ Connector GB1540 **Miscellaneous Options**

KK2550 Accessible Arm Harness Kit for Coin Controller GQ1280 Manual Pocke KKSOOR



Interface

Wireless Device

Account Control













of use and/or environmental usage. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Product names may be trademarks of their respective companies. AirPrint and the AirPrint logo are trademarks of Apple Inc. This is a Class 1 laster product complying with IEC60825-1. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

© 2018 Toshiba America Business Solutions, Inc. Electronic Imaging Division Inv. Code 22338 7516AC Series Brochure 5K PG 11/18

Corporate Office

Midwest

South

West Coast

25530 Commercentre Drive, Lake Forest, CA 92630

Tel: 949-462-6000

959 Route 46 East, 5th Floor, Parsippany, NJ 07054

Tel: 773-380-6000 2037 Bakers Mill Rd., Dacula, GA 30019

Tel: 678-546-9385

25530 Commercentre Drive, Lake Forest, CA 92630

Tel: 949-462-6000

www.business.toshiba.com