## FERTINET

DATA SHEET

# **FortiAnalyzer**








# Fortinet Security Fabric Visibility, Analytics, and Automation for the Modern Enterprise

FortiAnalyzer is a powerful log management, analytics, and reporting platform that provides organizations with a single console to manage, automate, orchestrate, and respond, enabling simplified security operations, proactive identification and remediation of risks, and complete visibility of the entire attack landscape. Integrated with the Fortinet Security Fabric, advanced threat detection capabilities, centralized security analytics, end-to-end security posture awareness and control, helps security teams identify and mitigate threats before a breach can occur.



**Orchestrate** security tools, people, and process for streamlined execution of tasks and workflows, incident analysis and response, and rapidly expedite threat detection, case creation and investigation, and mitigation and response.

**Automate** workflows and trigger actions with connectors, playbooks, and event handlers to accelerate your network security team's ability to respond to critical alerts, events, and service level agreement (SLA) for regulation and compliance.

Respond in real-time to network security attacks, vulnerabilities, and warnings of potential compromises, with threat intelligence, event correlation, monitoring, alerts and reporting for immediate tactical response and remediation.

## **Key Features**

- Security Fabric Analytics with event correlation and real-time detection across all logs, with Indicators of Compromise (IOC) service and detection of advanced threats
- Fortinet Security Fabric integration with FortiGate NGFWs, FortiClient, FortiSandbox, FortiWeb, FortiMail, and others for deeper visibility and critical network insights
- Enterprise-grade high availability to automatically back-up FortiAnalyzer databases (up to four node cluster), which can be geographically dispersed for disaster recovery
- Security Automation reduces complexity, leveraging REST API, scripts, connectors, and automation stitches to expedite security response and reduce time-to-detect
- Multi-Tenancy solution with quota management, leveraging ADOMs to separate customer data and manage domains for operational effectiveness and compliance
- Flexible deployment options as appliance, VM, hosted, or public cloud. Use AWS, Azure, or Google for cloud secondary archival storage


## **FEATURE HIGHLIGHTS**

## **Across Fortinet's Security Fabric**

## **Incident Detection and Response**

#### Centralized NOC/SOC Visibility for the Attack Surface

The FortiSOC view helps security and network operations teams protect network assets with correlated log and threat data and insights through actionable views with deep drill-down capabilities. Real-time notifications, reports, predefined or customized dashboards deliver single-pane visibility and actionable results. Utilize FortiAnalyzer workflow automation for simplified orchestration of security operations, management of threats, vulnerabilities, and incident response. Proactively investigate anomalies and threats through analysis of SIEM normalized logs in Threat Hunting view.



#### **Event Management**

Security teams can monitor and manage alerts and event logs from Fortinet devices, with events processed and correlated in a format that analysts can easily understand. Investigate suspicious traffic patterns and search using filters in predefined or custom event handlers to generate real-time notifications and monitoring for NOC and SOC operations, SD-WAN, SSL VPN, wireless, Shadow IT, IPS, network recon, FortiClient, and more.

#### **Incident Management**

The Incidents component in FortiSOC enables security operations teams to manage incident handling and life cycle with incidents created from events to show affected assets, endpoints, and users. Analysts can assign incidents, view and drill down on event details, incident timelines, add analysis comments, attach reports and artifacts, and review playbook execution details for complete audit history.



Integrate with FortiSOAR for further incident investigation and threat eradication including support to export incident data to FortiSOAR through the FortiAnalyzer fabric connector.

#### **Playbook Automation**

FortiAnalyzer Playbooks boost an organization's security team abilities to simplify investigation efforts through automated incident response, freeing up resources and allowing analysts to focus on tasks that are more critical.

Out-of-the-box playbook templates enable SOC analysts to quickly customize their use cases, with playbooks for investigation of compromised hosts, infections and critical incidents, data enrichment for Fabric View Assets and Identity views, blocking malware, C&C IPs, and more. Security teams can define custom processes, edit playbooks and tasks in the visual playbook editor, utilize the Playbook monitor to review task execution details, import or export playbooks, and use built-in connectors with OAuth2 authentication, allowing playbooks to interact with other Security Fabric devices like FortiOS and EMS. Connector health check provides an indicator for verifying that connectors are up and working.

#### Subscription Licenses and FortiGuard Security Services


The FortiGuard Outbreak Detection Service delivers automated content package download for detecting the latest malware, including a summary of outbreaks and kill chain mapping for how the malware works. The package includes a FortiGuard Report for the outbreak, Event Handler, and a Report Template to detect outbreaks.

The FortiGuard Indicators of Compromise subscription empowers security teams with forensic data from 500 000 IOCs daily, used in combination with FortiApay zer analytics to identify suspicious usage and artifacts observed on the network or in an operations system, that have been determined with high confidence to be malicious infections or intrusions, and historical rescan of logs for threat hunting.

300329

## **FEATURE HIGHLIGHTS**

The Shadow IT monitoring service provides continuous monitoring of unapproved devices, resources, unsanctioned accounts and unauthorized use of SaaS and IaaS, API integration, and third party apps. The service identifies rogue users using personal accounts for managing company assets, using correlated FortiOS and FortiCASB data with a FortiCASB account subscribed for SaaS features.




Include the Security Automation Service subscription to enable further automation for incident response with enhanced monitoring and escalation, built-in incident management workflows, connectors, playbooks and more.

## Security Fabric Analytics

#### **Analytics and Reporting**

FortiAnalyzer automation driven analytics empowers security teams by providing full visibility of network devices, systems, and users, with correlated log data for threat intelligence and analysis of real-time and historical events. Analysts have access to correlated monitoring views and reports to provide deep insights with context and meaning of network activity, risks, vulnerabilities, attack attempts, and investigation of operational anomalies with monitoring of sanctioned and unsanctioned user activity for SaaS applications.



FortiAnalyzer provides over 70 report templates and more than 2000+ combined ready-to-use datasets, charts and macros for analysis of Secure SD-WAN, VPN, FortiNDR network anomaly detection, threat assessments, 360 Security Reviews, situational awareness, self-harm and risk indicators, delivering critical business metrics to stakeholders in flexible viewing formats including PDF, HTML, CSV, XML, and JSON.

**FortiView** is a comprehensive monitoring solution that provides multi-level views and summaries of real-time critical alerts and information such as top threats and IOCs to your network including Botnet and C&C, top sources and destinations of network traffic, top applications, websites and SaaS, VPN and System information, and other Fabric device intelligence.

Monitors view provides operations teams with customizable NOC and SOC dashboards and widgets designed for display across multiple screens in the Operations Center. Monitor events in real-time through the pre-defined dashboard views for SD-WAN, VPN, Wi-Fi, Incoming/Outgoing Traffic, Applications and Websites, FortiSandbox Detections, Endpoint Vulnerabilities, Software Inventory, Top Threats, Shadow IT (monitoring service), ZTNA, and many more.



#### Assets and Identity

FortiAnalyzer Fabric View with Assets and Identity monitoring provides security teams with full SOC visibility and elevated awareness into an organization's endpoints and users with correlated device and UEBA information, vulnerability detections, EMS tagging, and asset classifications through telemetry with EMS, NAC, and Fortinet Fabric Agent.

Log View enables analysts to expand their investigation and utilize search filters on managed device logs, with log drill down, formatted or raw logs log import/export, custom views and log groups, including a SIEM database with normalized

വരുള്ള ഭൂരിices in Fabric ADOMSRGD Los

4 N S

## **FEATURE HIGHLIGHTS**

## **Deployments**

#### **Deploying FortiAnalyzer**

FortiAnalyzer plays a pivotal role in the Fortinet Security
Fabric and can be deployed in a variety of configurations
to best support the needs of any organization for analytics,
back-ups, disaster recovery, storage, availability, and
redundancy plus log collection and log forwarding for highvolume networks with sizable generation of event logs.

#### FortiAnalyzer Fabric

FortiAnalyzer Fabric allows SOC Administrators to configure two operation modes supervisor and members, allowing supervisors to view member devices, their ADOMs and authorized logging devices, as well as incidents and events created on members. Search across all member FortiAnalyzers in Log View to perform Global Search of logs collected across FortiAnalyzer Fabric members with predefined device filters for each Member and Member ADOMs and drill down into the logs for more details.

#### FortiAnalyzer High Availability (HA)

FortiAnalyzer HA provides real-time redundancy to protect organizations by ensuring continuous operational availability. In the event that the primary (active) FortiAnalyzer fails, a secondary (passive) FortiAnalyzer (up to four-node cluster) will immediately take over, providing log and data reliability and eliminating the risk of having a single point of failure.

#### **Multi-Tenancy with Flexible Quota Management**

FortiAnalyzer provides the ability to manage multiple subaccounts with each account having its own administrators and users. The time-based archive/analytic log data policy, per Administrative Domain (ADOM), allows automated quota management based on the defined policy, with trending graphs to guide policy configuration and usage monitoring.

#### **Analyzer-Collector Mode**

FortiAnalyzer provides two operation modes: Analyzer and Collector. In Collector mode, the primary task is forwarding logs of the connected devices to an Analyzer and archiving the logs. This configuration greatly benefits organizations with increasing log rates, as the resource intensive log-receiving task is off-loaded to the Collector so that the Analyzer can focus on generating analytics and reports.

Network operations teams can deploy multiple FortiAnalyzers in Collector and Analyzer modes to work together to improve the overall performance of log receiving and processing increased log volumes, providing log storage and redundancy, and rapid delivery of critical network and threat information.

#### Log Forwarding for Third-Party Integration

Forward logs from one FortiAnalyzer to another FortiAnalyzer unit, a syslog server, or (CEF) server. In addition to forwarding logs to another unit or server, the client FortiAnalyzer retains a local copy of the logs, which are subject to the data policy settings for archived logs. Logs are forwarded in real-time or near real-time as they are received from network devices.

#### **Trusted Platform Module (TPM) Encryption**

FortiAnalyzer G Series features a dedicated micro-controller module that hardens physical networking appliances by generating, storing, and authenticating cryptographic keys in TPM, with hardware-based security mechanisms that protect against malicious software and phishing attacks.

#### **Cloud Services**

#### FortiAnalyzer Cloud

FortiAnalyzer Cloud offers customers a PaaS-based delivery option for automation-driven, single pane analytics, providing log management, analytics, and reporting for Fortinet NGFW and SD-WAN with an easily accessible cloud-based solution.

FortiAnalyzer Cloud delivers reliable real-time insights into network activity with extensive reporting and monitoring for clear, consistent visibility of an organization's security posture.

Customers can easily access their FortiAnalyzer Cloud from their FortiCloud single sign-on portal.





#### VIRTUAL OFFERINGS

## FortiAnalyzer Virtual Machines

FortiAnalyzer Virtual Machines are a virtual version of the hardware appliance and are designed to run on many virtualization platforms, offering all the latest features of the FortiAnalyzer appliance. They allow organizations to simplify their centralized log management and analytics solution, automate workflows, and help NOC and SOC teams identify and respond to threats. FortiAnalyzer-VMs are available in both a subscription and perpetual offering.

#### FortiAnalyzer-VM S

The new FortiAnalyzer Subscription license model consolidates the VM product SKU and the FortiCare Support SKU, plus IOC and FortiAnalyzer SOC (SOAR/SIEM) services into one single SKU, to simplify the product purchase, upgrade, and renewal.

FortiAnalyzer-VM S provides organizations with centralized security event analysis, forensic research, reporting, content archiving, data mining, malicious file quarantining, and

vulnerability assessment. Centralized collection, correlation, and analysis of geographically and chronologically diverse security data from Fortinet and third party devices deliver a simplified, consolidated view of your security posture.

The FortiAnalyzer-VM S series SKUs come in stackable 5, 50, and 500 GB/ day logs licenses, so that multiple units of this SKU can be purchased together providing organizations with the ability and cost-efficiencies to scale and meet their logging needs.

#### FortiAnalyzer-VM

Fortinet offers the FortiAnalyzer-VM licensing in a stackable perpetual license model, with a-la-carte services available for FortiCare Premium support and subscription license for the FortiGuard Indicators of Compromise (IOC) Service.

This software-based version of the FortiAnalyzer hardware appliance is designed to run on many virtualization platforms, which allows you to expand your virtual solution as your environment expands.

## **SPECIFICATIONS**

FORTIANALYZER VIRTUAL APPLIANCES	FAZ-VM-GB1	FAZ-VM-GB5	FAZ-VM-GB25	FAZ-VM-GB100	FAZ-VM-GB500	FAZ-VM-GB2000
Capacity						
GB/ day of Logs *	+1	+5	+25	+100	+500	+2,000
Devices/VDOMs Maximum	10 000	10 000	10 000	10 000	10 000	10 000
Chassis Management	0	$\odot$	0	0	<b>Ø</b>	9
FortlGuard IOC Service	$\odot$					
Security Automation Service						
Hypervisor Support	Up-to-date hypervisor support can be found in the release note for each FortiAnalyzer version.  V:sit https://docs.fortinet.com/product/fort.analyzer/ and find the Release Information at the bottom section.  Go to "Product Integration and Support" → "FortiAnalyzer [version] support" → "Virtualization"					
vCPU Support (Minimum / Maximum)	4 / Unlimited					
Network Interface Support (Min / Max) "	1/12					
Memory Support (Minimum / Maximum)	8 GB / Unlimited for 64-bit					

\* Unlimited GB/ day when deployed in collector mode

<sup>\*\*</sup> VM supports up to 12 vNIC interfaces/ports, Applicable to 6.4,3+, Actual consumable numbers vary depending on cloud platforms



M



## **SPECIFICATIONS**

	¥ ~~~			
FORTIANALYZER APPLIANCES	FAZ-150G	uniame States	[ so T m F m T m	
Capacity and Performance	FAZ-150G	FAZ-300G	FAZ-800G	
GB/ day of Logs	25	100	200	
Analytic Sustained Rate (logs/sec)*	500	100	200	
Collector Sustained Rate (logs/sec)*		2000	4000	
Devices/VDOMs (Maximum)	<b>750</b> 50	3000	6000	
Max Number of Days Analytics**	90	50	800 50	
Options				
ortiGuard IOC Service			<b>⊘</b>	
Security Automation Service	Ø	$\odot$	<ul><li>✓</li></ul>	
ortiGuard Outbreak Detection Service	<b>⊘</b>	Ø	<u> </u>	
Interprise Bundle	<b>⊘</b>	<i>⊙</i>	Ø	
lardware Bundle	<i>⊙</i>	 ⊘		
lardware Specifications			<u> </u>	
orm Factor (supports EIA/non-EIA standards)	Desktop	1 RU Rackmount	1 RU Rackmount	
otal Interfaces	2 x RJ45 GE	4 x RJ45 GE	4 x RJ45 GE, 2 x SFP	
torage Capacity	4TB (2× 2TB)	8 TB (2 × 4 TB)	16 TB (4 × 4 TB)	
sable Storage (After RAID)	2 TB	4 TB	8 TB	
emovable Hard Drives	No	No	<b>⊘</b>	
AID Levels Supported	0/1	RAID 0/1	RAID 0/1,1s/5,5s/10	
AID Type	Software	Software	Hardware / Hot Swappable	
efault RAID Level	1	1	10	
edundant Hot Swap Power Supplies	No	Optional	Optional	
rusted Platform Module (TPM) '''	Gen 2	Gen 2	<b>⊘</b>	
imensions				
eight x Width x Length (inches)	9.5 × 3.5 × 8	1.73 × 17.24 × 16.38	1.73 × 17.32 × 21.65	
eight x Width x Length (cm)	241 × 8.9 × 20.55	4 4 × 43.8 × 41.6	4.4 × 44.0 × 55.0	
/eight	9 <sub>8</sub> 35 lbs (4 <sub>8</sub> 24 kg)	22.5 lbs (10.2 kg)	25.75 lbs (11.68 kg)	
nvironment				
C Power Supply	100-240V AC, 50-60 Hz	100-240V AC, 60-50 Hz	100-240V AC, 50-60 Hz	
ower Consumption (Average / Maximum)	36 W / 43 W	901 W / 99 W	134 W / 174 2 W	
eat Dissipation	147.4 BTU/h	337.8 BTU/h	594.4 BTU/h	
perating Temperature	32°-104" F (0°-40° C)	32°-104° F (0°-40° C)	32°-104° F (0°-40° C)	
orage Temperature	-4°-167° F (-20°-75° C)	-13°-167° F (-25°-75° C)	-4°-167° F (-20°-75° C)	
umidity	5% to 95% non-condensing	20% to 90% non-condensing	5% to 95% non-condensing	
orced Airflow	Front to Back	Front to Back	Front to Back	
perating Altitude	Up to 7400 ft (2250 m)	Up to 7400 ft (2250 m)	Up to 7400 ft (2250 m)	
ompliance				
afety Certifications	FCC Part 15 Class A, RCM, VCCI, CE, UL/cUL, CB	FCC Part 15 Class A, RCM, VCCI, CE, BSMI, KC, UL/cUL, CB, GOST	FCC Part 15 Class A, RCM, VCCI, UL/cUL, CB	
	ALTERNATION AND ADDRESS OF THE PROPERTY OF THE	THE THEORY OF THE PROPERTY OF		

<sup>\*</sup> Sustained Rate - maximum constant log message rate that the FAZ platform can maintain for minimum 48 hours without SQL database and system performance degradation.

\*\* The maximum number of days if receiving logs continuously at the sustained analytics log rate. This number can increase if the average log rate is lower.

\*\*\* Gen2 refers to hardware that has been upgraded since initial release.







## **SPECIFICATIONS**









	19174-1-11-11-11-11-11-11-11-11-11-11-11-11-	City as bother (Seconds) is a beautiful to	Chock well med the	The second secon	
FORTIANALYZER APPLIANCES	FAZ-1000F	FAZ-3000G	FAZ-3500G	FAZ-3700G	
Capacity and Performance					
GB/ day of Logs	B/ day of Logs 660		5000	8300	
Analytic Sustained Rate (logs/sec)*	ic Sustained Rate (logs/sec)* 20 000		60 000	100 000	
Collector Sustained Rate (logs/sec)*	30 000	60 000	90 000	150 000	
Devices/VDOMs (Maximum)	2000	4000	10 000	10 000	
Max Number of Days Analytics**	34	30	38	60	
Options					
FortiGuard IOC Service	⊘	<b>O</b>	⊗	0	
Security Automation Service		⊘	0	<b>©</b>	
FortiGuard Outbreak Detection Service	0	⊘		<b>⊘</b>	
Enterprise Bundle	<b>⊘</b>	<b>②</b>	<b>Ø</b>	$\odot$	
Hardware Bundle	<b>⊘</b>	⊘	<b>⊘</b>	<b>⊘</b>	
Hardware Specifications					
Form Factor (supports EIA/non-EIA standards)	2 RU Rackmount	3 RU Rackmount	4 RU Rackmount	4 RU Rackmount	
Total Interfaces	2 × 10GbE RJ45, 2 × 10GbE SFP+	2 x GE RJ45, 2× 25GE SFP28	2 x GE RJ45, 2× 25GE SFP28	2× 10GE RJ-45 + 2× 25GE SFP2	
Storage Capacity	32 TB (8 × 4 TB)	64 TB (16 × 4TB)	96 TB (24 × 4 TB)	240TB (60 × 4TB) 3.5" HDD + 19.2TB (6× 3.2TB) NVMe SSD	
Usable Storage (After RAID)	24 TB	56 TB	80 TB	224 TB	
Removable Hard Drives	0	$\odot$	$\odot$	0	
RAID Levels Supported	RAID 0/1,1s/5,5s/6,6s/10/50/60	RAID 0/1,1s/5,5s/6,6s/10/50/60	RAID 0/1,1s/5,5s/6,6s/10/50/60	RAID 0/1,1s/5,5s/6,6s/10/50/60	
RAID Type	Hardware / Hol Swappable	Hardware / Hot Swappable	Hardware / Hot Swappable	Hardware / Hot Swappable	
Default RAID Level	50	50	50	50	
Redundant Hot Swap Power Supplies	<b>⊘</b>	0	$\odot$	$\odot$	
Trusted Platform Module (TPM) '''	No	No	No		
Dimensions					
Height x Width x Length (inches)	3.5 × 17.2 × 25.6	5.2 × 17.2 × 25.5	7.0 × 17.2 × 26.0	7.0 × 17.2 × 30 2	
Height x Width x Length (cm)	8.9 × 43.7 × 65.0	13.0 × 44.0 × 65.0	17.8 × 43.7 × 66.0	17.8 × 43.7 × 76.7	
Weight	34 lbs (15.42 kg)	66.5 lbs (30.15 kg)	90.75 lbs (41.2 kg)	118 lbs (53.5 kg)	
Environment					
AC Power Supply	100-240V AC, 50-60 Hz	100-127V~/10A, 200-240V~/5A	100-240 VAC, 50-60 Hz	2000W AC****	
Power Consumption (Average / Maximum)	192.5 W / 275 W	385 W / 500 W	629.5 W / 677.3 W	850 W / 1423.4 W	
leat Dissipation	920 BTU/n	1350 BTU/h	2345.07 BTU/h	4858 BTU/h	
Operating Temperature	50°-95°F (10°-35°C)	32°-104°F (0°-40°C)	41°-95°F (5°-35°C)	50°-95°F (10°-35°C)	
Storage Temperature	-40° <b>-</b> 140°F (-40°-60°C)	-4°-167°F (-20°-75°C)	-40°-140°F (-40°-60°C)	-40°-158°F (-40°-70°C)	
lumidity	8% to 90% non-condensing	5% to 95% (non-condensing)	8% to 90% (non-condensing)	8% to 90% (non-condensing)	
orced Airflow	Front to Back	Front to Back	Front to Back	Front to Back	
Operating Altitude	Up to 7400 ft (2250 m)	Up to 7400 ft (2250 m)	Up to 7400 ft (2250 m)	Up to 7400 ft (2250 m)	
Compliance					
•					

Sustained Rate - maximum constant log message rate that the FAZ platform can maintain for minimum 48 hours without SQL database and system performance degradation.

' is the max number of days if receiving logs continuously at the sustained analytics log rate. This number can increase if the average log rate is lower.

' Gen2 refers to hardware that has been upgraded since initial release.

' 3700G must connect to a 200V - 240V power source.







## **ORDER INFORMATION**

PRODUCT	SKU	DESCRIPTION			
FortiAnalyzer	FAZ-150G	Centralized log and analysis appliance — 2 x RJ45 GE, 4 TB storage, up to 25 GB/ day of logs.			
	FAZ-300G	Centralized log and analysis appliance — 4 x RJ45 GE, 8 TB storage, up to 100 GB/ day of logs.			
	FAZ-800G	Centralized log and analysis appliance — 4 x GE, 2 x SFP, 16 TB storage, up to 200 GB/ day of logs,			
	FAZ-1000F	Centralized log and analysis appliance — $2 \times 10$ GE RJ45, $2 \times 10$ GbE SFP+, $32$ TB storage, dual power supplies, up to $680$ GB/ day of logs.			
	FAZ-3000G	Centralized log and analysis appliance — 2 x GE RJ45, $2 \times 25$ GE SFP28, 64 TB storage, dual power supplies, up to 3,000 GB/ day of logs.			
	FAZ-3500G	Centralized log and analysis appliance — 2 x GbE RJ45, 2 x SFP28, 96 TB storage, dual power supplies up to 5,000 GB/ day of logs.			
	FAZ-3700G	Centralized log & analysis appliance - 2× 10GE RJ-45 + 2× 25GE SFP28 slots, 240TB HDD + 19,2TB NVMe SSD storage, up to 8300 GB/ day of Logs.			
FortiAnalyzer-VM Subscription License with Support	FC1-10-AZVMS-465-01-DD	Subscription license for 5 GB/Day Central Logging & Analytics. Include FortiCare Premium support, IOC Security Automation Service, and FortiGuard Outbreak Detection service.			
	FC2-10-AZVMS-465-01-DD	Subscription license for 50 GB/Day Central Logging & Analytics. Include FortiCare Premium support, IOC, Security Automation Service, and FortiGuard Outbreak Detection service.			
	FC3-10-AZVMS-465-01-DD	Subscription license for 500 GB/Day Central Logging & Analytics, Include FortiCare Premium support, IOC, Security Automation Service, and FortiGuard Outbreak Detection service.			
FortiAnalyzer-VM	FAZ-VM-GB1	Upgrade license for adding 1 GB/Day of Logs.			
	FAZ-VM-GB5	Upgrade license for adding 5 GB/Day of Logs.			
	FAZ-VM-GB25	Upgrade license for adding 25 GB/Day of Logs.			
	FAZ-VM-GB100	Upgrade license for adding 100 GB/Day of Logs.			
	FAZ-VM-GB500	Upgrade license for adding 500 GB/Day of Logs			
	FAZ-VM-GB2000	Upgrade license for adding 2 TB/Day of Logs.			
FortiAnalyzer Cloud Storage Subscription	FC1-10-AZCLD-463-01-DD	Increase FortiAnalyzer Cloud storage by 5 GB/Day for Central Logging & Analytics and FortiCloud SOCaaS. Include FortiClare Premium support, IOC and Security Automation Service.			
	FC2-10-AZCLD-463-01-DD	Increase FortiAnalyzer Cloud storage by 50 GB/Day for Central Logging & Analytics and FortiCloud SOCaaS. Include FortiCare Premium support, IOC and Security Automation Service.			
	FC3-10-AZCLD-463-01-DD	Increase FortiAnalyzer Cloud storage by 500 GB/Day for Central Logging & Analytics and FortiCloud SOCaaS. Include FortiCare Premium support, IOC and Security Automation Service.			
FortiAnalyzer - Backup to Cloud Service	FC-10-FAZ00-286-02-DD	One year subscription to FortiAnalyzer storage connector service for 10TB data transfer to public cloud			
FortiAnalyzer Cloud	FC-10-[Model Code]-464-02-DD	FortiAnalyzer Cloud with SOCaaS: cloud-based central logging & analytics. Include All FortiGate log types, IOC service, Security Automation Service, FortiGuard Outbreak Service and SOCaaS.			
	FC-10-[Model Code]-585-02-DD	FortiAnalyzerCloud: cloud-based central logging and analytics. Include all FortiGate log types, IOC service, Security Automation Service, FortiGuard Outbreak Detection Service.			
FortiGuard IOC Service	FC-10-[Model Code]-149-02-DD	One year subscription I cense for the FortiGuard Indicator of Compromise (IOC) Service			
FortiAnalyzer Security Automation Service	FC-10-{Model Code}-335-02-DD	Subscription license for FortiAnalyzer Security Automation Service.			
FortiAnalyzer-VM Security Automation Service	FC(GB Day Code)-10-LV0VM-335-02-DD	Subscription license for FortiAnalyzer-VM Security Automation Service			
FortiGuard Outbreak Detection Service	FC-10-[Model Code]-462-02-DD	Subscription license for FortiGuard Outbreak Detection Service.			
FortiAnalyzer-VM Perpetual Outbreak Detection Service	FC[GB Day Code]-10-LV0VM-462-02-DD	Subscription license for FortiAnalyzer VM Perpetual FortiGuard Outbreak Detection Service,			
Enterprise Protection Bundle	FC-10-[Model Code]-466-02-DD	Enterprise Protection (FortiCare Premium plus Indicators of Compromise Service, Security Automation Service, and FortiGuard Outbreak Detection service).			
Hardware Bundle	FAZ-[Hardware Model]-BDL-466-DD	Hardware plus FortiCare Premium and FortiAnalyzer Enterprise Protection			

## FEERTINET,



Copyright © 2022 Farmel, find All ingitis relevant Formatic Formatics Formatics and Fortiguard and circlem of a circle are no stated frademarks of Fortiguard and circlem of a circle are no stated frademarks of Fortiguard and circlem of a circle are no stated frademarks of fortiguard and circlem of a circle are no stated frademarks of the results in a vivial performance and other results in a vivial performance results. Not then present results in a state and other results in a state and other results in a state and other results. Not then present results in a state and other results in a s

Fell of its comminded to driving progress and sustainquety for all inneugh evidenceurity, with respect in 1 man rights will of collections, the city process process and sustainquety for all inneugh evidenceurity, with respect in 1 man rights will be considered and survivors to engage in, or support in any way, violation, or abuses of human rights must be for not EULA and survivors to engage in, or support in any way, violation, or abuses of human rights must be considered and survivors a